



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST JANUARY 2018

PAGE 2-4	4140				
PAGE 5	4340				
PAGE 6	1045				
PAGE 7	M1020				
PAGE 8	1030				
PAGE 9	8620				
PAGE 10-11	VARIOUS	EN36A XK1340 1141	EN26 XK1320	EN39B 300 PLUS	EN25 17CrNiMo6
PAGE 12	1214				
PAGE 13	12L14				
PAGE 14	CHROME	4140	1045		
PAGE 15-16	HEXAGONS	4140 12L14	1045	1214	
PAGE 17	SQUARE	1214 4140	1045 1020	12L14	
PAGE 18	FLAT	M1020 U1010	1004B	1016	
PAGE 19	HOLLOW	4140	CARBON		
PAGE 20	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
10			1.6 h10	
11		6.6 - COIL		
12			0.6 h10	
12.7			1.6 h10	
13	9 - COIL			
14	1.5 - COIL	2.5 - COIL		
16		3.5 - COIL		
17.5	4.5 - COIL			
20	1.8 (MARCH)			
21	16 (MARCH)	5.2		
22	4 (MARCH)	0.4	0.5 h10	
23	14 (FEB)			
25		6.1		
26	8.8	2.3	0.5 k12	
27	2 (FEB)	8.8		
28	15 (FEB)			
30	2 (FEB)			
32		19.3	0.5 h10	
33		5.3		
34.92			0.2 h10; 0.1 k12	
35	5.3	10.2		
36		11		
38	14 (MARCH)			
39	26.8			
40	15 (FEB)	3.7		
45	16	1		
46	20 (FEB)	25.4	0.9 k12	
47.62				0.3 h8
50	20 (FEB)	20		
52	42		3 h10	
53	24 (MARCH)			
54	2.6	41		
55.5			1.9 k12	0.1 h8
56	20 (FEB)	10.7		
58		12		
60	0.8	34		
63		0.8		
64	65	10		
65	20 (FEB)	3.3		
67.6			0.6	
68.5	20 (FEB)			
69.85			0.7 h11	
70	8	19		
73		25		
75		5.8		
80	20 (FEB)			
82.55			0.25 k12	
85	73		1 h10	

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
87			3.1 h10	
87.3125				0.8 h8
88.9			0.9 h10	
90	14.4	26.6		
95	90 (FEB)			
100	35 (MARCH)	3 (MARCH)		
105	9 (FEB)			
110	23 (MAY)			
115	16 (MARCH)			
116			7 k12 (JUNE)	
120	40 (FEB)			
125	43 (FEB)	3 (JUNE)		
130	20 (FEB)			
135	22 (FEB)			
140	23 (FEB)			
145	11 (FEB)	8 (JUNE)		
150	22 (FEB)			
152.4			0.8 h10	
160	29 (MAY)			
165			2 k12 (JUNE)	
170	14 (FEB)		2 k12 (JUNE)	
180	17 (MARCH)			
185	16 (MARCH)	4 (JUNE)		
190	16 (MARCH)		2.6 k12 (JUNE)	
195			2 k12 (JUNE)	
200	7.8 (FEB)			
210	8 (MARCH)	12		
220	8 (MARCH)	1.8		
230	5 (JAN)			
240	8 (MARCH)			
250	10 (JAN)			
260	7.8 (FEB)	3.7		
270	15 (FEB)			
280	18 (FEB)	6.2		
290	6.5 (JAN)			
300	8 (MARCH)	6.8		
310		4.5	6 - AF MACHINED (JAN)	
320	4.3		10.4 - AF MACHINED	
330	11 (JAN)		5.2 MACHINED	
350	9.7			
360			8.4 - AF MACHINED (JAN)	
380			11.5 MACHINED	
410		6		
420			6.4 MACHINED	
450		9.5		
460			9.5 - AF MACHINED	
480			9.3 - AF MACHINED	

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
520			10 - AF MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
20		0.6		
22		5.3		
25		6.2		
28	2.5	2.2		
30	1.1			
35		4.5	1.1 AR k12; 0.6 h10	
38	4.5 (JAN)			
40	3.6 (JAN)			
42	8 (JUNE)	6		
45		4.4	0.8 k12	
48	7.2 (JAN)			
50	8 (MARCH)	8.1	1.1 h10	
50.8				0.7 h8
53	5.7 (FEB)			
60	5.3 (FEB)			
65	13 (MAY)			
68	8 (MAY)	0.5		
70	6.6 (FEB)			
75	8 (MAY)	3.4		0.15 h8
76.2			0.2 h10	
80	3.8 (JAN)			0.7 h8
85	9.5 (JAN)			
90	7.5 (JAN)			
95	8 (JAN)			
100	7 (MAY)			
105	8 (MARCH)	0.4		
110	6.6 (FEB)			
112			16 k12	
115	7 (JUNE)			
116			10 k12	
120	20 (JUNE)			
125	14 (APRIL)			
130	14 (FEB)	7 (MARCH)		
140	11 (FEB)			
142			10 k12	
150		3.8		
155			0.8 k12	
160	22 (APRIL)			
170	5 (FEB)			
180	8 (MARCH)			
190	4 (MAY)		1.2 k12	
200	6 (MAY)			
210	2 (MARCH)			
220	8 (MARCH)			
230	8 (MAY)	2		
240	16 (JUNE)			
260	8 (JUNE)			
280	5 (JUNE)			
310			7.4 MACHINED	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	1.9	68.5	BLACK	20 (FEB)
10	BRIGHT	0.9	69.85	BRIGHT	0.2
11.11	BRIGHT	0.3	70	BLACK	20 (FEB)
11.2	COIL	5.9	75	BLACK	10 (FEB)
12	BRIGHT	2.7	76.2	PG	0.8
12.7	BRIGHT	8.8 (3.9M)	80	BLACK	20 (FEB)
12.7	BRIGHT	1.3 (6M)	80	PLD k12	0.2
14	COIL	5	85	BLACK	20 (FEB)
14	BRIGHT	0.4	85	PP h10	0.3
14.28	BRIGHT	0.5	90	BLACK	20 (FEB)
15.87	BRIGHT	1.5 (3.7M)	95	BLACK	20 (FEB)
16	COIL	12	100	BLACK	21.6
17	COIL	19 (FEB)	105	BLACK	5 (MARCH)
18	COIL	4	110	BLACK	9 (JUNE)
19	BRIGHT	0.2	115	BLACK	16 (JUNE)
19.05	BRIGHT	3.5	120	BLACK	18 (JUNE)
19.7	COIL	17.5	125	BLACK	5 (MARCH)
20	BLACK	23.3	130	BLACK	16 (MAY)
21.7	BLACK	3	135	BLACK	18 (MARCH)
22	BRIGHT	0.5	140	BLACK	6 (FEB)
22.22	BRIGHT	1.3	145	BLACK	0.7
24	BLACK	23.5	150	BLACK	6 (MARCH)
24	BRIGHT	0.4	160	BLACK	10 (MARCH)
26	BLACK	20	170	BLACK	16 (JUNE)
27	BLACK	6.7	180	BLACK	9.8 (FEB)
28.57	BRIGHT	3.7	184.15	BLACK	5 (JUNE)
31.75	BRIGHT	1.2	190	BLACK	6 (MARCH)
32	BLACK	6.4	200	BLACK	16 (MARCH)
35	BLACK	9.2	210	BLACK	8 (MAY)
36	BLACK	19 (FEB)	220	BLACK	26 (JUNE)
38	BLACK	4.3	230	BLACK	20 (JUNE)
39	BLACK	25	240	BLACK	15 (MAY)
40	BLACK	20 (FEB)	250	BLACK	16 (MARCH)
42	BRIGHT	0.5	260	BLACK	2 (FEB)
45	BLACK	32	270	BLACK	8 (FEB)
47.62	BRIGHT	0.8	280	BLACK	3 (MARCH)
48	BLACK	22	290	BLACK	14.8 (FEB)
50	BLACK	3	300	BLACK	8 (MARCH)
50	PG	0.2	340	MACHINED	8.2
52	BLACK	20 (FEB)	350	MACHINED	3.6
53.97	BRIGHT	0.1	370	MACHINED	12.1
54	BLACK	20 (FEB)	400	MACHINED	11
56	BLACK	3.7	410	MACHINED	10.8
60	BLACK	31.5	420	MACHINED	4.5
64	BLACK	37	480	MACHINED	15.8
65	BLACK	2.2			

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	2.1	48	BRIGHT	1
5	BRIGHT	2	50	BLACK	13.5
6	BRIGHT	0.2	56	BLACK	22
6.35	BRIGHT	0.5	60	BLACK	29.4
7.94	BRIGHT	0.4	64	BLACK	7
8	BRIGHT	0.9	65	BLACK	19.8
9	COIL	4.5	68.5	BLACK	20 (FEB)
9	BRIGHT	4.2	70	BLACK	8.3
11.11	BRIGHT	0.5	75	BLACK	20
11.2	COIL	18	80	BLACK	20 (FEB)
12	COIL	4.4	80	PEELED	4
12.5	COIL	24.3	85	BLACK	2
12.7	BRIGHT	0.6	90	BLACK	3.3
13	COIL	24 (FEB)	95	BLACK	17 (JAN)
14	COIL	6	100	BLACK	18 (FEB)
14	BRIGHT	0.5	105	BLACK	23 (MARCH)
14.29	BRIGHT	0.5	110	BLACK	8 (MARCH)
14.96	BRIGHT	0.4	115	BLACK	12 (MAY)
16	COIL	24.6	120	BLACK	4 (MARCH)
17	COIL	2.5	125	BLACK	6 (MAY)
18	BRIGHT	1.6	130	BLACK	6 (MARCH)
19	BRIGHT	0.5	135	BLACK	10 (MARCH)
19.05	BRIGHT	2.8	140	BLACK	5 (MARCH)
19.7	COIL	39 (MARCH)	145	BLACK	16 (JUNE)
20	COIL	28.3	150	BLACK	6 (JAN)
21	BLACK	60	160	BLACK	3 (MAY)
22.22	BRIGHT	1.7	170	BLACK	4 (MARCH)
24	BLACK	16	175	PEELED	1.1
25.37	BRIGHT	0.3	180	BLACK	4.3
26	BLACK	8 (JAN)	184.15	BLACK	6 (MARCH)
27	BLACK	14 (JAN)	190	BLACK	8 (JUNE)
30	BLACK	20 (JAN)	200	BLACK	4 (MARCH)
33	BLACK	2	210	BLACK	6 (MAY)
36	BLACK	12 (JAN)	220	BLACK	8 (MAY)
36	BRIGHT	0.9	240	BLACK	2.1
39	BLACK	8.7	250	BLACK	2.5 (JAN)
40	BLACK	5	260	BLACK	8 (MAY)
42	BRIGHT	0.4			

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	36	BLACK	13
6.35	BRIGHT	4	36	BRIGHT	1.3
7.94	BRIGHT	1.2	38	BLACK	2.8
9.52	BRIGHT	0.9	39	BLACK	8
11.11	BRIGHT	0.4	40	BLACK	11.4
11.2	COIL	0.8	42	BLACK	11.7
12.5	COIL	9.8	44.45	BRIGHT	0.6
13	COIL	0.9	46	BLACK	5.9
14	COIL	11.5	46.5	BLACK	2.5
16.97	BRIGHT	0.4	52	BLACK	1
17	COIL	5.8	56	BLACK	8.4
18	COIL	2.9	60	BLACK	7.2
19.05	BRIGHT	0.8	63.5	BLACK	3.5
19.7	COIL	16	64	BLACK	7.6
20	BLACK	8	65	BLACK	17
21.7	BLACK	10.9	68.5	BLACK	6
22	BRIGHT	1.2	73.5	BLACK	1.8
22.22	BRIGHT	0.2	75	BLACK	6.7
24	BLACK	0.8	80	BLACK	4 (JAN)
26	BLACK	3	85	BLACK	22 (JAN)
27	BLACK	10.4	90	BLACK	3
27	BRIGHT	0.7	95	BLACK	2 (JAN)
30	BLACK	7	105	BLACK	20 (JULY)
31.75	BRIGHT	1.7	115	BLACK	1.5
32	BLACK	3.3	120	PEELED	0.5
32	BRIGHT	0.2	120	BLACK	6.5
33	BRIGHT	0.5	125	BLACK	1.7
33	BLACK	15.6	130	BLACK	4 (FEB)
34.92	BRIGHT	0.7	135	BLACK	10.8 (FEB)
35	BLACK	4.5	152.4	PEELED	1.6
			160	BLACK	1.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.5	70	BLACK	16 (JUNE)
21	BLACK	5.7	75	BLACK	7 (JUNE)
23	BLACK	7.8 (JUNE)	80	BLACK	0.4
26	BLACK	0.25	85	BLACK	6.7 (MARCH)
27	BLACK	5.7	90	BLACK	5.7 (MARCH)
33	BLACK	3.7	95	BLACK	8.8
35	BLACK	0.2	100	BLACK	2.1
36	BLACK	0.5	105	BLACK	6 (JUNE)
39	BLACK	6.2 (JUNE)	110	BLACK	4.5
40	BLACK	4	120	BLACK	5.6
42	BLACK	0.4	130	BLACK	8 (JUNE)
45	BLACK	1.7	140	BLACK	5.1
46.5	BLACK	3.5	150	BLACK	6.5 (FEB)
47.5	PEELED h10	1	160	BLACK	3.9
50	BLACK	5 (MARCH)	170	BLACK	8 (MARCH)
58	PEELED h10	0.6	180	BLACK	6.8 (JUNE)
60	BLACK	3	190	BLACK	8
65	BLACK	8 (JUNE)	220	BLACK	5.6
			230	BLACK	4.3

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
18	ANN PLD	2.7 (MARCH)	27	Q&T	4.8
22	ANN PLD	1.2 (MARCH)	32	AR	5 (JAN)
25	ANN PLD	1 (MAY)	32	Q&T PEELED	0.3
26	ANN PLD	2 (MARCH)	33	Q&T PEELED	0.5
30	ANN PLD	3.5 (MARCH)	35	AR	1.5
35	ANN PLD	2.7 (JULY)	35	Q&T	4.2
40	ANN PLD	0.5	35	Q&T PEELED	1.3
45	ANN PLD	3.7 (JULY)	38	AR	7.7 (JAN)
50	ANN PLD	2.3	40	AR	5.6 (MARCH)
51.5	ANN PLD	1 (JULY)	45	AR	4
55	ANN PLD	2.2 (JULY)	47	AR	2.3
55.5	ANN PLD	2.8 (JULY)	53	Q&T	1.2
60	ANN PLD	2.2	53	AR	8 (MARCH)
75	ANN PLD	5 (JULY)	60	Q&T	1.4
80	ANN PLD	3.5 (JULY)	60	AR	9 (MARCH)
85	ANN PLD	4 (JULY)	65	AR	3.5 (JAN)
90	ANN PLD	2.2 (JULY)	70	AR	8 (MARCH)
97	ANN PLD	3.5	70	Q&T	2.6
100	ANN PLD	2 (JULY)	75	AR	2 (FEB)
120	ANN PLD	3.5 (MARCH)	75	Q&T	2.5
130	ANN PLD	4 (MARCH)	80	AR	15.7 (JAN)
150	ANN PLD	2.2 (MARCH)	80	Q&T	1.6
163	ANN PLD	1.6	85	AR	8 (MARCH)
175	ANN PLD	1	85	Q&T	2
180	ANN PLD	4.2	90	AR	6.9
205	ANN PLD	3.9	95	AR	8 (JUNE)
230	ANN PLD	1.3	95	Q&T	1
272	ANN PLD	2.3	95	Q&T PEELED	0.6
			97	Q&T PEELED	0.9
			100	AR	8 (JUNE)
			100	Q&T	0.3
			105	AR	16 (JUNE)
			105	Q&T	2.7
			110	AR	8 (MARCH)
			110	Q&T	1.6
			115	AR	1.3
			120	AR	8 (MARCH)
			120	Q&T	0.7
			125	AR	6 (MARCH)
			130	AR	2.8
			130	Q&T	0.5
			135	AR	6 (JUNE)
			140	AR	7.3 (MARCH)
			150	AR	0.7
			150	Q&T	1.7
			160	Q&T	10.3
			170	AR	4 (MARCH)
			180	AR	8 (MARCH)
			190	AR	8 (MARCH)
			190	Q&T	2.6
			200	AR	1.4
			200	Q&T	5.8
			210	Q&T	11.6
			220	AR	4.4
			230	Q&T	6.2
			260	Q&T PEELED	6.9

EN39B

28	ANN PLD	0.3
30	ANN BLACK	1.6

EN25

47	Q&T BLK	0.4
47	ANN	0.6
65	AR	0.5

XK1340

22	BLACK	2
----	-------	---

XK1320

36	BLACK	0.2
39	BLACK	1.6
42	BLACK	2.6

17CrNiMo6

33	ANN PLD k12	1 (MARCH)
58	ANN PLD k12	1.5 (MARCH)
65	ANN PLD k12	1.5 (MARCH)
70	ANN PLD k12	1.5 (MARCH)
82	ANN PLD k12	1.8
87	ANN PLD k12	2.8 (FEB)
102	ANN PLD k12	2.8
106	ANN PLD k12	1.7 (FEB)
136	ANN PLD k12	2.5
162	ANN PLD k12	3.2 (FEB)
175	ANN PLD k12	1.7 (FEB)

GRADE 300 PLUS

22	BLACK	0.7
39	BLACK	0.5
42	BLACK	1
60	BLACK	0.9
75	BLACK	4.3
90	BLACK	1.5

1141

20	BLACK	5
----	-------	---

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
5	BRIGHT	0.9	33	BLACK	2
6	BRIGHT	1.3	34.92	BRIGHT	0.6
6.35	BRIGHT	0.4	35	BLACK	4.3
7	BRIGHT	1	36	BLACK	20 (FEB)
7.14	BRIGHT	2	39	BLACK	18 (FEB)
8	BRIGHT	3.4	39	BRIGHT	1
9	BRIGHT	1.5	40	BLACK	11.9
9.52	BRIGHT	2	42	BLACK	7.5
11.11	BRIGHT	6.6	45	BLACK	17.6
11.2	COIL	24	48	BLACK	18.9
12	COIL	10	50	BLACK	5 (FEB)
12	BRIGHT	12.3	52	BLACK	3.4
12.2	BRIGHT	4.2	56	BLACK	20 (FEB)
12.7	BRIGHT	0.8	56	BRIGHT	0.2
14	COIL	5.7	57.15	BRIGHT	0.8
14	BRIGHT	0.9	60	BLACK	9
15	BRIGHT	0.5	63.5	BRIGHT	0.5
15.87	BRIGHT	2.1	64	BLACK	4
16	COIL	2.9	65	BLACK	28
16	BRIGHT	3.9	68.5	BLACK	2.4
17	BRIGHT	0.2	70	BLACK	6.7
17	COIL	2.8	75	BLACK	26.6
19	BRIGHT	0.6	80	BLACK	16.6
19.05	BRIGHT	0.3	85	BLACK	5.4
19.7	COIL	30 (MARCH)	90	BRIGHT	0.2
20	COIL	2.8	95	BLACK	18 (FEB)
20.64	BRIGHT	0.4	95	BRIGHT	1.8
21.7	COIL	8.6	101.6	BRIGHT	0.7
22	BRIGHT	0.9	105	BLACK	6.8
22.22	BRIGHT	1.2	115	BLACK	9.5 (JULY)
24	BLACK	10	120	BLACK	8.8 (JULY)
24	BRIGHT	0.2	125	BLACK	9.5 (JULY)
26	BLACK	7.5	135	BLACK	9.5 (JULY)
27	BLACK	20 (FEB)	139.7	BRIGHT	0.4
28	BRIGHT	2.5	145	BLACK	10 (JULY)
30	BLACK	20 (FEB)	160	BLACK	9.5 (JULY)
32	BLACK	12.7			
32	BRIGHT	1.1			

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
7.94	BRIGHT	0.6	28.5	BLACK	11.9 (FEB)
8	BRIGHT	5.1	28.57	BRIGHT	8.5
8.73	BRIGHT	0.5	29	BLACK	5
9	BRIGHT	6	30	BLACK	12.6
11.11	BRIGHT	0.9	33	BLACK	17 (FEB)
11.2	COIL	9.5 (MARCH)	34.92	BRIGHT	0.6
12	BRIGHT	1.2	36	BLACK	9 (FEB)
13	COIL	2	38.1	BRIGHT	1.6
14	COIL	9.5 (MARCH)	40	BLACK	10.2 (FEB)
16	COIL	4.8	43	BLACK	34 (FEB)
16	BRIGHT	1.2	44.45	BRIGHT	3
17	COIL	8.7 (FEB)	46.5	BLACK	19.9 (FEB)
18	BRIGHT	2	52	BLACK	48 (FEB)
19	COIL	10 (FEB)	57.15	BRIGHT	1
19.05	BRIGHT	4.2	60	BLACK	8.8 (FEB)
20	COIL	7.6	60.32	BRIGHT	4.6
20	BRIGHT	1.5	63.5	BLACK	9 (MARCH)
20.64	BRIGHT	0.5	63.5	BRIGHT	4.7
21	COIL	10.5	65	BLACK	5.2
22.22	BRIGHT	1	69.85	BRIGHT	0.6
23	COIL	7.8 (FEB)	73	BLACK	10.7
23.81	BRIGHT	5	76.2	BRIGHT	2.8
24	BLACK	2.5	80	BLACK	10.6 (FEB)
25	BLACK	10	82.55	PEELED	4.8
25.4	BRIGHT	1.7	85	BLACK	3.8
26.99	BRIGHT	0.2	101.6	PEELED	0.2
27	BLACK	15			

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
22	Q&T	0.5	57.15	IH	0.35
31.75	Q&T	1.5	60	IH	0.2
44.45	Q&T CR2	0.8	69.85	IH	1.5
53.98	Q&T	0.1	90	IH	0.3
57.15	Q&T CR3	2.2			
63	Q&T	0.6			
75	Q&T	0.6			
85	Q&T	0.8			

1045			1045 INDUCTION HARDENED		
25	AR	1.4	22	IH	0.8
32	AR	0.2	22.22	IH	0.7
36	AR	0.2	25.4	IH	0.3
38	AR	0.8	31.75	IH	0.3
48.7	AR	0.6	34.92	IH	0.2
53.98	AR	0.3	40	IH	0.2
56	AR	0.4	95.25	IH	0.3
63	AR	0.3	139.7	IH	0.5
65	AR	0.4			
85	AR	0.5			
88.9	AR	1.5			
95.25	AR	0.8			
100	AR	0.9			
105	AR	0.4			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
22.22 HEX	Q&T DRAWN	1	25.4HEX	DRAWN	0.1
25 HEX	AR BLACK	0.3	28.57 HEX	DRAWN	0.2
25 HEX	Q&T BLACK	0.4	30 HEX	DRAWN	1.1
27 HEX	Q&T DRAWN	0.4	33 HEX	BLACK	1.6
34.92 HEX	Q&T DRAWN	0.7	34.92 HEX	DRAWN	0.75
36 HEX	Q&T DRAWN	0.9	37.5 HEX	BLACK	5.5 (JAN)
37.5 HEX	Q&T BLACK	2.7	38.1 HEX	DRAWN	1
38.1 HEX	Q&T DRAWN	0.6	44.45 HEX	DRAWN	1.1
39.5 HEX	Q&T BLACK	5.5	46 HEX	DRAWN	4.1
44.5 HEX	Q&T BLACK	1.4	47.5 HEX	BLACK	0.5
46 HEX	Q&T DRAWN	1	50.8 HEX	DRAWN	0.9
47.5 HEX	Q&T BLACK	2.6	52.5HEX	BLACK	7.2
52.5 HEX	Q&T BLACK	3.9			
57.15 HEX	Q&T DRAWN	0.3			
58.5 HEX	Q&T BLACK	1.3			
63.5 HEX	Q&T DRAWN	1			
65 HEX	Q&T BLACK	1.6			

M1020

11 HEX	DRAWN	1.6
--------	-------	-----

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
9.52 HEX	DRAWN	1.6	10 HEX	DRAWN	1.4
11.11 HEX	DRAWN	2.6	11.11 HEX	DRAWN	2.2
12.7 HEX	DRAWN	0.2	12.7 HEX	DRAWN	2
14.28 HEX	DRAWN	0.5	14.28 HEX	DRAWN	3.2
15.88 HEX	DRAWN	0.25	15.88 HEX	DRAWN	1.1
17.46 HEX	DRAWN	1.7	17 HEX	DRAWN	1.8
19.05 HEX	DRAWN	1.3	17.46 HEX	DRAWN	3.4
24 HEX	DRAWN	1.2	19.05 HEX	DRAWN	4.2
25 HEX	DRAWN	0.2	20.64 HEX	DRAWN	3.9
33 HEX	BLACK	5.9 (JAN)	22 HEX	DRAWN	1
36 HEX	DRAWN	1	22.22 HEX	DRAWN	5
37.5HEX	BLACK	2.7	23.81 HEX	DRAWN	6.7
42.42 HEX	DRAWN	2.7	24 HEX	DRAWN	0.2
47.24 HEX	DRAWN	0.25	25.4 HEX	DRAWN	0.5
47.5 HEX	BLACK	2 (JAN)	28.5 HEX	BLACK	7.8
49 HEX	BLACK	4.2	30 HEX	BLACK	6.7
50 HEX	DRAWN	0.3	31.75 HEX	DRAWN	1.1
52.07 HEX	DRAWN	2.2	33 HEX	BLACK	17 (JAN)
52.5 HEX	BLACK	8 (FEB)	34.92 HEX	DRAWN	12.7
57 HEX	BLACK	4.6 (FEB)	37.5 HEX	BLACK	2.3
63 HEX	BLACK	7.7 (FEB)	38.1 HEX	DRAWN	2
65 HEX	DRAWN	1	39.5 HEX	BLACK	24.6
70 HEX	DRAWN	4 (JUNE)	44.45 HEX	DRAWN	4.8
75 HEX	DRAWN	2 (JUNE)	44.5 HEX	BLACK	7.2 (JAN)
76.2 HEX	DRAWN	0.7	46 HEX	DRAWN	0.5
			47.24 HEX	DRAWN	0.6
			47.5 HEX	BLACK	20.9
			49 HEX	BLACK	1.6
			57.07 HEX	DRAWN	1
			53.5 HEX	BLACK	18.7 (MARCH)
			55 HEX	DRAWN	1.4
			57 HEX	BLACK	11.7
			58.5 HEX	BLACK	6.9 (MARCH)
			60 HEX	DRAWN	0.5
			61.21 HEX	DRAWN	3.8
			63 HEX	BLACK	1.9
			63.5 HEX	DRAWN	0.8
			65 HEX	BLACK	1.5
			65 HEX	DRAWN	2.6 (JUNE)
			70 HEX	DRAWN	6.5 (JUNE)
			76.2 HEX	DRAWN	2.6

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
15.88 SQUARE	DRAWN	0.5 (JUNE)	19.05 SQUARE	DRAWN	0.5
20 SQUARE	DRAWN	0.2	20 SQUARE	BLACK	4.4
20 SQUARE	BLACK	11 (FEB)	30 SQUARE	BLACK	1.5
20.64 SQUARE	DRAWN	5 (APRIL)	33 SQUARE	BLACK	1.8
22.22 SQUARE	DRAWN	0.2 (JAN)	40 SQUARE	BLACK	34
25 SQUARE	DRAWN	0.25	40 SQUARE	DRAWN	0.7
25.4 SQUARE	DRAWN	2 (JUNE)	45 SQUARE	BLACK	10.5
28.57 SQUARE	DRAWN	0.2 (JAN)	50 SQUARE	BLACK	40 (FEB)
31.75 SQUARE	DRAWN	1 (JUNE)	52 SQUARE	BLACK	8
40 SQUARE	DRAWN	1 (JUNE)	63 SQUARE	BLACK	27.7
40 SQUARE	BLACK	11.2	80 SQUARE	BLACK	1
44.45 SQUARE	DRAWN	2.2 (JUNE)	90 SQUARE	BLACK	23 (JUNE)
52 SQUARE	BLACK	10.4	100 SQUARE	BLACK	8 (FEB)
63.5 SQUARE	DRAWN	0.2 (JAN)	130 SQUARE	BLACK	3.8 (MARCH)
76.2 SQUARE	DRAWN	0.2 (FEB)	160 SQUARE	BLACK	5.6 (APRIL)
88.9 SQUARE	DRAWN	0.6			
100 SQUARE	DRAWN	1 (JUNE)			
101.6 SQUARE	DRAWN	0.75 (JUNE)			
1020			4140		
12 SQUARE	DRAWN	0.25 (JUNE)	28.58 SQUARE	Q&T DRAWN	0.6
12.7 SQUARE	DRAWN	1.7	30 SQUARE	AR	6.4
19.05 SQUARE	DRAWN	0.75 (FEB)	30 SQUARE	Q&T	2
20 SQUARE	DRAWN	1 (JUNE)	40 SQUARE	AR	5.4
25 SQUARE	DRAWN	1.5 (JUNE)	40 SQUARE	Q&T	0.9
25.4 SQUARE	DRAWN	0.25 (JUNE)	50 SQUARE	AR	7.2
28.58 SQUARE	DRAWN	0.5 (JUNE)	63 SQUARE	Q&T	1
30 SQUARE	DRAWN	1 (JUNE)	75 SQUARE	AR	3.3
31.75 SQUARE	DRAWN	1.8 (JUNE)	75 SQUARE	Q&T	0.5
40 SQUARE	BLACK	4.6	100 SQUARE	AR	2.8
40 SQUARE	DRAWN	2.5 (JUNE)	110 SQUARE	Q&T	2.2
44.45 SQUARE	DRAWN	0.5 (JAN)			
45 SQUARE	DRAWN	0.6			
50.8 SQUARE	DRAWN	1.9			
52 SQUARE	BLACK	7.5			
57.15 SQUARE	DRAWN	1			
63.5 SQUARE	DRAWN	0.2 (FEB)			
65 SQUARE	DRAWN	0.3 (FEB)			
75 SQUARE	DRAWN	2 (JUNE)			
76.2 SQUARE	DRAWN	1.2 (JUNE)			
88.9 SQUARE	DRAWN	1.1 (JAN)			
90 SQUARE	DRAWN	0.8 (JUNE)			
100 SQUARE	DRAWN	1.4 (JUNE)			
101.6 SQUARE	DRAWN	3 (JUNE)			

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1020			1020		
20x5	DRAWN	0.7	50.8x12.7	DRAWN	0.5 (JAN)
20x7	DRAWN	0.3	50.8x19.05	DRAWN	0.25
20x10	DRAWN	0.75 (JAN)	50.8x38.1	DRAWN	0.5 (JAN)
25x5	DRAWN	0.5	63.5x31.75	DRAWN	1 (JAN)
25x10	DRAWN	1 (JAN)	75x10	DRAWN	1 (JUNE)
25x12	DRAWN	1 (JUNE)	75x12	DRAWN	0.3 (JAN)
25x15	DRAWN	1 (JUNE)	75x15	DRAWN	0.8 (JAN)
25x20	DRAWN	0.5	75x20	DRAWN	1.5 (JUNE)
25.4x6.35	DRAWN	0.5	75x25	DRAWN	0.5 (APRIL)
30x10	DRAWN	1 (JAN)	75x40	DRAWN	0.5 (APRIL)
32x10	DRAWN	1.75 (JUNE)	75x50	DRAWN	0.5 (JUNE)
32x15	DRAWN	0.25 (APRIL)	76.2x31.75	DRAWN	0.5 (JAN)
32x20	DRAWN	0.4 (JAN)	76.2x38.1	DRAWN	2 (JAN)
32x25	DRAWN	1 (JUNE)	76.2x50.8	DRAWN	1 (JUNE)
38.1x12.7	DRAWN	0.25	88.9x50.8	DRAWN	2.9 (APRIL)
40x7	DRAWN	0.7 (JAN)	100x10	DRAWN	1.5 (JUNE)
40x10	DRAWN	0.4	100x12	DRAWN	0.5 (JAN)
40x12	DRAWN	0.5 (JUNE)	100x15	DRAWN	0.7 (APRIL)
40x15	DRAWN	0.25 (JAN)	100x20	DRAWN	0.2 (APRIL)
40x20	DRAWN	0.5 (MARCH)	100x25	DRAWN	0.2 (JAN)
40x25	DRAWN	0.5 (JAN)	100x40	DRAWN	1.6 (JUNE)
50x7	DRAWN	0.2	100x50	DRAWN	1.3 (JUNE)
50x10	DRAWN	1 (JUNE)	101.6x38.1	DRAWN	0.5
50x12	DRAWN	0.5 (MARCH)	101.6x50.8	DRAWN	1 (JUNE)
50x15	DRAWN	1.7	101.6x76.2	DRAWN	1.4 (JUNE)
50x16	BLACK	7.2	127x76.2	DRAWN	0.8
50x20	DRAWN	3.7 (JUNE)	150x12	DRAWN	1 (JUNE)
50x25	DRAWN	2.5 (JUNE)	150x20	DRAWN	1 (JUNE)
50x40	DRAWN	0.3 (JAN)	150x25	DRAWN	0.7 (JUNE)
			150x50	DRAWN	1 (JUNE)
			152.4x25.4	DRAWN	0.7 (APRIL)
1004B			U1010		
16x5	DRAWN	2.3	25x7	DRAWN	2.2
32x5	DRAWN	3.2			
40x5	DRAWN	4.5			
			1045		
			32x10	BLACK	1.9

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	AR	5 (MARCH)	112x63	AR	5 (JULY)
50x32	AR	5 (JULY)	112x80	Q&T	2.5
56x36	AR	2.5 (MARCH)	118x63	AR	4.2 (JULY)
63x32	AR	5 (APRIL)	118x80	AR	7.6 (MARCH)
63x40	Q&T	1.1	119.6x56	Q&T	2.1
63x45	Q&T	2.5	125x71	Q&T	3.9
71x36	AR	2 (MARCH)	125x80	AR	4.8 (JULY)
71x45	AR	3.5 (FEB)	125x100	Q&T	3.1
71x50	Q&T	3.5	130x75	Q&T	0.9
73x36	Q&T	0.9	131.7x97.1	AR	0.8
75x40	AR	3.4 (JULY)	131.7x97.1	Q&T	0.2
75x45	AR	4 (MARCH)	132x71	AR	1.3 (MARCH)
80x40	AR	3.3 (JULY)	132x80	ANN	1.3
80x50	AR	2.2 (MARCH)	132x80	AR	6.7 (MARCH)
85x45	AR	2.5 (APRIL)	132x90	AR	3.2 (MARCH)
85x67	Q&T	13.1	135x85	AR	4 (JULY)
90x40	Q&T	2.5	140x60	Q&T	1.4
90x45	Q&T	0.6	140x80	AR	1 (JULY)
90x45	AR	5 (JULY)	140x90	AR	1.3 (MARCH)
90x50	AR	3.5 (MARCH)	140x100	AR	5 (JULY)
90x63	Q&T	2.5	150x80	AR	7 (JULY)
95x45	AR	2 (JULY)	150x106	AR	4.7 (JULY)
95x50	AR	3.7 (APRIL)	160x90	AR	5 (JULY)
95x60	AR	2.2 (MARCH)	160x112	AR	5 (JULY)
95x63	AR	4 (FEB)	160x116	Q&T	2.8
100x71	AR	2.8 (MARCH)	170x100	AR	3.3 (JULY)
101.3x80	Q&T	2.2	172x118	AR	1.2
106x56	AR	1 (MARCH)	180x125	AR	3.9 (JULY)
106x63	AR	2.4 (FEB)	190x132	Q&T	2.7
106x71	AR	3.6 (MARCH)	200x140	Q&T	0.9

MECAPLUS 470

30x20	AR	1
-------	----	---

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
47.62x38.1	13	120.65x101.6	35 (JUNE)
50.8x38.1	98 (JUNE)	127x101.6	17 (MARCH)
57.15x44.45	67	127x114.3	12 (MARCH)
60x50	33	139.7x127	27 (JUNE)
63.5x50.8	175 (APRIL)	146.05x127	24 (JUNE)
69.85x57.15	36 (APRIL)	150x125	18 (APRIL)
70x55	18 (APRIL)	152.4x127	8 (JUNE)
72x60	6	152.4x139.7	18 (JUNE)
76.2x63.5	95 (JUNE)	165.1x152.4	12 (JUNE)
82x70	24 (JUNE)	168.2x152.4	46
82.55x63.5	13	170x140	12 (JUNE)
82.55x69.85	42 (JUNE)	171.45x152.4	6 (JUNE)
88.9x76.2	51 (JUNE)	180x150	9
95x80	31 (MARCH)	184.15x165.1	6 (MARCH)
95.2x76.2	23 (APRIL)	190x160	11
95.25x82.55	12 (APRIL)	203.2x177.8	24 (JUNE)
100x80	12 (APRIL)	210x180	8
101.6x88.9	57 (JUNE)	228.6x203.2	24 (JUNE)
107.95x88.9	36 (APRIL)	230x203.2	12 (APRIL)
114.3x101.6	48 (JUNE)	254x228.6	20
120x100	31		