



P.O. Box 552  
Warners Bay NSW 2282

5 Laverick Avenue  
Tomago NSW 2322

## STOCKLIST APRIL 2018

|            |                                     |                         |                |                   |                   |
|------------|-------------------------------------|-------------------------|----------------|-------------------|-------------------|
| PAGE 2-3   | <a href="#">4140</a>                |                         |                |                   |                   |
| PAGE 4-5   | <a href="#">4340</a>                |                         |                |                   |                   |
| PAGE 6     | <a href="#">1045</a>                |                         |                |                   |                   |
| PAGE 7     | <a href="#">M1020</a>               |                         |                |                   |                   |
| PAGE 8     | <a href="#">1030</a>                |                         |                |                   |                   |
| PAGE 9     | <a href="#">8620</a>                |                         |                |                   |                   |
| PAGE 10-11 | <a href="#">VARIOUS</a>             | EN36A<br>XK1340<br>1141 | EN26<br>XK1320 | EN39B<br>300 PLUS | EN25<br>17CrNiMo6 |
| PAGE 12    | <a href="#">1214</a>                |                         |                |                   |                   |
| PAGE 13    | <a href="#">12L14</a>               |                         |                |                   |                   |
| PAGE 14    | <a href="#">CHROME</a>              | 4140                    | 1045           |                   |                   |
| PAGE 15-16 | <a href="#">HEXAGONS</a>            | 4140<br>12L14           | 1045           | 1214              |                   |
| PAGE 17    | <a href="#">SQUARE</a>              | 1214<br>4140            | 1045<br>1020   | 12L14             |                   |
| PAGE 18    | <a href="#">FLAT</a>                | M1020<br>U1010          | 1004B          | 1016              |                   |
| PAGE 19    | <a href="#">HOLLOW</a>              | 4140                    | CARBON         |                   |                   |
| PAGE 20    | <a href="#">ST52 HYDRAULIC TUBE</a> |                         |                |                   |                   |

**ALL STOCK SUBJECT TO PRIOR SALE**

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: [sales@milltechmartinbright.com](mailto:sales@milltechmartinbright.com)

[www.milltechmartinbright.com](http://www.milltechmartinbright.com)

| 4140  |                  |                   |                          |                             |
|-------|------------------|-------------------|--------------------------|-----------------------------|
| DIA   | AS ROLLED        | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | QUENCH & TEMPERED PRECISION |
| 8     |                  |                   | 1.1 h10                  |                             |
| 11    | 10 (JUNE)        | 4 - COIL          |                          |                             |
| 12.7  |                  |                   | 1.7 h10                  |                             |
| 13    |                  | 7.8 - COIL        |                          |                             |
| 14    | 11 - COIL (JUNE) |                   | 0.5 h10                  |                             |
| 14.28 |                  |                   | 1 h10                    |                             |
| 16    |                  | 2.5 - COIL        |                          |                             |
| 17.5  | 20 - COIL (JUNE) |                   |                          |                             |
| 20    | 2 (JULY)         |                   |                          |                             |
| 21    | 15 (JULY)        |                   |                          |                             |
| 22    | 8 (JULY)         |                   | 0.5 h10                  |                             |
| 24    | 7 (JULY)         |                   |                          |                             |
| 25    |                  | 7.8               |                          |                             |
| 26    | 12.8             |                   | 0.5 k12                  |                             |
| 27    | 47               |                   |                          |                             |
| 27.45 |                  |                   | 1.5 k12                  |                             |
| 28    |                  | 15                |                          |                             |
| 32    | 30               |                   |                          | 0.8 h8                      |
| 33    | 17               | 17                |                          |                             |
| 34.92 |                  |                   | 0.2 h10; 0.1 k12         |                             |
| 35    | 25               | 3.4               |                          |                             |
| 38    | 11 (APRIL)       |                   |                          |                             |
| 39    | 20 (APRIL)       | 29                |                          |                             |
| 40    | 16               |                   |                          |                             |
| 42    | 70               | 3.5               |                          |                             |
| 45    | 16               |                   |                          |                             |
| 46    | 20 (APRIL)       | 5.5               | 0.9 k12                  |                             |
| 48    | 20 (APRIL)       |                   |                          |                             |
| 49.21 |                  |                   |                          | 0.2 h8                      |
| 50    | 18               | 8.2               |                          |                             |
| 52    | 30               |                   | 3 h10                    |                             |
| 53    | 25               |                   |                          |                             |
| 54    | 35               | 50                |                          |                             |
| 55.5  |                  |                   | 1 k12                    | 0.1 h8                      |
| 56    |                  | 12.8              |                          |                             |
| 58    | 16 (JULY)        |                   |                          |                             |
| 60    | 25               |                   |                          |                             |
| 61.21 |                  |                   |                          | 0.15 h8                     |
| 64    |                  | 59                |                          |                             |
| 65    | 24               | 14.8              |                          |                             |
| 67.6  |                  |                   | 0.3                      |                             |
| 68.5  | 25               |                   |                          |                             |
| 69.85 |                  |                   | 0.7 h11                  |                             |
| 70    | 8                | 36                |                          |                             |
| 73    | 24 (JULY)        |                   |                          |                             |
| 75    |                  | 48                |                          |                             |
| 80    | 21               | 34                |                          |                             |
| 82.55 |                  |                   | 0.25 k12                 |                             |
| 85    | 1.5              | 52                | 1 h10                    |                             |

| 4140    |            |                   |                          |                                    |
|---------|------------|-------------------|--------------------------|------------------------------------|
| DIA     | AS ROLLED  | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | QUENCH & TEMPERED PRECISION GROUND |
| 87      |            |                   | 3.1 h10                  |                                    |
| 87.3125 |            |                   |                          | 0.8 h8                             |
| 90      |            | 25                |                          |                                    |
| 95      | 50         |                   |                          |                                    |
| 100     | 24 (JULY)  | 3                 |                          |                                    |
| 105     | 10 (APRIL) |                   |                          |                                    |
| 106     |            |                   | 4 k12 (OCT)              |                                    |
| 110     | 12 (APRIL) |                   |                          |                                    |
| 115     | 14 (APRIL) |                   |                          |                                    |
| 120     | 24 (JULY)  | 8 (OCT)           |                          |                                    |
| 125     | 24 (AUG)   | 11                | 5 k12 (OCT)              |                                    |
| 130     | 9 (APRIL)  |                   |                          |                                    |
| 135     | 40 (APRIL) |                   |                          |                                    |
| 140     | 33 (JULY)  |                   | 3.5 k12 (AUG)            |                                    |
| 145     | 6 (APRIL)  | 8 (AUG)           |                          |                                    |
| 150     | 3 (APRIL)  |                   |                          |                                    |
| 152.4   |            |                   | 0.8 h11                  |                                    |
| 155     | 3.5 (AUG)  |                   |                          |                                    |
| 160     | 22 (JUNE)  |                   |                          |                                    |
| 162     |            |                   | 4 (JUNE)                 |                                    |
| 170     | 27 (JULY)  | 8 (AUG)           |                          |                                    |
| 180     | 30 (JULY)  | 8 (AUG)           |                          |                                    |
| 185     | 11 (JULY)  |                   |                          |                                    |
| 190     | 22 (JUNE)  |                   |                          |                                    |
| 200     | 8 (JUNE)   |                   |                          |                                    |
| 210     | 9 (AUG)    |                   |                          |                                    |
| 220     | 8 (JUNE)   | 9.2               |                          |                                    |
| 230     | 16 (AUG)   | 6                 |                          |                                    |
| 240     | 5 (JUNE)   |                   |                          |                                    |
| 250     | 6 (AUG)    |                   |                          |                                    |
| 260     | 9 (AUG)    |                   |                          |                                    |
| 270     | 14         |                   |                          |                                    |
| 280     | 18.3       | 3                 |                          |                                    |
| 290     | 6.5        |                   |                          |                                    |
| 300     | 6.8        | 3.5               |                          |                                    |
| 310     |            | 9                 | 9.9 MACHINED             |                                    |
| 320     |            | 7                 |                          |                                    |
| 330     |            |                   | 5.2 MACHINED             |                                    |
| 350     | 9.7        |                   |                          |                                    |
| 360     |            |                   | 8.4 - AF MACHINED        |                                    |
| 380     |            |                   | 11.5 MACHINED            |                                    |
| 400     |            |                   | 20 - AF MACHINED (JUNE)  |                                    |
| 480     |            |                   | 9.3 - AF MACHINED        |                                    |
| 520     |            |                   | 10 - AF MACHINED         |                                    |

| 4340 |              |                   |                          |                             |
|------|--------------|-------------------|--------------------------|-----------------------------|
| DIA  | AS ROLLED    | QUENCH & TEMPERED | QUENCH & TEMPERED BRIGHT | QUENCH & TEMPERED PRECISION |
| 20   | 7.8 (AUG)    |                   |                          |                             |
| 22   |              | 5.3               |                          |                             |
| 25   |              | 5.9               |                          |                             |
| 28   | 2.5          | 1.2               |                          |                             |
| 30   | 0.6          |                   |                          | 0.2 h8                      |
| 35   |              | 4.6               | 1.1 AR k12; 0.6 h10      | 0.25 h8                     |
| 38   | 3.5 (APRIL)  |                   |                          |                             |
| 40   | 10.7 (APRIL) | 0.4               |                          |                             |
| 42   | 8 (JUNE)     | 2.7               |                          |                             |
| 45   |              | 3.6               |                          | 0.3 h8                      |
| 50   | 1.5 (APRIL)  |                   | 1.1 h10                  |                             |
| 50.8 |              |                   | 0.2 h10                  |                             |
| 53   | 4 (SEPT)     |                   |                          |                             |
| 55   | 7 (AUG)      |                   |                          |                             |
| 60   | 6 (SEPT)     |                   |                          |                             |
| 68   | 8 (JUNE)     |                   |                          |                             |
| 70   | 5.6 (JUNE)   |                   |                          |                             |
| 75   | 3.5 (JUNE)   |                   |                          |                             |
| 76.2 |              |                   | 0.2 h10                  |                             |
| 80   | 15 (APRIL)   |                   |                          |                             |
| 85   | 7.2 (APRIL)  |                   |                          |                             |
| 90   |              | 22.9              |                          |                             |
| 95   | 8 (JUNE)     | 4                 |                          |                             |
| 100  | 8 (JUNE)     |                   |                          |                             |
| 105  | 17 (APRIL)   | 1.4               |                          |                             |
| 110  | 8 (SEPT)     |                   |                          |                             |
| 112  |              |                   | 14 k12                   |                             |
| 115  | 4.8 (APRIL)  |                   | 0.4 k12                  |                             |
| 116  |              |                   | 10 k12                   |                             |
| 120  | 17 (JUNE)    |                   |                          |                             |
| 125  | 21 (AUG)     |                   |                          |                             |
| 130  |              | 7.3               |                          |                             |
| 140  | 16 (AUG)     | 7 (SUG)           |                          |                             |
| 142  |              |                   | 4.7 k12                  |                             |
| 150  | 16 (SEPT)    | 6 (JULY)          |                          |                             |
| 155  |              |                   | 0.8 k12                  |                             |
| 160  | 24 (APRIL)   |                   |                          |                             |
| 170  | 11 (APRIL)   | 8 (OCT)           |                          |                             |
| 180  | 6 (JULY)     |                   |                          |                             |
| 190  | 4 (JUNE)     |                   | 1.2 k12                  |                             |
| 200  | 3 (APRIL)    |                   |                          |                             |
| 210  | 1.3          |                   |                          |                             |
| 220  | 8 (SEPT)     |                   |                          |                             |
| 230  | 7.5 (APRIL)  |                   |                          |                             |
| 240  | 16 (JUNE)    |                   |                          |                             |
| 250  | 3 (SEPT)     |                   |                          |                             |
| 260  | 6 (JUNE)     |                   |                          |                             |
| 280  | 5 (JUNE)     |                   |                          |                             |
| 310  |              |                   | 7.4 MACHINED             |                             |

| <b>4340</b> |                  |                              |                                     |   |
|-------------|------------------|------------------------------|-------------------------------------|---|
| <b>DIA</b>  | <b>AS ROLLED</b> | <b>QUENCH &amp; TEMPERED</b> | <b>QUENCH &amp; TEMPERED BRIGHT</b> | <b>QUENCH &amp; TEMPERED PRECISION GROUND</b> |
| 320         | 10 (JUNE)        |                              |                                     |   |
| 330         |                  |                              | 10 AF MACHINED (JUNE)               |   |

## 1045 ROUND BAR

| DIA   | SURFACE<br>CONDITION | TONNES     | DIA    | SURFACE<br>CONDITION | TONNES       |
|-------|----------------------|------------|--------|----------------------|--------------|
| 11.11 | BRIGHT               | 0.3        | 60     | BLACK                | 7.4          |
| 11.2  | COIL                 | 12 (APRIL) | 64     | BLACK                | 41.5         |
| 12    | BRIGHT               | 1.7        | 65     | BLACK                | 18.2         |
| 12.7  | BRIGHT               | 5.6 (3.9M) | 68.5   | BLACK                | 20 (APRIL)   |
| 12.7  | BRIGHT               | 0.3 (6M)   | 69.85  | PEELED               | 1.5          |
| 12.76 | BRIGHT               | 1.1        | 70     | BLACK                | 20.4         |
| 14    | COIL                 | 5          | 75     | BLACK                | 28           |
| 14.28 | BRIGHT               | 2.1        | 76.2   | PG                   | 0.8          |
| 15.87 | BRIGHT               | 1.5 (3.7M) | 80     | BLACK                | 43           |
| 16    | COIL                 | 9          | 80     | PLD k12              | 0.2          |
| 17    | COIL                 | 1.6        | 85     | BLACK                | 22           |
| 18    | COIL                 | 13 (APRIL) | 85     | PEELED               | 1.7          |
| 19    | BRIGHT               | 0.2        | 90     | BLACK                | 11.4         |
| 19.7  | COIL                 | 10         | 95     | BLACK                | 30 (APRIL)   |
| 20    | BLACK                | 21         | 95     | PEELED               | 0.7          |
| 20    | BRIGHT               | 2          | 100    | BLACK                | 8.8          |
| 21.7  | BLACK                | 27         | 105    | BLACK                | 63 (JUNE)    |
| 22    | BRIGHT               | 0.5        | 110    | BLACK                | 8 (JUNE)     |
| 24    | BLACK                | 8.7        | 115    | BLACK                | 9 (AUG)      |
| 24    | BRIGHT               | 1.3        | 120    | BLACK                | 48 (AUG)     |
| 25.4  | BRIGHT               | 2          | 125    | BLACK                | 24 (AUG)     |
| 26    | BLACK                | 26.8       | 130    | BLACK                | 5 (MAY)      |
| 27    | BLACK                | 20         | 130    | PEELED               | 0.6          |
| 28.57 | BRIGHT               | 2.8        | 135    | BLACK                | 24.8         |
| 30    | BLACK                | 10.4       | 140    | BLACK                | 3 (MAY)      |
| 30    | BRIGHT               | 3.4        | 150    | BLACK                | 23 (AUG)     |
| 32    | BLACK                | 13         | 160    | BLACK                | 43 (AUG)     |
| 33    | BLACK                | 23.8       | 170    | BLACK                | 4 (MAY)      |
| 34.92 | BRIGHT               | 2.8        | 180    | BLACK                | 3.8          |
| 35    | BLACK                | 5          | 184.15 | BLACK                | 8 (AUG)      |
| 36    | BLACK                | 21.5       | 190    | BLACK                | 5.4          |
| 38    | BLACK                | 4.3        | 200    | BLACK                | 11.7         |
| 39    | BLACK                | 37.7       | 210    | BLACK                | 4 (MAY)      |
| 40    | BLACK                | 3.5        | 220    | BLACK                | 6 (AUG)      |
| 41.27 | BRIGHT               | 1.2        | 230    | BLACK                | 2 (JUNE)     |
| 42    | BLACK                | 20 (APRIL) | 240    | BLACK                | 16 (JUNE)    |
| 44.45 | BRIGHT               | 1          | 250    | BLACK                | 21.5         |
| 45    | BLACK                | 25         | 260    | BLACK                | 7.7 (APRIL)  |
| 46    | BLACK                | 20 (APRIL) | 270    | BLACK                | 2.7          |
| 47.62 | BRIGHT               | 0.4        | 280    | BLACK                | 22.7 (APRIL) |
| 48    | BLACK                | 16.5       | 290    | BLACK                | 5.7          |
| 50    | BLACK                | 36.6       | 300    | BLACK                | 7            |
| 50    | PG                   | 0.2        | 310    | MACHINED             | 3 (JUNE)     |
| 50.8  | BRIGHT               | 1.2        | 320    | MACHINED             | 5 (JUNE)     |
| 52    | BLACK                | 25         | 340    | MACHINED             | 8.2          |
| 53.97 | BRIGHT               | 0.1        | 370    | MACHINED             | 8            |
| 54    | BLACK                | 11.2       | 380    | MACHINED             | 10 (JUNE)    |
| 55    | BRIGHT               | 0.8        | 400    | BLACK                | 11           |
| 56    | BLACK                | 15.9       | 410    | BLACK                | 5.4          |
| 57.15 | BRIGHT               | 1.8        |        |                      |              |

## M1020 ROUND BAR

| DIA   | SURFACE<br>CONDITION | TONNES     | DIA    | SURFACE<br>CONDITION | TONNES       |
|-------|----------------------|------------|--------|----------------------|--------------|
| 4.76  | BRIGHT               | 1.3        | 48     | BLACK                | 34           |
| 5     | BRIGHT               | 2          | 48     | BRIGHT               | 0.25         |
| 6     | BRIGHT               | 4.6 (OCT)  | 50     | BLACK                | 13 (APRIL)   |
| 6.35  | BRIGHT               | 3.2 (OCT)  | 50.8   | BR                   | 16           |
| 7.94  | BRIGHT               | 2 (OCT)    | 52     | BLACK                | 40           |
| 9     | COIL                 | 12 (APRIL) | 56     | BLACK                | 16           |
| 9     | BRIGHT               | 4.2        | 60     | BLACK                | 20.6         |
| 11.2  | COIL                 | 12.8       | 63.5   | PEELED               | 1.2          |
| 12    | COIL                 | 10 (APRIL) | 64     | BLACK                | 32           |
| 13    | COIL                 | 14 (APRIL) | 65     | BLACK                | 4.2          |
| 14    | COIL                 | 15 (APRIL) | 68.5   | BLACK                | 2            |
| 14.4  | BLACK                | 10         | 70     | BLACK                | 5            |
| 14.96 | BRIGHT               | 0.4        | 75     | BLACK                | 11.6         |
| 15    | BRIGHT               | 0.9        | 80     | BLACK                | 40 (APRIL)   |
| 16    | COIL                 | 12         | 82.55  | PEELED               | 0.9          |
| 17    | COIL                 | 0.8        | 85     | BLACK                | 32           |
| 17    | BRIGHT               | 2.6        | 90     | BLACK                | 9 (APRIL)    |
| 18    | BRIGHT               | 2.9        | 95     | BLACK                | 6.5          |
| 19    | BRIGHT               | 2.3        | 100    | BLACK                | 25 (APRIL)   |
| 19.7  | COIL                 | 1.5        | 105    | BLACK                | 12 (MAY)     |
| 20    | COIL                 | 18         | 110    | BLACK                | 11.5 (SEPT)  |
| 21    | COIL                 | 20         | 115    | BLACK                | 5 (JUNE)     |
| 24    | BLACK                | 7.7        | 120    | BLACK                | 8 (JUNE)     |
| 24    | BRIGHT               | 1.8        | 125    | BLACK                | 11 (JUNE)    |
| 25.37 | BRIGHT               | 0.3        | 130    | BLACK                | 11 (JULY)    |
| 26    | BLACK                | 13         | 135    | BLACK                | 13 (AUG)     |
| 27    | BLACK                | 23.5       | 140    | BLACK                | 3 (APRIL)    |
| 28.57 | BRIGHT               | 0.3        | 145    | BLACK                | 11 (JUNE)    |
| 32    | BLACK                | 39         | 150    | BLACK                | 4.3 (APRIL)  |
| 32    | BRIGHT               | 2.5        | 160    | BLACK                | 2 (JUNE)     |
| 33    | BLACK                | 40 (APRIL) | 170    | BLACK                | 23.6 (APRIL) |
| 35    | BLACK                | 20 (APRIL) | 175    | PEELED               | 1.1          |
| 36    | BLACK                | 44         | 180    | BLACK                | 8 (JUNE)     |
| 39    | BLACK                | 11         | 184.15 | BLACK                | 8 (JUNE)     |
| 39    | BRIGHT               | 2.8        | 190    | BLACK                | 8 (JUNE)     |
| 40    | BLACK                | 20 (APRIL) | 200    | BLACK                | 8 (JUNE)     |
| 41.27 | BRIGHT               | 3.1        | 210    | BLACK                | 8 (JUNE)     |
| 42    | BLACK                | 54         | 220    | BLACK                | 8 (MAY)      |
| 45    | BLACK                | 28 (APRIL) | 230    | BLACK                | 2 (APRIL)    |
| 45    | BRIGHT               | 1.8        | 240    | BLACK                | 4 (APRIL)    |
| 46    | BLACK                | 20 (MARCH) | 250    | BLACK                | 2.2          |
|       |                      |            | 260    | BLACK                | 5.5 (AUG)    |

## 1030 ROUND BAR

| DIA   | SURFACE<br>CONDITION | TONNES | DIA   | SURFACE<br>CONDITION | TONNES     |
|-------|----------------------|--------|-------|----------------------|------------|
| 6     | BRIGHT               | 3.2    | 35    | BLACK                | 4.5        |
| 6.35  | BRIGHT               | 4      | 35    | PG                   | 0.5        |
| 7.94  | BRIGHT               | 1.2    | 36    | BLACK                | 5.7        |
| 9     | COIL                 | 2      | 36    | BRIGHT               | 0.4        |
| 9.52  | BRIGHT               | 1.2    | 38    | BLACK                | 2.8        |
| 10    | BRIGHT               | 1      | 38.1  | BRIGHT               | 4          |
| 11.11 | BRIGHT               | 1      | 39    | BLACK                | 2.5        |
| 11.2  | COIL                 | 11.9   | 40    | BLACK                | 4.3        |
| 12    | BLACK                | 0.5    | 40    | BRIGHT               | 0.5        |
| 12    | BRIGHT               | 0.7    | 42    | BLACK                | 23.5       |
| 12.5  | COIL                 | 5.9    | 46    | BLACK                | 4.5        |
| 12.7  | BRIGHT               | 2.4    | 46.5  | BLACK                | 2.5        |
| 13    | COIL                 | 1.5    | 52    | BLACK                | 13 (APRIL) |
| 14    | COIL                 | 8.8    | 56    | BLACK                | 7.3        |
| 15.87 | BRIGHT               | 1.2    | 56    | BRIGHT               | 0.6        |
| 16    | BRIGHT               | 0.7    | 57.15 | BRIGHT               | 0.9        |
| 16.97 | BRIGHT               | 0.4    | 60    | BLACK                | 4.2        |
| 17    | COIL                 | 2      | 63.5  | BLACK                | 6 (APRIL)  |
| 18    | COIL                 | 2.9    | 63.5  | BRIGHT               | 3.2        |
| 19.05 | BRIGHT               | 1.5    | 64    | BLACK                | 6.5        |
| 19.7  | COIL                 | 11.7   | 65    | BLACK                | 12.3       |
| 20    | BLACK                | 8      | 68.5  | BLACK                | 2          |
| 20    | BRIGHT               | 1.2    | 75    | BLACK                | 22         |
| 21.7  | BLACK                | 5.6    | 76.2  | BRIGHT               | 1          |
| 22    | BRIGHT               | 0.7    | 80    | BLACK                | 19.4       |
| 24    | BLACK                | 8.2    | 85    | BLACK                | 18.6       |
| 24.96 | BRIGHT               | 0.3    | 90    | BLACK                | 3          |
| 25    | BRIGHT               | 3.3    | 95    | BLACK                | 22.4       |
| 25.4  | BRIGHT               | 0.8    | 105   | BLACK                | 9 (JULY)   |
| 26    | BLACK                | 13.6   | 115   | BLACK                | 1.5        |
| 27    | BLACK                | 24.3   | 120   | BLACK                | 3.7        |
| 28.57 | BRIGHT               | 1.4    | 120   | PEELED               | 0.5        |
| 30    | BLACK                | 4.6    | 125   | BLACK                | 1.7        |
| 31.75 | BRIGHT               | 2.2    | 130   | BLACK                | 1.8        |
| 32    | BLACK                | 21     | 135   | BLACK                | 10.8       |
| 32    | BRIGHT               | 0.6    | 152.4 | PEELED               | 1.6        |
| 33    | BLACK                | 8.2    | 160   | BLACK                | 1.7        |
| 33    | BRIGHT               | 0.5    |       |                      |            |



## 8620 ROUND BAR

| DIA  | SURFACE<br>CONDITION | TONNES     | DIA | SURFACE<br>CONDITION | TONNES      |
|------|----------------------|------------|-----|----------------------|-------------|
| 17   | BLACK                | 2.2        | 70  | BLACK                | 14 (JUNE)   |
| 21   | BLACK                | 4.2        | 75  | BLACK                | 6.5 (APRIL) |
| 23   | BLACK                | 7 (JUNE)   | 80  | BLACK                | 0.4         |
| 26   | BLACK                | 0.25       | 85  | BLACK                | 5 (APRIL)   |
| 27   | BLACK                | 4.6        | 90  | BLACK                | 5.1         |
| 33   | BLACK                | 1.7        | 95  | BLACK                | 8.8         |
| 36   | BLACK                | 4.8 (JUNE) | 105 | BLACK                | 3.6 (APRIL) |
| 39   | BLACK                | 2 (APRIL)  | 110 | BLACK                | 4.5         |
| 40   | BLACK                | 2 (APRIL)  | 120 | BLACK                | 8 (SEPT)    |
| 42   | BLACK                | 0.4        | 130 | BLACK                | 7.5 (JUNE)  |
| 45   | BLACK                | 7 (JUNE)   | 140 | BLACK                | 5           |
| 46.5 | BLACK                | 2.3        | 150 | BLACK                | 4.1         |
| 47.5 | PEELED h10           | 1          | 160 | BLACK                | 3.9         |
| 50   | BLACK                | 8 (JUNE)   | 170 | BLACK                | 6.5 (APRIL) |
| 58   | PEELED h10           | 1.1        | 180 | BLACK                | 6 (APRIL)   |
| 60   | BLACK                | 1.5        | 190 | BLACK                | 8           |
| 65   | BLACK                | 2 (APRIL)  | 220 | BLACK                | 2           |
|      |                      |            | 230 | BLACK                | 2.2         |

## EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

| DIA          | SURFACE CONDITION |             | DIA         | SURFACE CONDITION |  | TONNES      |
|--------------|-------------------|-------------|-------------|-------------------|--|-------------|
| <b>EN36A</b> |                   |             | <b>EN26</b> |                   |  |             |
| 18           | ANN PLD           | 2.2 (AUG)   | 27          | Q&T               |  | 4.8         |
| 22           | ANN PLD           | 2.2 (OCT)   | 32          | AR                |  | 8 (JUNE)    |
| 25           | ANN PLD           | 0.4 (JUNE)  | 32          | Q&T               |  | 0.25        |
| 26           | ANN PLD           | 3 (JUNE)    | 32          | Q&T PEELED        |  | 0.3         |
| 32           | ANN PLD           | 1.5 (OCT)   | 33          | Q&T PEELED        |  | 0.25        |
| 35           | ANN PLD           | 3.7 (JULY)  | 35          | Q&T               |  | 4.2         |
| 45           | ANN PLD           | 2.7 (JULY)  | 35          | Q&T PEELED        |  | 2.9         |
| 51.5         | ANN PLD           | 1 (JULY)    | 38          | AR                |  | 8 (JULY)    |
| 55           | ANN PLD           | 2.2 (JULY)  | 38          | Q&T               |  | 3           |
| 55.5         | ANN PLD           | 2.8 (JULY)  | 40          | AR                |  | 3.8 (APRIL) |
| 60           | ANN PLD           | 4 (SEPT)    | 45          | AR                |  | 8 (JULY)    |
| 65           | ANN PLD           | 4 (SEPT)    | 45          | Q&T               |  | 3.4         |
| 70           | ANN PLD           | 1 (JULY)    | 47          | AR                |  | 6.9 (APRIL) |
| 75           | ANN PLD           | 4 (JULY)    | 48          | AR                |  | 2 (SEPT)    |
| 85           | ANN PLD           | 3 (JULY)    | 53          | AR                |  | 8 (JULY)    |
| 90           | ANN PLD           | 1.8 (SEPT)  | 60          | AR                |  | 5.2 (APRIL) |
| 97           | ANN PLD           | 3.7 (OCT)   | 65          | AR                |  | 8 (JUNE)    |
| 100          | ANN PLD           | 2 (JULY)    | 70          | AR                |  | 6 (APRIL)   |
| 105          | ANN PLD           | 3 (SEPT)    | 75          | AR                |  | 6 (JULY)    |
| 120          | ANN PLD           | 4 (OCT)     | 75          | Q&T               |  | 4.6         |
| 130          | ANN PLD           | 3 (APRIL)   | 80          | AR                |  | 6.5         |
| 140          | ANN PLD           | 4 (OCT)     | 80          | Q&T               |  | 7.3         |
| 150          | ANN PLD           | 2.5 (APRIL) | 85          | AR                |  | 4.7 (APRIL) |
| 163          | ANN PLD           | 1.6         | 90          | Q&T               |  | 4.7         |
| 175          | ANN PLD           | 1           | 95          | AR                |  | 2 (JUNE)    |
| 180          | ANN PLD           | 3.2         | 95          | Q&T PEELED        |  | 0.3         |
| 205          | ANN PLD           | 3.9         | 100         | AR                |  | 7.5 (JUNE)  |
| 230          | ANN PLD           | 1.3         | 105         | AR                |  | 10 (JUNE)   |
| 272          | ANN PLD           | 2.3         | 110         | AR                |  | 6.2 (APRIL) |
|              |                   |             | 115         | AR                |  | 4.3 (APRIL) |
|              |                   |             | 120         | AR                |  | 7.6 (APRIL) |
|              |                   |             | 120         | Q&T               |  | 0.7         |
|              |                   |             | 125         | AR                |  | 3.5 (APRIL) |
|              |                   |             | 130         | AR                |  | 1.2         |
|              |                   |             | 135         | AR                |  | 1.2 (APRIL) |
|              |                   |             | 140         | AR                |  | 6.6 (APRIL) |
|              |                   |             | 150         | AR                |  | 5.7 (JUNE)  |
|              |                   |             | 160         | Q&T               |  | 6.3         |
|              |                   |             | 170         | AR                |  | 3 (APRIL)   |
|              |                   |             | 180         | AR                |  | 7 (SEPT)    |
|              |                   |             | 190         | AR                |  | 7 (APRIL)   |
|              |                   |             | 200         | AR                |  | 1.4         |
|              |                   |             | 200         | Q&T               |  | 5.8         |
|              |                   |             | 210         | Q&T               |  | 8.4         |
|              |                   |             | 220         | AR                |  | 6.4 (JUNE)  |
|              |                   |             | 230         | Q&T               |  | 4.5         |
|              |                   |             | 260         | Q&T PEELED        |  | 4.5         |

**EN39B**

|    |           |     |
|----|-----------|-----|
| 28 | ANN PLD   | 0.3 |
| 30 | ANN BLACK | 1.6 |

**EN25**

|    |         |     |
|----|---------|-----|
| 47 | Q&T BLK | 0.4 |
| 47 | ANN     | 0.6 |
| 65 | AR      | 0.5 |

**XK1340**

|    |       |   |
|----|-------|---|
| 22 | BLACK | 1 |
|----|-------|---|

**XK1320**

|    |       |         |
|----|-------|---------|
| 36 | BLACK | 0.2     |
| 39 | BLACK | 1.6     |
| 42 | BLACK | 2.6     |
| 90 | BLACK | 4 (OCT) |

**17CrNiMo6**

|      |             |             |
|------|-------------|-------------|
| 33   | ANN PLD k12 | 2.2 (OCT)   |
| 34.5 | ANN PLD k12 | 2.7 (OCT)   |
| 39   | ANN PLD k12 | 2.2 (SEPT)  |
| 51.5 | ANN PLD k12 | 2.5 (SEPT)  |
| 58   | ANN PLD k12 | 0.9 (APRIL) |
| 65   | ANN PLD k12 | 0.9 (APRIL) |
| 70   | ANN PLD k12 | 1 (JUNE)    |
| 82   | ANN PLD k12 | 1.5         |
| 87   | ANN PLD k12 | 4 (OCT)     |
| 102  | ANN PLD k12 | 4 (OCT)     |
| 106  | ANN PLD k12 | 0.9         |
| 136  | ANN PLD k12 | 0.6         |
| 175  | ANN PLD k12 | 1.3         |
| 185  | ANN PLD k12 | 4 (SEPT)    |

**GRADE 300 PLUS**

|    |       |     |
|----|-------|-----|
| 22 | BLACK | 0.7 |
| 39 | BLACK | 0.5 |
| 75 | BLACK | 4.3 |
| 90 | BLACK | 1.5 |

**1141**

|    |       |   |
|----|-------|---|
| 20 | BLACK | 5 |
|----|-------|---|

## 1214 ROUND BAR

| DIA   | SURFACE<br>CONDITION | TONNES     | DIA   | SURFACE<br>CONDITION | TONNES     |
|-------|----------------------|------------|-------|----------------------|------------|
| 5     | BRIGHT               | 0.4        | 34.92 | BRIGHT               | 0.5        |
| 6     | BRIGHT               | 1          | 35    | BLACK                | 20 (APRIL) |
| 6.35  | BRIGHT               | 0.2        | 36    | BLACK                | 3.5        |
| 7     | BRIGHT               | 1          | 39    | BLACK                | 11.4       |
| 7.14  | BRIGHT               | 1          | 40    | BLACK                | 2          |
| 8     | BRIGHT               | 2.6        | 42    | BLACK                | 16.8       |
| 9     | COIL                 | 3          | 45    | BLACK                | 13.4       |
| 9     | BRIGHT               | 0.8        | 48    | BLACK                | 29         |
| 10    | BRIGHT               | 2.8        | 50    | BLACK                | 32         |
| 11.11 | BRIGHT               | 6.6        | 52    | BLACK                | 20 (APRIL) |
| 11.2  | COIL                 | 2          | 53.97 | BRIGHT               | 1.8        |
| 12    | COIL                 | 10         | 56    | BLACK                | 28         |
| 12    | BRIGHT               | 8.6        | 56    | BRIGHT               | 0.2        |
| 12.2  | BRIGHT               | 4.2        | 57.15 | BRIGHT               | 2.4        |
| 13    | COIL                 | 10 (APRIL) | 60    | BLACK                | 4.9        |
| 14    | COIL                 | 2.7        | 60.32 | BRIGHT               | 0.25       |
| 14    | BRIGHT               | 0.7        | 64    | BLACK                | 15         |
| 16    | COIL                 | 11 (APRIL) | 65    | BLACK                | 27         |
| 17    | COIL                 | 15         | 66.67 | BRIGHT               | 0.5        |
| 17    | BRIGHT               | 0.2        | 68.5  | BLACK                | 16.9       |
| 17.46 | BRIGHT               | 1.8        | 69.85 | BRIGHT               | 1.5        |
| 18    | BRIGHT               | 1.5        | 70    | BLACK                | 5.6        |
| 19    | BRIGHT               | 2.9        | 70    | BRIGHT               | 1          |
| 19.05 | BRIGHT               | 6.5        | 75    | BLACK                | 22         |
| 19.7  | COIL                 | 26         | 80    | BLACK                | 3.7        |
| 20    | COIL                 | 26         | 80    | BRIGHT               | 2.4        |
| 21.7  | COIL                 | 27         | 85    | BLACK                | 22         |
| 22.22 | BRIGHT               | 1.3        | 88.9  | BRIGHT               | 0.7        |
| 23.81 | BRIGHT               | 0.6        | 95    | BLACK                | 11         |
| 24    | BLACK                | 27.3       | 95    | BRIGHT               | 2          |
| 26    | BLACK                | 18.8       | 105   | BLACK                | 1          |
| 26    | BRIGHT               | 2          | 115   | BLACK                | 8.3 (JULY) |
| 28    | BRIGHT               | 2.5        | 120   | BLACK                | 7.8 (JULY) |
| 30    | BLACK                | 13.8       | 125   | BLACK                | 9.5 (JULY) |
| 30    | BRIGHT               | 2          | 135   | BLACK                | 8 (JULY)   |
| 32    | BLACK                | 30         | 145   | BLACK                | 10 (JULY)  |
| 33    | BLACK                | 5.7        | 160   | BLACK                | 9 (JULY)   |
| 33    | BRIGHT               | 0.7        |       |                      |            |

## 12L14 ROUND BAR

| DIA   | SURFACE<br>CONDITION | TONNES | DIA   | SURFACE<br>CONDITION | TONNES |
|-------|----------------------|--------|-------|----------------------|--------|
| 7.94  | BRIGHT               | 0.6    | 28.5  | BLACK                | 11.9   |
| 8     | BRIGHT               | 5.1    | 28.57 | BRIGHT               | 7.5    |
| 8.73  | BRIGHT               | 0.5    | 29    | BLACK                | 15     |
| 9     | BRIGHT               | 6      | 30    | BLACK                | 5.1    |
| 10    | BRIGHT               | 2      | 31.75 | BRIGHT               | 5.5    |
| 11.11 | BRIGHT               | 0.9    | 33    | BLACK                | 29     |
| 11.2  | COIL                 | 10.2   | 33.34 | BRIGHT               | 0.7    |
| 12    | BRIGHT               | 1.2    | 36    | BLACK                | 5      |
| 12.7  | BRIGHT               | 3.3    | 38.1  | BRIGHT               | 1      |
| 13    | COIL                 | 2      | 40    | BLACK                | 3.4    |
| 14    | COIL                 | 5.2    | 41.27 | BRIGHT               | 10.2   |
| 14.29 | BRIGHT               | 1.2    | 43    | BLACK                | 0.8    |
| 16    | COIL                 | 2.4    | 44.45 | BRIGHT               | 6      |
| 16    | BRIGHT               | 0.25   | 46.5  | BLACK                | 14.8   |
| 17    | COIL                 | 8.3    | 50.8  | BRIGHT               | 14.3   |
| 18    | BRIGHT               | 2      | 52    | BLACK                | 24.4   |
| 19    | COIL                 | 9      | 57.15 | BRIGHT               | 2.6    |
| 19.05 | BRIGHT               | 4.2    | 60    | BLACK                | 5.3    |
| 20    | COIL                 | 7.6    | 60.32 | BRIGHT               | 4.6    |
| 20    | BRIGHT               | 1.5    | 63.5  | BLACK                | 9      |
| 20.64 | BRIGHT               | 0.5    | 63.5  | BRIGHT               | 9.8    |
| 21    | COIL                 | 8      | 65    | BLACK                | 11.7   |
| 23    | COIL                 | 10     | 69.85 | BRIGHT               | 6.2    |
| 23.81 | BRIGHT               | 7.2    | 73    | BLACK                | 15.6   |
| 24    | BLACK                | 12.5   | 80    | BLACK                | 9      |
| 25    | BLACK                | 10.7   | 82.55 | PEELED               | 0.7    |
| 25    | BRIGHT               | 1.2    | 85    | BLACK                | 3.8    |
| 25.4  | BRIGHT               | 0.5    | 101.6 | PEELED               | 0.2    |
| 26.99 | BRIGHT               | 0.2    |       |                      |        |
| 27    | BLACK                | 5.6    |       |                      |        |

## 4140, 1045 CHROME ROUND BAR

| DIA                 | SURFACE<br>CONDITION | TONNES | DIA                            | SURFACE<br>CONDITION | TONNES |
|---------------------|----------------------|--------|--------------------------------|----------------------|--------|
| <b>4140 H&amp;T</b> |                      |        | <b>4140 INDUCTION HARDENED</b> |                      |        |
| 22                  | Q&T                  | 0.5    | 50                             | IH                   | 0.5    |
| 28.58               | Q&T                  | 0.2    | 69.85                          | IH                   | 1      |
| 34.92               | Q&T                  | 1.3    | 80                             | IH                   | 0.4    |
| 35                  | Q&T                  | 2.6    | 90                             | IH                   | 0.3    |
| 44.45               | Q&T CR3              | 0.9    |                                |                      |        |
| 53.98               | Q&T                  | 0.1    |                                |                      |        |
| 55                  | Q                    | 1.1    |                                |                      |        |
| 57.15               | Q&T CR3              | 3.2    |                                |                      |        |
| 65                  | Q&T                  | 0.2    |                                |                      |        |
| 75                  | Q&T                  | 0.5    |                                |                      |        |
| 85                  | Q&T                  | 0.5    |                                |                      |        |
| 90                  | Q&T CR3              | 0.7    |                                |                      |        |

| <b>1045</b> |    |      | <b>1045 INDUCTION HARDENED</b> |    |      |
|-------------|----|------|--------------------------------|----|------|
| 20          | AR | 0.7  | 22                             | IH | 0.8  |
| 25          | AR | 1    | 22.22                          | IH | 0.7  |
| 32          | AR | 0.2  | 31.75                          | IH | 0.3  |
| 36          | AR | 0.2  | 34.92                          | IH | 0.2  |
| 38          | AR | 0.8  | 69.85                          | IH | 0.7  |
| 48.7        | AR | 0.6  | 82.55                          | IH | 0.25 |
| 53.98       | AR | 0.3  | 85                             | IH | 0.25 |
| 56          | AR | 0.2  | 88.9                           | IH | 0.3  |
| 65          | AR | 0.4  | 90                             | IH | 1.4  |
| 69.85       | AR | 2    | 95.25                          | IH | 0.3  |
| 75          | AR | 0.15 | 139.7                          | IH | 0.6  |
| 85          | AR | 0.5  |                                |    |      |
| 88.9        | AR | 3.5  |                                |    |      |
| 90          | AR | 2.3  |                                |    |      |
| 95.25       | AR | 0.8  |                                |    |      |
| 100         | AR | 0.6  |                                |    |      |
| 105         | AR | 0.4  |                                |    |      |

## 4140, 1045, 1214, 12L14 HEXAGON BAR

| SIZE AF     | SURFACE<br>CONDITION | TONNES   | SIZE AF     | SURFACE<br>CONDITION | TONNES   |
|-------------|----------------------|----------|-------------|----------------------|----------|
| <b>4140</b> |                      |          | <b>1045</b> |                      |          |
| 19.05 HEX   | Q&T DRAWN            | 0.25     | 30 HEX      | DRAWN                | 0.6      |
| 22.22 HEX   | Q&T DRAWN            | 0.7      | 33 HEX      | BLACK                | 1.6      |
| 25 HEX      | AR BLACK             | 0.3      | 34.92 HEX   | DRAWN                | 0.75     |
| 25 HEX      | Q&T BLACK            | 0.4      | 36 HEX      | DRAWN                | 0.75     |
| 27 HEX      | Q&T DRAWN            | 0.4      | 37.5 HEX    | BLACK                | 4.3      |
| 28.58 HEX   | Q&T DRAWN            | 2.7      | 38.1 HEX    | DRAWN                | 0.1      |
| 30 HEX      | Q&T BLACK            | 0.7      | 39.5 HEX    | BLACK                | 10 (NOV) |
| 31.75 HEX   | Q&T DRAWN            | 0.5      | 44.45 HEX   | DRAWN                | 1.1      |
| 34.92 HEX   | Q&T DRAWN            | 0.7      | 46 HEX      | DRAWN                | 2.1      |
| 36 HEX      | Q&T DRAWN            | 1.2      | 47.5 HEX    | BLACK                | 0.5      |
| 37.5 HEX    | Q&T BLACK            | 2.7      | 50.8 HEX    | DRAWN                | 0.9      |
| 37.5 HEX    | AR BLACK             | 10 (NOV) | 52.5HEX     | BLACK                | 7.2      |
| 39.5 HEX    | Q&T BLACK            | 4.7      |             |                      |          |
| 44.5 HEX    | Q&T BLACK            | 1.4      |             |                      |          |
| 46 HEX      | Q&T DRAWN            | 0.7      |             |                      |          |
| 47.5 HEX    | Q&T BLACK            | 2.6      |             |                      |          |
| 52.5 HEX    | Q&T BLACK            | 2.9      |             |                      |          |
| 58.5 HEX    | Q&T BLACK            | 1.3      |             |                      |          |
| 63.5 HEX    | Q&T DRAWN            | 1        |             |                      |          |
| 65 HEX      | Q&T BLACK            | 1.3      |             |                      |          |

## 4140, 1045, 1214, 12L14 HEXAGON BAR

| SIZE AF     | SURFACE<br>CONDITION | TONNES     | SIZE AF      | SURFACE<br>CONDITION | TONNES     |
|-------------|----------------------|------------|--------------|----------------------|------------|
| <b>1214</b> |                      |            | <b>12L14</b> |                      |            |
| 9.52 HEX    | DRAWN                | 1.6        | 10 HEX       | DRAWN                | 1.4        |
| 11.11 HEX   | DRAWN                | 0.5        | 11.11 HEX    | DRAWN                | 0.25       |
| 12.7 HEX    | DRAWN                | 0.2        | 14.28 HEX    | DRAWN                | 1.2        |
| 14.28 HEX   | DRAWN                | 0.5        | 15.88 HEX    | DRAWN                | 1.1        |
| 20.64 HEX   | DRAWN                | 1          | 17 HEX       | DRAWN                | 1.8        |
| 22.22 HEX   | DRAWN                | 2.3        | 17.46 HEX    | DRAWN                | 6.5        |
| 24 HEX      | DRAWN                | 1.2        | 19.05 HEX    | DRAWN                | 5.4        |
| 25.4 HEX    | DRAWN                | 4.9        | 20.64 HEX    | DRAWN                | 8.9        |
| 30 HEX      | BLACK                | 8 (AUG)    | 22 HEX       | DRAWN                | 2.5        |
| 30 HEX      | DRAWN                | 2          | 22.22 HEX    | DRAWN                | 7          |
| 31.75 HEX   | DRAWN                | 0.3        | 23.81 HEX    | DRAWN                | 2.7        |
| 33 HEX      | BLACK                | 5.4        | 24 HEX       | DRAWN                | 0.2        |
| 34.92 HEX   | DRAWN                | 1          | 25.4 HEX     | DRAWN                | 3.1        |
| 37.5 HEX    | BLACK                | 9 (NOV)    | 26.99 HEX    | DRAWN                | 7.2        |
| 39.5 HEX    | BLACK                | 7.2 (AUG)  | 28.5 HEX     | BLACK                | 7.5        |
| 42.42 HEX   | DRAWN                | 2.3        | 30 HEX       | BLACK                | 16.7       |
| 44.45 HEX   | DRAWN                | 0.75       | 30 HEX       | DRAWN                | 0.9        |
| 47.5 HEX    | BLACK                | 10 (NOV)   | 31.75 HEX    | DRAWN                | 10.3       |
| 49 HEX      | BLACK                | 2.9        | 33 HEX       | BLACK                | 27         |
| 50 HEX      | DRAWN                | 0.3        | 34.92 HEX    | DRAWN                | 5.4        |
| 52.07 HEX   | DRAWN                | 1.2        | 37.5 HEX     | BLACK                | 17         |
| 52.5 HEX    | BLACK                | 6          | 38.1 HEX     | DRAWN                | 4.8        |
| 55 HEX      | DRAWN                | 3          | 39.5 HEX     | BLACK                | 14.6       |
| 61.21 HEX   | DRAWN                | 1.9        | 44.45 HEX    | DRAWN                | 6.4        |
| 63 HEX      | BLACK                | 4          | 44.5 HEX     | BLACK                | 9.5 (NOV)  |
| 65 HEX      | DRAWN                | 0.2        | 47.24 HEX    | DRAWN                | 3.5        |
| 70 HEX      | DRAWN                | 0.7 (JUNE) | 47.5 HEX     | BLACK                | 10.3       |
|             |                      |            | 47.62 HEX    | DRAWN                | 1          |
|             |                      |            | 49 HEX       | BLACK                | 10.2       |
|             |                      |            | 53.5 HEX     | BLACK                | 17 (JUNE)  |
|             |                      |            | 55 HEX       | DRAWN                | 3.4        |
|             |                      |            | 57 HEX       | BLACK                | 7.8        |
|             |                      |            | 58.5 HEX     | BLACK                | 4.8        |
|             |                      |            | 60 HEX       | DRAWN                | 0.3        |
|             |                      |            | 61.21 HEX    | DRAWN                | 3.2        |
|             |                      |            | 63 HEX       | BLACK                | 10 (AUG)   |
|             |                      |            | 63.5 HEX     | DRAWN                | 0.5        |
|             |                      |            | 65 HEX       | BLACK                | 10 (AUG)   |
|             |                      |            | 65 HEX       | DRAWN                | 2.6 (JUNE) |
|             |                      |            | 70 HEX       | DRAWN                | 5.4 (JUNE) |



**1214, 1045, 12L14, 4140, 1020 SQUARE BAR**

| SIZE         | SURFACE<br>CONDITION | TONNES       | SIZE         | SURFACE<br>CONDITION | TONNES       |
|--------------|----------------------|--------------|--------------|----------------------|--------------|
| <b>1214</b>  |                      |              | <b>1045</b>  |                      |              |
| 7.94 SQUARE  | DRAWN                | 0.25 (JULY)  | 20 SQUARE    | BLACK                | 4.4          |
| 15.88 SQUARE | DRAWN                | 0.5 (JUNE)   | 25.4 SQUARE  | DRAWN                | 0.25         |
| 16 SQUARE    | DRAWN                | 0.15         | 30 SQUARE    | BLACK                | 8.6          |
| 19.05 SQUARE | DRAWN                | 2.3          | 31.75 SQUARE | DRAWN                | 0.3 (JUNE)   |
| 20 SQUARE    | DRAWN                | 0.2          | 33 SQUARE    | BLACK                | 9 (AUG)      |
| 20 SQUARE    | BLACK                | 7.4          | 40 SQUARE    | BLACK                | 19           |
| 22.22 SQUARE | DRAWN                | 1 (JUNE)     | 40 SQUARE    | DRAWN                | 0.7          |
| 25.4 SQUARE  | DRAWN                | 2 (JUNE)     | 45 SQUARE    | BLACK                | 25           |
| 31.75 SQUARE | DRAWN                | 1 (JULY)     | 50 SQUARE    | BLACK                | 32           |
| 40 SQUARE    | DRAWN                | 1 (JUNE)     | 52 SQUARE    | BLACK                | 8            |
| 40 SQUARE    | BLACK                | 10.5         | 63 SQUARE    | BLACK                | 16.9         |
| 44.45 SQUARE | DRAWN                | 5 (MAY)      | 75 SQUARE    | BLACK                | 6            |
| 50 SQUARE    | DRAWN                | 3.1          | 80 SQUARE    | BLACK                | 1            |
| 52 SQUARE    | BLACK                | 7            | 90 SQUARE    | BLACK                | 18.5 (APRIL) |
| 63.5 SQUARE  | DRAWN                | 0.2          | 100 SQUARE   | BLACK                | 15 (APRIL)   |
| 88.9 SQUARE  | DRAWN                | 0.6          | 130 SQUARE   | BLACK                | 0.5          |
| 100 SQUARE   | DRAWN                | 1 (JUNE)     | 160 SQUARE   | BLACK                | 4.7 (APRIL)  |
| <b>1020</b>  |                      |              | <b>4140</b>  |                      |              |
| 12 SQUARE    | DRAWN                | 0.75 (JULY)  | 30 SQUARE    | Q&T                  | 1.5          |
| 15.88 SQUARE | DRAWN                | 1 (JULY)     | 30 SQUARE    | AR                   | 6.4          |
| 19.05 SQUARE | DRAWN                | 0.25         | 32 SQUARE    | AR                   | 9.2 (AUG)    |
| 20 SQUARE    | DRAWN                | 0.25 (APRIL) | 40 SQUARE    | Q&T                  | 1.2          |
| 25 SQUARE    | DRAWN                | 0.25 (MAY)   | 50 SQUARE    | AR                   | 2.3          |
| 25.4 SQUARE  | DRAWN                | 0.75 (JULY)  | 75 SQUARE    | AR                   | 1.3          |
| 28.58 SQUARE | DRAWN                | 0.5 (APRIL)  | 100 SQUARE   | Q&T                  | 1.7          |
| 30 SQUARE    | DRAWN                | 0.25         | 110 SQUARE   | AR                   | 2.8          |
| 31.75 SQUARE | DRAWN                | 1.2 (AUG)    |              |                      |              |
| 38.1 SQUARE  | DRAWN                | 2.7          |              |                      |              |
| 40 SQUARE    | DRAWN                | 1.3 (AUG)    |              |                      |              |
| 44.45 SQUARE | DRAWN                | 1.6          |              |                      |              |
| 45 SQUARE    | DRAWN                | 0.15         |              |                      |              |
| 50.8 SQUARE  | DRAWN                | 1            |              |                      |              |
| 52 SQUARE    | BLACK                | 1.5          |              |                      |              |
| 57.15 SQUARE | DRAWN                | 1            |              |                      |              |
| 63.5 SQUARE  | DRAWN                | 2.2 (JULY)   |              |                      |              |
| 65 SQUARE    | DRAWN                | 0.8 (JULY)   |              |                      |              |
| 75 SQUARE    | DRAWN                | 0.3 (MAY)    |              |                      |              |
| 76.2 SQUARE  | DRAWN                | 0.25 (JUNE)  |              |                      |              |
| 90 SQUARE    | DRAWN                | 0.4 (APRIL)  |              |                      |              |
| 100 SQUARE   | DRAWN                | 1.7 (JULY)   |              |                      |              |
| 101.6 SQUARE | DRAWN                | 1.6 (JUNE)   |              |                      |              |
| 114.3 SQUARE | DRAWN                | 3.6 (JUNE)   |              |                      |              |
| 127 SQUARE   | DRAWN                | 5 (JUNE)     |              |                      |              |
| 150 SQUARE   | DRAWN                | 6 (JUNE)     |              |                      |              |
|              |                      |              | <b>12L14</b> |                      |              |
|              |                      |              | 44.45 SQUARE | AR                   | 2 (JUNE)     |

**1020, 1004B, 1016, U1010 FLAT BAR**

| SIZE         | SURFACE CONDITION | TONNES       | SIZE         | SURFACE CONDITION | TONNES      |
|--------------|-------------------|--------------|--------------|-------------------|-------------|
| <b>1020</b>  |                   |              | <b>1020</b>  |                   |             |
| 20x5         | DRAWN             | 0.7          | 50.8x12.7    | DRAWN             | 0.5         |
| 20x6         | DRAWN             | 0.25 (JULY)  | 50.8x19.05   | DRAWN             | 0.25        |
| 20x7         | DRAWN             | 0.3          | 50.8x38.1    | DRAWN             | 0.25 (JULY) |
| 20x10        | DRAWN             | 0.4          | 55x40        | DRAWN             | 0.5 (AUG)   |
| 25x5         | DRAWN             | 0.5          | 63.5x31.75   | DRAWN             | 0.5 (JULY)  |
| 25x10        | DRAWN             | 1 (AUG)      | 75x10        | DRAWN             | 0.5         |
| 25x12        | DRAWN             | 1 (JUNE)     | 75x12        | DRAWN             | 0.25        |
| 25x15        | DRAWN             | 0.76         | 75x15        | DRAWN             | 0.7         |
| 25x16        | DRAWN             | 0.25 (AUG)   | 75x20        | DRAWN             | 0.7 (JUNE)  |
| 25x20        | DRAWN             | 0.5          | 75x25        | DRAWN             | 1.8 (MAY)   |
| 25.4x6.35    | DRAWN             | 0.5          | 75x40        | DRAWN             | 0.5 (JULY)  |
| 30x10        | DRAWN             | 1            | 75x50        | DRAWN             | 0.8 (JULY)  |
| 32x10        | DRAWN             | 1.75 (JUNE)  | 76.2x31.75   | DRAWN             | 0.25 (AUG)  |
| 32x15        | DRAWN             | 0.25 (APRIL) | 76.2x38.1    | DRAWN             | 0.5         |
| 32x20        | DRAWN             | 0.1          | 76.2x50.8    | DRAWN             | 1 (AUG)     |
| 32x25        | DRAWN             | 0.8 (AUG)    | 88.9x50.8    | DRAWN             | 3.6 (APRIL) |
| 38.1x12.7    | DRAWN             | 0.25         | 100x10       | DRAWN             | 1.5 (MAY)   |
| 40x7         | DRAWN             | 0.7          | 100x15       | DRAWN             | 0.25        |
| 40x12        | DRAWN             | 0.25 (MAY)   | 100x20       | DRAWN             | 0.4         |
| 40x20        | DRAWN             | 1            | 100x25       | DRAWN             | 0.25        |
| 40x25        | DRAWN             | 1 (JULY)     | 100x40       | DRAWN             | 1 (MAY)     |
| 44.45x31.75  | DRAWN             | 1.25 (JULY)  | 100x50       | DRAWN             | 1 (JULY)    |
| 50x6         | DRAWN             | 0.25 (MAY)   | 101.6x38.1   | DRAWN             | 0.3 (AUG)   |
| 50x7         | DRAWN             | 0.2          | 101.6x50.8   | DRAWN             | 0.6 (JULY)  |
| 50x10        | DRAWN             | 0.25 (JUNE)  | 101.6x76.2   | DRAWN             | 1.7 (JULY)  |
| 50x12        | DRAWN             | 1 (AUG)      | 127x76.2     | DRAWN             | 0.8         |
| 50x15        | DRAWN             | 1.2          | 150x12       | DRAWN             | 0.75        |
| 50x16        | BLACK             | 7.2          | 150x20       | DRAWN             | 0.5         |
| 50x20        | DRAWN             | 0.25 (MAY)   | 150x25       | DRAWN             | 0.8 (AUG)   |
| 50x25        | DRAWN             | 2.2 (JULY)   | 150x50       | DRAWN             | 2 (MAY)     |
| 50x40        | DRAWN             | 1 (APRIL)    | 152.4x25.4   | DRAWN             | 0.75        |
| <b>1004B</b> |                   |              | <b>U1010</b> |                   |             |
| 16x5         | DRAWN             | 2            | 25x7         | DRAWN             | 2.2         |
| 32x5         | DRAWN             | 3.2          |              |                   |             |
| 40x5         | DRAWN             | 4.5          |              |                   |             |

|             |       |     |
|-------------|-------|-----|
| <b>1045</b> |       |     |
| 32x10       | BLACK | 1.9 |

## 4140, MECAPLUS HOLLOW BAR

| DIA         | SURFACE<br>CONDITION | TONNES      | DIA         | SURFACE<br>CONDITION | TONNES     |
|-------------|----------------------|-------------|-------------|----------------------|------------|
| <b>4140</b> |                      |             | <b>4140</b> |                      |            |
| 50x25       | AR                   | 4 (APRIL)   | 118x63      | AR                   | 9.7 (SEPT) |
| 50x32       | AR                   | 5 (JULY)    | 118x80      | AR                   | 1 (APRIL)  |
| 56x36       | AR                   | 2.2         | 118x90      | AR                   | 4.5 (JUNE) |
| 63x32       | AR                   | 9 (NOV)     | 119.6x56    | Q&T                  | 1.8        |
| 71x36       | Q&T                  | 1.7         | 125x71      | Q&T                  | 2.8        |
| 71x45       | Q&T                  | 3           | 125x80      | AR                   | 4 (JULY)   |
| 71x50       | Q&T                  | 3.5         | 125x100     | Q&T                  | 3.1        |
| 75x40       | AR                   | 1.5 (JULY)  | 130x75      | Q&T                  | 0.9        |
| 75x45       | AR                   | 3.7 (APRIL) | 131.7x97.1  | AR                   | 0.8        |
| 80x40       | AR                   | 4.7 (NOV)   | 131.7x97.1  | Q&T                  | 0.2        |
| 80x50       | AR                   | 2.5 (AUG)   | 132x71      | AR                   | 10 (SEPT)  |
| 85x45       | AR                   | 1.5 (JUNE)  | 132x80      | ANN                  | 1.3        |
| 85x67       | Q&T                  | 1           | 132x80      | AR                   | 1 (APRIL)  |
| 90x40       | AR                   | 5 (NOV)     | 132x90      | AR                   | 5 (SEPT)   |
| 90x45       | AR                   | 5 (JULY)    | 135x85      | AR                   | 4 (JULY)   |
| 90x50       | AR                   | 1.5 (JUNE)  | 140x60      | Q&T                  | 1.4        |
| 90x63       | Q&T                  | 1.7         | 140x80      | AR                   | 5 (JULY)   |
| 95x45       | AR                   | 2 (JULY)    | 140x90      | AR                   | 7 (JULY)   |
| 95x50       | AR                   | 3.4 (JUNE)  | 140x100     | AR                   | 6 (JULY)   |
| 95x60       | Q&T                  | 2.3         | 150x80      | AR                   | 2.5 (JULY) |
| 95x63       | Q&T                  | 2.6         | 150x106     | AR                   | 4 (JULY)   |
| 100x56      | AR                   | 4.2 (JULY)  | 150x114     | AR                   | 5 (JULY)   |
| 100x71      | Q&T                  | 1.8         | 160x90      | AR                   | 8.5 (SEPT) |
| 100x71      | AR                   | 5 (NOV)     | 160x112     | AR                   | 2.5 (JULY) |
| 106x56      | AR                   | 2.5 (JULY)  | 160x116     | Q&T                  | 1.9        |
| 106x63      | Q&T                  | 2           | 170x100     | AR                   | 2          |
| 106x71      | Q&T                  | 1.7         | 172x118     | AR                   | 1.2        |
| 112x63      | AR                   | 3.5 (JULY)  | 180x125     | AR                   | 1.5 (JULY) |
| 112x80      | Q&T                  | 2.3         | 190x132     | Q&T                  | 2          |
|             |                      |             | 200x112     | AR                   | 4.4 (NOV)  |
|             |                      |             | 200x140     | Q&T                  | 0.9        |
|             |                      |             | 225x140     | AR                   | 4.4 (JULY) |

## MECAPLUS 470

|       |    |   |
|-------|----|---|
| 30x20 | AR | 1 |
|-------|----|---|

## ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

| DIA         | METERS     | DIA          | METERS    |
|-------------|------------|--------------|-----------|
| 47.62x38.1  | 48 (JUNE)  | 120x100      | 29        |
| 50.8x38.1   | 87 (JUNE)  | 120.65x101.6 | 6 (JUNE)  |
| 57.15x44.45 | 37         | 127x101.6    | 13 (JULY) |
| 60x50       | 27         | 127x114.3    | 60 (MAY)  |
| 60.32x50.8  | 24 (JUNE)  | 139.7x127    | 24 (JULY) |
| 63.5x50.8   | 150 (JUNE) | 146.05x127   | 28 (JULY) |
| 69.85x57.15 | 35 (JUNE)  | 150x125      | 12 (JULY) |
| 70x55       | 18 (JUNE)  | 152.4x127    | 18 (JULY) |
| 72x60       | 12 (JUNE)  | 152.4x139.7  | 24 (JULY) |
| 76.2x63.5   | 50 (JUNE)  | 165.1x152.4  | 12 (JUNE) |
| 82x70       | 18 (JUNE)  | 168.2x152.4  | 43        |
| 82.55x63.5  | 13         | 170x140      | 12 (JUNE) |
| 82.55x69.85 | 6 (JUNE)   | 171.45x152.4 | 30 (JULY) |
| 88.9x76.2   | 55 (JUNE)  | 180x150      | 9         |
| 95x80       | 31 (JULY)  | 184.15x165.1 | 6 (JUNE)  |
| 95.2x76.2   | 23 (JUNE)  | 190x160      | 18 (JULY) |
| 95.25x82.55 | 6 (JUNE)   | 203.2x177.8  | 24 (JUNE) |
| 100x80      | 12 (JUNE)  | 210x180      | 8         |
| 101.6x88.9  | 75 (JULY)  | 228.6x203.2  | 18 (JUNE) |
| 107.95x88.9 | 36 (JUNE)  | 230x203.2    | 12 (JUNE) |
| 114.3x101.6 | 102 (JULY) | 254x228.6    | 12        |