



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST JUNE 2018

PAGE 2-3	4140				
PAGE 4-5	4340				
PAGE 6	1045				
PAGE 7	M1020				
PAGE 8	1030				
PAGE 9	8620				
PAGE 10-11	VARIOUS	EN36A XK1340 1141	EN26 XK1320	EN39B 300 PLUS	EN25 17CrNiMo6
PAGE 12	1214				
PAGE 13	12L14				
PAGE 14	CHROME	4140	1045		
PAGE 15-16	HEXAGONS	4140 12L14	1045	1214	
PAGE 17	SQUARE	1214 4140	1045 1020	12L14	
PAGE 18	FLAT	M1020 U1010	1004B	1016	
PAGE 19	HOLLOW	4140	CARBON		
PAGE 20	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
10			1.6 h10	
11	12.5 - COIL (JULY)	2 - COIL		
12			0.8 h10	
12.7			1.4 h10	
13		4.8 - COIL		
14	2.5 - COIL (JULY)		0.5 h10	
14.28			1 h10	
17.5	9 - COIL			
20	9.8 (NOV)			
21	14 (JULY)			
22	4 (JULY)		0.5 h10	
26	1.3	2.4	0.5 k12	
27	10.6	16		
30	7			
32	20 (JUNE)	6		0.25 h8
33		11		
34.92			0.2 h10; 0.1 k12	
35		21		
36	27.5			
38	4.9	1.6		
39	40	22		
40	14			
42	20 (JUNE)	12		
45	27			
46	27	42	0.9 k12	
48	20 (JUNE)	25		
49.21				0.2 h8
50	11			
52	32		3 h10	
53		25		
54	22	8		
55.5			1 k12	0.1 h8
56	12 (JUNE)		1.5 k12; 0.3 h10	
58	16 (AUG)			
60	8.7	20		
61.21				0.15 h8
63.5			1.1 h10	
64	22			
65	18.5	8.6		
67.6			0.3	
68.5	66			
69.85			0.9 h11	
70	4	27.5		
75	20 (JUNE)	25		
80	7			
82.55			0.25 k12	
85	17 (JULY)			
87			3.1 h10	

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
87.3125				0.8 h8
90		6		
95	76			
100	24 (JULY)			
105	50 (JULY)			
106			4 k12 (OCT)	
110	18 (JUNE)			
115	18 (JUNE)			
120	23 (JUNE)			
125	40 (DEC)			
130	40 (SEPT)			
135	40 (JULY)	6.5		
140	23 (JUNE)			
145	12.6			
150	21 (AUG)			
160	8 (AUG)			
170	13 (AUG)			
180	7 (AUG)			
185	8 (AUG)			
190	8 (AUG)			
200	6 (AUG)			
210	6 (AUG)			
220	8 (AUG)			
230	16 (AUG)	4		
240	15 (SEPT)			
250	6 (AUG)			
260	3 (AUG)			
270	14			
280	24.7	3		
290	3.5			
300	6.8	3.5		
310		9	9.9 MACHINED	
320		6.8		
330	6.5 (OCT)		5.2 MACHINED	
350	9.7			
360			8.4 - AF MACHINED	
380			11.5 MACHINED	
400			20 - AF MACHINED (AUG)	
410	8 (OCT)			
420			10- AF MACHINED (OCT)	
460			9.5 - AF MACHINED	
480			9.3 - AF MACHINED	
520			10 - AF MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
15.88				0.15 h8
20	8 (AUG)			
22		4.7		
25		5.4		
28	1.2	1		
30	0.5			0.2 h8
35		4.4	1.1 AR k12; 0.6 h10	
38		1.9		
40	7			
42	7.8 (JUNE)	1		
45		3.6		0.3 h8
48	3 (DEC)			
50	3		1.1 h10	
50.8			0.2 h10	
53	10.5 (DEC)			
55	6.4 (JUNE)			
60	16 (DEC)			
65	8 (DEC)	4		
68	4.5 (DEC)			
70	3.6 (JUNE)			
75	8 (SEPT)			
76.2			0.2 h10	
80		11		
85	3.5 (JULY)			
90		22.4		
95	7 (JUNE)	1		
100	4.7 (JUNE)			
105	8.4			
110	16 (DEC)			
112			13.7 k12	
115		4.8		
116			10 k12	
120	12 (JUNE)		2 k12	
125	16 (AUG)			
130		11.8		
140	11.7 (JUNE)	4 (AUG)	2 k12	
142			11.7 k12	
150	8 (SEPT)			
160	14.7			
170	1.5	7.7		
180	3 (JULY)			
190	3.5 (JULY)			
200	16 (DEC)			
210	1.5			
220	8 (SEPT)			
230	7.5			
240	14 (JULY)			
250		3 (OCT)		
260	12 (DEC)			

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
280	5 (AUG)			
310			7.4 MACHINED	
320	10 (AUG)			
330			10 AF MACHINED (AUG)	
350	5 (OCT)			

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	0.3	65	BLACK	20 (JUNE)
10	BRIGHT	2.1	68.5	BLACK	18
11.2	COIL	7.5	69.85	PEELED	0.7
12.7	BRIGHT	5.6 (3.9M)	70	BLACK	20 (JUNE)
12.7	BRIGHT	0.5 (6M)	70	PEELED	1.8
12.76	BRIGHT	1.1	75	BLACK	20.5
14	COIL	1.4	76.2	PG	0.8
15.87	BRIGHT	1.7 (6M)	76.2	PEELED	4.1
15.87	BRIGHT	1.5 (3.7M)	80	BLACK	25.8
16	COIL	2.9	80	PLD k12	0.2
16	BRIGHT	5.3	85	BLACK	10 (JUNE)
16.26	BRIGHT	5.7	85	PEELED	1.9
17	COIL	11	95	BLACK	1
18	COIL	8.3	100	BLACK	30 (JUNE)
19	BRIGHT	0.2	105	BLACK	32 (AUG)
19.05	BRIGHT	6	110	BLACK	4 (JULY)
19.7	COIL	7.3	115	BLACK	10 (AUG)
20	BLACK	22.5	120	BLACK	35 (AUG)
21.7	BLACK	18	125	BLACK	20 (AUG)
22	BRIGHT	0.25	130	BLACK	3 (JULY)
22.22	BRIGHT	0.4	130	PEELED	0.9
24	BLACK	5	135	BLACK	11.6
26	BLACK	10	140	BLACK	3 (SEPT)
27	BLACK	42.7	150	BLACK	15 (AUG)
28.57	BRIGHT	0.3	160	BLACK	16 (AUG)
30	BLACK	7.8	170	BLACK	3 (AUG)
31.75	BRIGHT	3.1	180	BLACK	2.4
32	BLACK	4.2	184.15	BLACK	8 (AUG)
33	BLACK	10.5	190	BLACK	3.3 (JUNE)
34.92	BRIGHT	1.3	200	BLACK	1.3
35	BLACK	0.3	210	BLACK	8 (AUG)
36	BLACK	5	220	BLACK	2 (SEPT)
38	BLACK	2	230	BLACK	22 (NOV)
39	BLACK	32.6	240	BLACK	13 (NOV)
40	BLACK	25.6	250	BLACK	14.4
41.27	BRIGHT	0.5	260	BLACK	2.5
42	BLACK	20 (JUNE)	270	BLACK	8
42	BRIGHT	2.6	280	BLACK	21
45	BLACK	18.6	290	BLACK	8 (SEPT)
46	BLACK	20 (JUNE)	300	BLACK	3.5
47.62	BRIGHT	0.4	300	MACHINED	2.5 (OCT)
48	BLACK	6	310	MACHINED	10 (AUG)
50	BLACK	23.9	320	MACHINED	6 (AUG)
50	PG	0.2	330	MACHINED	10 (OCT)
52	BLACK	20 (JUNE)	340	MACHINED	4
54	BLACK	22.9	350	MACHINED	10 (OCT)
56	BLACK	20 (JUNE)	370	BLACK	8
57.15	BRIGHT	2.5	380	MACHINED	10 (JULY)
60	BLACK	9.3	400	BLACK	11
63.5	BRIGHT	3.5	410	BLACK	5.4
64	BLACK	14	420	MACHINED	10 (OCT)

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	0.8	45	BLACK	28
5	BRIGHT	2	46	BLACK	19 (JUNE)
6	BRIGHT	2.4 (OCT)	48	BLACK	4.8
6.35	BRIGHT	1.5 (OCT)	48	BRIGHT	0.25
7.94	BRIGHT	0.75 (OCT)	50	BLACK	11.5
9	COIL	7.5	52	BLACK	34
9	BRIGHT	4.2	55	BRIGHT	2.5
10	BRIGHT	2.5	56	BLACK	2
11.2	COIL	6	60	BLACK	17.3
12	COIL	9.5	63.5	BRIGHT	3
12	BRIGHT	3.9	64	BLACK	20 (JUNE)
12.7	BRIGHT	2.6	65	BLACK	17.3
13	COIL	25.5	68.5	BLACK	22.6
13.6	BRIGHT	0.3	69.85	BRIGHT	0.25
14	COIL	22	70	BLACK	8
14	BRIGHT	0.4	75	BLACK	2.8
14.28	BRIGHT	0.7	80	BLACK	4
14.4	BLACK	10	82.55	PEELED	0.7
14.96	BRIGHT	0.4	85	BLACK	24.5
16	COIL	6	90	BLACK	5
17	COIL	1	95	BLACK	12
17	BRIGHT	1.6	100	BLACK	9.5
19	BRIGHT	2	105	BLACK	8 (JUNE)
19.05	BRIGHT	9.2	110	BLACK	9.5 (SEPT)
19.7	COIL	16.6	115	BLACK	14 (AUG)
20	COIL	20 (JUNE)	120	BLACK	6 (SEPT)
22	BRIGHT	1.5	125	BLACK	15 (AUG)
24	BLACK	14	130	BLACK	16 (AUG)
25.37	BRIGHT	0.3	135	BLACK	8 (AUG)
25.4	BRIGHT	3.2	140	BLACK	2 (JUNE)
26	BLACK	21	145	BLACK	12 (JULY)
27	BLACK	39	160	BLACK	6 (AUG)
30	BLACK	10 (JUNE)	170	BLACK	16.5
32	BLACK	20 (JUNE)	175	PEELED	1.1
32	BRIGHT	1.8	180	BLACK	1.5 (JULY)
33	BLACK	45	184.15	BLACK	6 (AUG)
33	BRIGHT	0.4	190	BLACK	6 (AUG)
34.92	BRIGHT	1.7	200	BLACK	3 (AUG)
35	BLACK	20.9	210	BLACK	4 (AUG)
35	BRIGHT	4.1	220	BLACK	5.5
36	BLACK	16.6	230	BLACK	4.3
36	BRIGHT	3.9	240	BLACK	2.2
39	BLACK	31.8	250	BLACK	2.2
40	BLACK	3.3	260	BLACK	3 (AUG)
42	BLACK	20 (JUNE)			

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	36	BLACK	3
6.35	BRIGHT	4	38	BLACK	2.8
7.94	BRIGHT	1.2	38.1	BRIGHT	3.5
8	BRIGHT	2	39	BLACK	2.5
9	COIL	8.9	40	BLACK	23
9.52	BRIGHT	1.2	40	PG	1.1
10	BRIGHT	0.5	42	BLACK	17
11.2	COIL	11.9	44.45	BRIGHT	1.2
12	BLACK	0.5	45	BRIGHT	0.9
12	BRIGHT	3.6	46.5	BLACK	2.5
12.5	COIL	1.5	48	BLACK	12 (JUNE)
12.7	BRIGHT	0.8	52	BLACK	21
13	COIL	1.5	55	BRIGHT	2
14	COIL	8.8	56	BLACK	5.2
16	BRIGHT	1.5	56	BRIGHT	0.6
16.97	BRIGHT	0.4	57.15	BRIGHT	0.2
17	COIL	12 (JUNE)	60	BLACK	3.8
18	COIL	2.9	60	BRIGHT	0.5
19.05	BRIGHT	2.7	63.5	BLACK	6.9
19.7	COIL	4.4	64	BLACK	1.1
20	BLACK	8	65	BLACK	11
21.7	BLACK	4.6	68.5	BLACK	24.5
22	BRIGHT	0.2	75	BLACK	15.6
24	BLACK	7.7	76.2	BRIGHT	0.3
24.96	BRIGHT	0.3	80	BLACK	14.6
25.4	BRIGHT	2.2	85	BLACK	14.7
26	BLACK	30	90	BLACK	3
26	BRIGHT	0.3	95	BLACK	19.5
27	BLACK	13.3	105	BLACK	3.8 (JUNE)
27	BRIGHT	0.6	110	PEELED	0.5
28.57	BRIGHT	0.6	115	BLACK	1.5
30	BLACK	3.4	120	BLACK	2.7
30	BRIGHT	2	120	PEELED	0.5
32	BLACK	16.8	125	BLACK	1.7
33	BLACK	8.2	130	BLACK	0.6
33	BRIGHT	0.5	135	BLACK	10.8
35	BLACK	4.5	152.4	PEELED	1.6
35	PG	0.5	160	BLACK	1.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.2	70	BLACK	13.5 (JUNE)
21	BLACK	4	75	BLACK	3.2
23	BLACK	6.8 (JUNE)	80	BLACK	7.8 (JUNE)
26	BLACK	0.25	85	BLACK	7.5 (SEPT)
27	BLACK	3.6	90	BLACK	4
33	BLACK	1.7	95	BLACK	8.7
36	BLACK	3.3 (JUNE)	110	BLACK	3
39	BLACK	1.6	120	BLACK	6 (SEPT)
40	BLACK	2	130	BLACK	3.8 (JUNE)
42	BLACK	8.3	140	BLACK	3.6
45	BLACK	7 (JUNE)	150	BLACK	1.7
46.5	BLACK	2.3	160	BLACK	3.9
47.5	PEELED h10	1	170	BLACK	6.4
50	BLACK	5 (JUNE)	180	BLACK	4.8
60	BLACK	1.7	190	BLACK	6.7
65	BLACK	7.6 (SEPT)	220	BLACK	2
			230	BLACK	2.2

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
18	ANN PLD	1.7 (SEPT)	27	Q&T	3.5
22	ANN PLD	1.5 (OCT)	32	AR	4.7 (JULY)
25	ANN PLD	4 (DEC)	32	Q&T PEELED	0.3
26	ANN PLD	1.7 (OCT)	35	Q&T	4.2
32	ANN PLD	1.5 (OCT)	35	Q&T PEELED	2.9
35	ANN PLD	2.3 (AUG)	38	AR	9 (JULY)
36	ANN PLD	0.75 (DEC)	38	Q&T	1.5
40	ANN PLD	2.5 (DEC)	40	AR	1
42	ANN PLD	2.8 (DEC)	45	AR	7.8 (JULY)
45	ANN PLD	3.5 (AUG)	45	Q&T	2.9
51.5	ANN PLD	3 (OCT)	47	AR	6
55	ANN PLD	1.8 (JULY)	48	AR	2 (SEPT)
55.5	ANN PLD	1.8 (JULY)	53	AR	7.3 (JULY)
60	ANN PLD	4 (DEC)	60	AR	3.7
65	ANN PLD	3.3 (SEPT)	65	AR	5 (JULY)
66	ANN PLD	4 (DEC)	70	AR	7.6 (JULY)
70	ANN PLD	4 (SEPT)	75	AR	8.4 (JULY)
75	ANN PLD	3.5 (JULY)	80	Q&T	11.5
80	ANN PLD	1	85	AR	8 (SEPT)
85	ANN PLD	3.3	85	Q&T	1.8
90	ANN PLD	3.5 (OCT)	90	Q&T	3.7
97	ANN PLD	3.7 (OCT)	95	AR	2.5 (SEPT)
100	ANN PLD	3.2 (JULY)	95	Q&T PEELED	0.3
105	ANN PLD	2 (SEPT)	100	AR	7.5 (JULY)
110	ANN PLD	3.5 (DEC)	105	AR	2 (JULY)
115	ANN PLD	0.4	110	Q&T	3
116	ANN PLD	0.4	115	Q&	7.2
120	ANN PLD	3.3 (OCT)	120	Q&T	3.3
130	ANN PLD	2.1	125	AR	7.5 (JULY)
140	ANN PLD	4 (OCT)	125	Q&T	1.4
150	ANN PLD	2.8	135	AR	6 (JULY)
163	ANN PLD	1.6	140	Q&	6.3
170	ANN PLD	3 (DEC)	150	AR	5.2 (JULY)
175	ANN PLD	1	160	Q&T	3
180	ANN PLD	2.1	170	AR	2
205	ANN PLD	2.6	180	AR	5 (SEPT)
220	ANN PLD	1 (DEC)	190	AR	7
230	ANN PLD	1.3	200	AR	1.4
272	ANN PLD	2.3	200	Q&T	5.8
			210	Q&T	8
			220	AR	2.4 (JULY)
			230	Q&T	2.2
			260	Q&T PEELED	7.5 (OCT)
			300	AF PEELED	6 (OCT)

EN39B

30 ANN BLACK 1.6

EN25

47 Q&T BLK 0.4
 47 ANN 0.6
 65 AR 0.5

XK1340

22 BLACK 1

XK1320

36 BLACK 0.2
 39 BLACK 1.6
 42 BLACK 2.6
 90 BLACK 3.7 (JULY)

17CrNiMo6

33 ANN PLD k12 2 (OCT)
 34.5 ANN PLD k12 2.7 (OCT)
 39 ANN PLD k12 2.2 (SEPT)
 51.5 ANN PLD k12 2.3 (SEPT)
 55.5 ANN PLD k12 2 (NOV)
 58 ANN PLD k12 0.4
 65 ANN PLD k12 0.3
 70 ANN PLD k12 3.5 (NOV)
 82 ANN PLD k12 1.2
 87 ANN PLD k12 3.5 (OCT)
 102 ANN PLD k12 4 (OCT)
 105 ANN PLD k12 1.5 (NOV)
 106 ANN PLD k12 2.2 (NOV)
 127 ANN PLD k12 1.9 (NOV)
 136 ANN PLD k12 0.5
 146 ANN PLD k12 0.9 (NOV)
 160 ANN PLD k12 1.5 (NOV)
 175 ANN PLD k12 1.3
 185 ANN PLD k12 4 (SEPT)

GRADE 300 PLUS

22 BLACK 0.7
 36 BLACK 0.5
 75 BLACK 4.3
 90 BLACK 1.5

1141

20 BLACK 5

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
5	BRIGHT	0.3	38.1	BRIGHT	7
6	BRIGHT	1	39	BLACK	7.8
6.35	BRIGHT	0.2	40	BLACK	11
7	BRIGHT	1	41.27	BRIGHT	0.3
8	BRIGHT	2.3	42	BLACK	4.5
11.11	BRIGHT	5.4	42	BRIGHT	1.6
11.2	COIL	25	44.45	BRIGHT	2.4
12	COIL	10	45	BLACK	9.9
12	BRIGHT	6.8	47.62	BRIGHT	3
12.2	BRIGHT	4.2	48	BLACK	18
13	COIL	10.2	50	BLACK	20.5
14	COIL	22	52	BLACK	20 (JUNE)
14	BRIGHT	0.9	53.97	BRIGHT	2.2
14.29	BRIGHT	1.5	55	BRIGHT	3.6
15	BRIGHT	0.4	56	BLACK	16.7
15.87	BRIGHT	0.6	56	BRIGHT	0.2
16	COIL	5.4	60	BLACK	2.4
17	COIL	10	60	BRIGHT	2.7
17	BRIGHT	0.2	60.32	BRIGHT	2.2
17.46	BRIGHT	1.8	63.5	BRIGHT	1.8
18	BRIGHT	1	64	BLACK	3.4
19.05	BRIGHT	15	65	BLACK	21
19.7	COIL	10.9	65	BRIGHT	2.1
20	COIL	26	66.67	BRIGHT	0.2
20.64	BRIGHT	1.3	68.5	BLACK	9
21.7	COIL	6.7	69.85	BRIGHT	1.5
22	BRIGHT	1.6	70	BLACK	5.6
23.81	BRIGHT	0.6	70	PEELED	0.75
24	BLACK	11	75	BLACK	22
25	BRIGHT	0.6	75	PEELED	1.7
26	BLACK	8.6	80	BLACK	14
26	BRIGHT	2	80	PEELED	1.3
28	BRIGHT	1.5	82.55	PEELED	0.8
30	BLACK	20 (JUNE)	85	BLACK	18
30	BRIGHT	2.2	95	BLACK	31
31.75	BRIGHT	1.5	95	PEELED	2
32	BLACK	21.5	105	BLACK	17 (AUG)
32	BRIGHT	2.4	115	BLACK	7.5 (AUG)
33	BLACK	10.3	120	BLACK	7 (AUG)
33	BRIGHT	0.5	125	BLACK	9.5 (AUG)
35	BLACK	18.6	135	BLACK	7 (AUG)
35	BRIGHT	1	145	BLACK	10 (AUG)
36	BLACK	24 (JUNE)	160	BLACK	9 (AUG)
36	BRIGHT	2			

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
7.94	BRIGHT	0.2	25.4	BRIGHT	1.5
8	BRIGHT	5.1	27	COIL	3
9	BRIGHT	6	28.5	BLACK	11.9
10	BRIGHT	2	29	BLACK	20
11.11	BRIGHT	0.9	30	BLACK	23
11.2	COIL	10.2	33	BLACK	17
12	BRIGHT	1.2	33.34	BRIGHT	0.75
12.7	BRIGHT	3.3	36	BLACK	5
13	COIL	2	38.1	BRIGHT	0.8
14	COIL	1.6	40	BLACK	9 (NOV)
16	COIL	10.6 (JUNE)	43	BLACK	15 (AUG)
17	COIL	5.1	44.45	BRIGHT	2
17.46	BRIGHT	2	46.5	BLACK	6.8
18	BRIGHT	1.5	47.62	BRIGHT	0.9
19	COIL	7.7	52	BLACK	14.5
20	COIL	7.6	60	BLACK	3.5
20	BRIGHT	1.5	63.5	BLACK	9
20.64	BRIGHT	0.5	63.5	BRIGHT	5.8
21	COIL	20.6	65	BLACK	11.7
23	COIL	22.2	73	BLACK	11.6
24	BLACK	7.6	80	BLACK	4.8
25	BLACK	10.7	85	BLACK	11.3 (JULY)
25	BRIGHT	1.2	101.6	PEELED	0.2

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
22	Q&T	0.5	40	IH	0.5
34.92	Q&T	4.2	44.45	IH CR3	0.9
35	Q&T	2	50	IH	2.5
36	Q&T	0.8	63.5	IH	1.5
44.45	Q&T CR3	0.9	63.5	IH CR3	0.9
50.8	Q&T CR3	3	69.85	IH	1
53.98	Q&T	0.1	69.85	IH CR3	0.3
55	Q&T	1.1	80	IH	0.4
57.15	Q&T CR3	3.2	90	IH	0.3
60	Q&T	1.6	101.6	IH	0.4
63	Q&T	4	114.3	IH	0.5
63.5	Q&T	2.5			
69.85	Q&T	1.9			
70	Q&T	1.9			
85	Q&T	0.5			
88.9	Q&T CR3	0.3			
95	Q&T	0.7			
95.25	Q&T	1.5			

1045			1045 INDUCTION HARDENED		
19.05	AR	2.3	22	IH	0.8
20	AR	0.7	22.22	IH	0.7
28	AR	0.3	34.92	IH	0.2
28.57	AR	0.9	50.8	IH	0.7
30	AR	0.7	69.85	IH	0.7
35	AR	1.3	76.2	IH	1
38	AR	0.8	82.55	IH	0.25
40	AR	1.5	85	IH	0.25
48.7	AR	0.6	95.25	IH	0.3
53.98	AR	0.3	10.16	IH	0.3
56	AR	0.2	127	IH	3.3
63.5	AR	0.8			
65	AR	0.2			
69.85	AR	1.9			
75	AR	0.2			
85	AR	0.5			
88.9	AR	2.8			
90	AR	1.1			
105	AR	0.4			
125	AR	1.2			
127	AR	1.6			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
22.22 HEX	Q&T DRAWN	0.7	19.05 HEX	DRAWN	0.5
25 HEX	AR BLACK	0.3	30 HEX	DRAWN	0.6
25 HEX	Q&T BLACK	0.4	31.75HEX	DRAWN	1.3
25.4 HEX	Q&T DRAWN	1.4	34.92 HEX	DRAWN	0.75
27 HEX	Q&T DRAWN	0.4	36 HEX	DRAWN	0.75
28.58 HEX	Q&T DRAWN	2.4	37.5 HEX	BLACK	4.3
30 HEX	Q&T BLACK	0.7	38.1 HEX	DRAWN	0.1
34.92 HEX	Q&T DRAWN	0.7	39.5 HEX	BLACK	10 (NOV)
36 HEX	Q&T DRAWN	0.8	44.45 HEX	DRAWN	1.1
37.5 HEX	Q&T BLACK	2.7	46 HEX	DRAWN	2.1
37.5 HEX	AR BLACK	10 (NOV)	47.5 HEX	BLACK	0.5
38.1 HEX	Q&T DRAWN	1.9	50.8 HEX	DRAWN	0.9
39.5 HEX	Q&T BLACK	1.4	52.5HEX	BLACK	7.2
44.5 HEX	Q&T BLACK	1.4			
47.5 HEX	Q&T BLACK	2.6			
50.8 HEX	Q&T DRAWN	0.6			
52.5 HEX	Q&T BLACK	1.9			
58.5 HEX	Q&T BLACK	1.3			
63.5 HEX	Q&T DRAWN	1			
65 HEX	Q&T BLACK	0.7			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
9.52 HEX	DRAWN	1	10 HEX	DRAWN	1.4
11.11 HEX	DRAWN	1.6	11.11 HEX	DRAWN	1.6
12.7 HEX	DRAWN	1.7 (OCT)	17 HEX	DRAWN	1.8
14.28 HEX	DRAWN	0.5	22 HEX	DRAWN	2.5
15.87 HEX	DRAWN	2.5	24 HEX	DRAWN	0.2
16 HEX	DRAWN	0.3	28.5 HEX	BLACK	10 (NOV)
19.05 HEX	DRAWN	3.2	30 HEX	BLACK	9
20.64 HEX	DRAWN	2.6	30 HEX	DRAWN	3.7
24 HEX	DRAWN	1.2	33 HEX	BLACK	24
25 HEX	DRAWN	1.4	36 HEX	DRAWN	3.6
25.4 HEX	DRAWN	2.2	37.5 HEX	BLACK	30 (OCT)
28.57 HEX	DRAWN	2.9	39.5 HEX	BLACK	5
30 HEX	BLACK	10 (AUG)	41.27 HEX	DRAWN	0.5
30 HEX	DRAWN	0.8	44.5 HEX	BLACK	9 (OCT)
31.75 HEX	DRAWN	0.8	46 HEX	DRAWN	2
34.92 HEX	DRAWN	0.25	47.24 HEX	DRAWN	3.5
37.5 HEX	BLACK	9 (NOV)	47.5 HEX	BLACK	30 (OCT)
39.5 HEX	BLACK	4 (AUG)	47.62 HEX	DRAWN	1
42.42 HEX	DRAWN	1.1	49 HEX	BLACK	9.7
44.45 HEX	DRAWN	0.25	50 HEX	DRAWN	0.5
47.24 HEX	DRAWN	2.5	50.8 HEX	DRAWN	1.3
47.5 HEX	BLACK	9.7 (NOV)	53.5 HEX	BLACK	35 (JUNE)
50 HEX	DRAWN	0.3	57 HEX	BLACK	4
50.8 HEX	DRAWN	1	57.15 HEX	DRAWN	3.5
52.07 HEX	DRAWN	0.2	58.5 HEX	BLACK	1.8
52.5 HEX	BLACK	4	60 HEX	DRAWN	0.3
55 HEX	DRAWN	2.3	63 HEX	BLACK	10 (OCT)
61.21 HEX	DRAWN	0.4	65 HEX	BLACK	9.5 (OCT)
63 HEX	BLACK	4	65 HEX	DRAWN	2.6 (OCT)
65 HEX	DRAWN	0.2			
70 HEX	DRAWN	1.2 (AUG)			

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
7.94 SQUARE	DRAWN	1 (JULY)	20 SQUARE	BLACK	3.4
12.7 SQUARE	DRAWN	0.25 (JULY)	25.4 SQUARE	DRAWN	0.25
15.88 SQUARE	DRAWN	0.5 (OCT)	28.58 SQUARE	DRAWN	2
16 SQUARE	DRAWN	0.5 (OCT)	30 SQUARE	BLACK	5.7
19.05 SQUARE	DRAWN	1	33 SQUARE	BLACK	8 (AUG)
20 SQUARE	DRAWN	0.25 (JULY)	40 SQUARE	BLACK	11
20 SQUARE	BLACK	7.4	40 SQUARE	DRAWN	0.7
20.64 SQUARE	DRAWN	4	45 SQUARE	BLACK	21.4
22.22 SQUARE	DRAWN	4	50 SQUARE	BLACK	22.2
25 SQUARE	DRAWN	0.25 (JULY)	52 SQUARE	BLACK	8
25.4 SQUARE	DRAWN	1.7 (JULY)	63 SQUARE	BLACK	18.6
28.57 SQUARE	DRAWN	2.2	75 SQUARE	BLACK	7.7
31.75 SQUARE	DRAWN	1 (JULY)	80 SQUARE	BLACK	1
38.1 SQUARE	DRAWN	2.9	90 SQUARE	BLACK	4.5
40 SQUARE	DRAWN	0.5 (JULY)	100 SQUARE	BLACK	8 (AUG)
40 SQUARE	BLACK	7.5	130 SQUARE	BLACK	4.5 (AUG)
44.45 SQUARE	DRAWN	9	160 SQUARE	BLACK	3.7
50 SQUARE	DRAWN	1.8			
52 SQUARE	BLACK	7			
63.5 SQUARE	DRAWN	0.2			
69.85 SQUARE	DRAWN	1			
76.2 SQUARE	DRAWN	1.75 (OCT)			
88.9 SQUARE	DRAWN	0.2			
90 SQUARE	DRAWN	0.4 (JULY)			
100 SQUARE	DRAWN	1 (OCT)			
101.6 SQUARE	DRAWN	1 (OCT)			
1020			4140		
12 SQUARE	DRAWN	0.75 (JULY)	30 SQUARE	Q&T	0.5
15.88 SQUARE	DRAWN	1 (JULY)	30 SQUARE	AR	6.4
19.05 SQUARE	DRAWN	0.25	32 SQUARE	AR	8.7 (AUG)
20 SQUARE	DRAWN	1.2 (JULY)	40 SQUARE	Q&T	0.25
25 SQUARE	DRAWN	1.2 (JULY)	40 SQUARE	AR	14 (JULY)
25.4 SQUARE	DRAWN	0.75 (JULY)	50 SQUARE	AR	2.2
28.58 SQUARE	DRAWN	0.5	75 SQUARE	AR	0.8
30 SQUARE	DRAWN	0.75 (JULY)	100 SQUARE	Q&T	1.8
31.75 SQUARE	DRAWN	2.3 (JULY)	110 SQUARE	AR	2.8
38.1 SQUARE	DRAWN	0.9			
40 SQUARE	BLACK	12 (JULY)			
40 SQUARE	DRAWN	2 (JULY)			
44.45 SQUARE	DRAWN	1.1			
45 SQUARE	DRAWN	1 (JULY)			
50.8 SQUARE	DRAWN	0.7			
52 SQUARE	BLACK	20 (NOV)			
63.5 SQUARE	DRAWN	1.5 (JULY)			
65 SQUARE	DRAWN	0.8 (JULY)			
75 SQUARE	DRAWN	0.4 (JULY)			
76.2 SQUARE	DRAWN	0.5 (JULY)			
88.9 SQUARE	DRAWN	1 (OCT)			
90 SQUARE	DRAWN	1 (OCT)			
100 SQUARE	DRAWN	2 (OCT)			
101.6 SQUARE	DRAWN	1 (OCT)			
114.3 SQUARE	DRAWN	3 (AUG)			
127 SQUARE	DRAWN	5 (AUG)			
150 SQUARE	DRAWN	6 (AUG)			
			12L14		
			34.92 SQUARE	AR	1.9
			44.45 SQUARE	AR	2 (JULY)

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1020			1020		
20x5	DRAWN	0.7	50.8x12.7	DRAWN	0.5
20x7	DRAWN	0.3	50.8x19.05	DRAWN	0.25
20x10	DRAWN	0.5 (SEPT)	50.8x38.1	DRAWN	1 (JULY)
25x5	DRAWN	0.5	55x40	DRAWN	0.5 (JUNE)
25x6	DRAWN	0.25 (SEPT)	63.5x31.75	DRAWN	0.5 (JULY)
25x10	DRAWN	1 (AUG)	75x10	DRAWN	0.25
25x12	DRAWN	0.75 (JUNE)	75x12	DRAWN	0.5 (JULY)
25x15	DRAWN	0.5	75x15	DRAWN	0.7
25x16	DRAWN	0.25 (AUG)	75x20	DRAWN	1.2 (JULY)
25x20	DRAWN	0.5	75x25	DRAWN	0.5
25.4x6.35	DRAWN	0.5	75x40	DRAWN	0.5 (SEPT)
30x10	DRAWN	1	75x50	DRAWN	1 (JULY)
32x10	DRAWN	1.75 (JULY)	76.2x12.7	DRAWN	0.5 (SEPT)
32x15	DRAWN	0.25	76.2x31.75	DRAWN	0.15 (JULY)
32x20	DRAWN	0.4 (JULY)	76.2x38.1	DRAWN	0.5 (JULY)
32x25	DRAWN	0.25 (JULY)	76.2x50.8	DRAWN	0.5 (JULY)
38.1x12.7	DRAWN	0.25	88.9x50.8	DRAWN	2.5
40x7	DRAWN	0.7	100x10	DRAWN	1.5
40x12	DRAWN	0.25	100x12	DRAWN	0.25 (SEPT)
40x15	DRAWN	0.5 (SEPT)	100x15	DRAWN	0.75 (SEPT)
40x20	DRAWN	1.2 (SEPT)	100x20	DRAWN	0.75 (JUNE)
40x25	DRAWN	0.7 (JULY)	100x25	DRAWN	0.75 (SEPT)
44.45x31.75	DRAWN	1.25 (JULY)	100x40	DRAWN	0.6 (JULY)
50x6	DRAWN	0.25	100x50	DRAWN	1.5 (SEPT)
50x7	DRAWN	0.2	101.6x38.1	DRAWN	0.6 (JULY)
50x10	DRAWN	1 (SEPT)	101.6x50.8	DRAWN	0.5 (JULY)
50x12	DRAWN	1 (JULY)	101.6x76.2	DRAWN	1 (SEPT)
50x15	DRAWN	1.2	127x76.2	DRAWN	0.8
50x16	BLACK	7.2	150x12	DRAWN	0.5
50x20	DRAWN	2.7 (SEPT)	150x20	DRAWN	0.25
50x25	DRAWN	0.5 (AUG)	150x25	DRAWN	0.7 (AUG)
50x40	DRAWN	0.5	150x50	DRAWN	1 (JULY)
			152.4x25.4	DRAWN	0.7
1004B			U1010		
16x5	DRAWN	2	25x7	DRAWN	2.2
32x5	DRAWN	3.2			
40x5	DRAWN	4.5			

1045		
32x10	BLACK	1.9

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	AR	4	125x71	AR	6 (NOV)
50x32	AR	7 (NOV)	125x80	AR	4.3 (JULY)
56x36	AR	3 (NOV)	125x100	Q&T	3.1
63x32	AR	15 (DEC)	130x75	Q&T	0.9
63x40	AR	2.5 (NOV)	131.7x97.1	AR	0.8
63x45	AR	4.5 (NOV)	131.7x97.1	Q&T	0.2
71x36	AR	5 (NOV)	132x71	AR	5 (JULY)
71x36	Q&T	0.4	132x80	ANN	1.3
71x45	Q&T	3	132x80	AR	5 (SEPT)
71x50	Q&T	3.5	132x90	AR	2.5 (SEPT)
75x40	AR	5 (NOV)	135x85	AR	3.8 (JULY)
75x45	AR	3.7	140x60	Q&T	1.3
80x40	AR	4.5 (NOV)	140x80	AR	5.9 (JULY)
80x50	AR	1 (SEPT)	140x90	AR	3 (JULY)
85x45	AR	5 (SEPT)	140x100	AR	4 (JULY)
85x67	AR	4 (NOV)	150x80	AR	9 (SEPT)
90x40	AR	3 (NOV)	150x106	AR	1 (SEPT)
90x45	AR	4.7 (JULY)	150x114	AR	5 (JULY)
90x50	AR	1.5	160x90	AR	8.5 (SEPT)
90x63	Q&T	1.6	160x112	AR	1.3 (JULY)
95x45	AR	2.3 (JULY)	160x116	Q&T	1.9
95x50	AR	1.3 (JULY)	170x100	AR	5 (SEPT)
95x60	Q&T	2	170x100	Q&T	0.6
95x63	Q&T	1.6	172x118	AR	1.2
100x56	AR	4.2 (JULY)	180x125	AR	5 (NOV)
100x71	Q&T	0.6	190x132	Q&T	2
100x71	AR	5 (NOV)	200x112	AR	3 (NOV)
106x56	AR	1 (JULY)	200x140	AR	5 (DEC)
106x63	AR	5 (DEC)	225x140	AR	11 (JULY)
106x71	AR	5 (DEC)			
106x71	Q&T	0.8			
112x63	AR	2.4 (JULY)			
112x80	Q&T	0.3			
118x63	AR	9 (NOV)			
118x80	AR	4.5 (SEPT)			
118x90	AR	5.3 (JULY)			
119.6x56	Q&T	1.8			

MECAPLUS 470

30x20 AR 1

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
47.62x38.1	24 (AUG)	120x100	26 (DEC)
57.15x44.45	20 (AUG)	120.65x101.6	78 (DEC)
60x50	8	127x101.6	35 (DEC)
60.32x50.8	18 (AUG)	127x114.3	133 (DEC)
63.5x50.8	200 (AUG)	139.7x127	16 (DEC)
69.85x57.15	36 (DEC)	146.05x127	26 (DEC)
70x55	19	150x125	16 (AUG)
72x60	11	152.4x127	30 (DEC)
76.2x63.5	163 (DEC)	152.4x139.7	15 (AUG)
82x70	36 (DEC)	165.1x152.4	10 (AUG)
82.55x63.5	19	168.2x152.4	43
82.55x69.85	33 (AUG)	170x140	12 (AUG)
88.9x76.2	73 (DEC)	171.45x152.4	29 (DEC)
95x80	44 (DEC)	180x150	22
95.2x76.2	6 (AUG)	184.15x165.1	6 (AUG)
95.25x82.55	43 (DEC)	190x160	7 (AUG)
100x80	42 (DEC)	203.2x177.8	11 (AUG)
101.6x88.9	127 (DEC)	210x180	20
107.95x88.9	18	228.6x203.2	11 (AUG)
114.3x101.6	42 (AUG)	230x203.2	12 (AUG)
		254x228.6	23