



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST JULY 2018

PAGE 2-3	4140				
PAGE 4-5	4340				
PAGE 6	1045				
PAGE 7	M1020				
PAGE 8	1030				
PAGE 9	8620				
PAGE 10-11	VARIOUS	EN36A XK1340 1141	EN26 XK1320	EN39B 300 PLUS	EN25 17CrNiMo6
PAGE 12	1214				
PAGE 13	12L14				
PAGE 14	CHROME	4140	1045		
PAGE 15-16	HEXAGONS	4140 12L14	1045	1214	
PAGE 17	SQUARE	1214 4140	1045 1020	12L14	
PAGE 18	FLAT	M1020 U1010	1004B	1016	
PAGE 19	HOLLOW	4140	CARBON		
PAGE 20	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
10			1.4 h10	
11	12.5 - COIL	2 - COIL		
12			0.8 h10	0.7 h8
12.7			1.5 h10	
13		4.8 - COIL		
14	2 - COIL		0.5 h10	
14.28			1 h10	
16	8 - COIL (DEC)			
17.5	9 - COIL			
20	11.5 (NOV)			
22	4 (JULY)		0.5 h10	
26	1	1.3	0.5 k12	
27	7	46		
30	3			
32	1.2	8		0.25 h8
33		15		
34.92			0.2 h10; 0.1 k12	
35		23		0.25 h8
36	3.5	12		
38	3 (JULY)			
38.1			0.25 k12	
39	6.8	86		
40	19 (JULY)	20		
42		50		
45	8.5	7		
46		29	0.9 k12	
48	20 (JULY)	13		
49.21				0.2 h8
50	1	17.8		
52	20 (JULY)	16	1 h10	
53		25		
54	2.6	27		
55.5			1 k12	
56		32	1.2 k12; 0.3 h10	
58	16 (AUG)			
60	8.7	39		
61.91				0.15 h8
63.5			1.1 h10	
64	5.7	50		
65	15.6	1.2		
67.6			0.3	
68.5	20 (JULY)	100		
69.85			1 h11	
70	5.4	26.8		
73	7.7 (JULY)			
75		40		
80	20 (JULY)	80		
82.55			0.25 k12	

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
85	40 (JULY)			
87			3.1 h10	
87.3125				0.8 h8
90	34			
95	40 (JULY)	50		
100	22 (JULY)			
105	38 (JULY)			
106			4 k12 (OCT)	
110	10			
115	13			
120	14			
125	30 (DEC)			
130	27 (SEPT)			
135	42 (JULY)			
140	20			
145	14 (SEPT)			
150	14 (AUG)			
160	6 (AUG)			
170	13 (AUG)			
180	36 (SEPT)			
185	6 (AUG)			
190	8 (AUG)			
200	24 (SEPT)			
210	6 (AUG)			
220	6 (AUG)			
230	16 (AUG)	4		
240	13 (SEPT)			
250	6 (AUG)			
260	3 (AUG)			
270	14			
280	18.5	3		
290		9.8		
300	6.8	3.5		
310		9	9.9 MACHINED	
320		6.8		
330	6 (OCT)		5.2 MACHINED	
350	9.7			
360			8.4 - AF MACHINED	
380			11.5 MACHINED	
400			19.7 - AF MACHINED	
410	14 (OCT)			
420			10- AF MACHINED (OCT)	
460			9.5 - AF MACHINED	
520			10 - AF MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
20	7.8 (AUG)		0.15 k12	
22		4.7		
25		5.4		
28	8 (DEC)	1.9		
30	7.3			
35		5	1.1 AR k12; 0.6 h10	
38		1.9		
40	7			
42	7.8	1		
45		3.6		0.3 h8
48	6 (DEC)			
50	7.4 (SEPT)		1.1 h10	
53	9 (DEC)			
55	6.4			
60	12 (DEC)			
65	8 (DEC)	1.2		
68	3 (DEC)			
70	8 (DEC)	3.5		
75	8 (SEPT)			
76.2			0.2 h10	
80		10.8		
85	8 (DEC)			
90		22.4		
95		5.9		
100	8 (DEC)	5.6		
105		6.6		
110	16 (DEC)			
112			13.7 k12	
115		2.8		
120	10		2 k12	
125	16 (AUG)			
130		12.6		
140	11.7	4 (AUG)	2 k12	
142			11.7 k12	
150	8 (SEPT)		3.6 k12	
160	15 (JULY)	8 (AUG)		
170	7.6	2		
180	3.6 (JULY)			
190	3.5 (JULY)			
200	16 (DEC)			
210	13.5			
220	8 (SEPT)			
230		7.5		
240	13.2 (JULY)			
250		3 (OCT)		
260	12 (DEC)			
280	5 (AUG)			
310			7.4 MACHINED	
320	10.7			

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
330			12.2 AF MACHINED	
350	6			

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	0.3	65	BLACK	2.2
10	BRIGHT	1.9	68.5	BLACK	15
11.2	COIL	7.5	70	BLACK	20 (JULY)
12	BRIGHT	0.8	75	BLACK	20 (JULY)
12.5	COIL	11 (JULY)	76.2	PG	0.8
12.7	BRIGHT	5.6 (3.9M)	76.2	PEELED	1.3
12.7	BRIGHT	0.5 (6M)	80	BLACK	20 (JULY)
14.28	BRIGHT	2.5	80	PLD k12	0.2
15.87	BRIGHT	1.5 (3.7M)	80	IH PP h10	0.7
16	BLACK	12.6	85	BLACK	20 (JULY)
16	BRIGHT	4.3	85	PEELED	1.8
17	COIL	8.6	90	BLACK	10 (JULY)
18	COIL	9	95	BLACK	20 (JULY)
19	BRIGHT	0.2	100	BLACK	14 (JULY)
19.05	BRIGHT	5.5	100	IH PP h10	1.2
19.7	COIL	7.3	105	BLACK	6 (NOV)
20	BLACK	22.5	110	BLACK	3.8 (JULY)
20	BRIGHT	2.7	115	BLACK	22 (AUG)
21.7	BLACK	8	120	BLACK	23 (AUG)
22	BRIGHT	0.25	125	BLACK	10 (AUG)
24	BLACK	18	125	PP h10	0.5
25	BRIGHT	1	130	BLACK	20 (AUG)
26	BLACK	30	135	BLACK	4.6
27	BLACK	26	140	BLACK	11 (DEC)
27	BRIGHT	1.2	150	BLACK	11 (AUG)
28.57	BRIGHT	0.3	160	BLACK	12 (AUG)
30	BLACK	32	170	BLACK	3 (AUG)
32	BLACK	20 (JULY)	180	BLACK	5 (AUG)
33	BLACK	25	184.15	BLACK	8 (AUG)
34	BRIGHT	0.3	190	BLACK	3.2
34.92	BRIGHT	0.9	200	BLACK	1.5
35	BLACK	20 (JULY)	210	BLACK	8 (AUG)
36	BLACK	24	220	BLACK	20 (NOV)
38	BLACK	2	230	BLACK	20 (NOV)
39	BLACK	31	240	BLACK	20 (NOV)
40	BLACK	1	250	BLACK	14.4
42	BLACK	20 (JULY)	260	BLACK	2.5
42	BRIGHT	1.1	270	BLACK	6
44.45	BRIGHT	1.5	280	BLACK	25.4
45	BLACK	13	290	BLACK	4 (OCT)
46	BLACK	4.5	300	BLACK	3.5
47.62	BRIGHT	0.4	300	MACHINED	2.5 (OCT)
48	BLACK	15	310	MACHINED	9.8
50	BLACK	3.6	320	MACHINED	6.8
50	PG	0.2	330	MACHINED	10 (OCT)
52	BLACK	20 (JULY)	340	MACHINED	4
53.97	BRIGHT	0.1	350	MACHINED	10 (OCT)
54	BLACK	32	380	MACHINED	9.7
55.56	PG	0.5	400	BLACK	11
56	BLACK	20	410	BLACK	5.4
57.15	BRIGHT	1.1	420	MACHINED	10 (OCT)
60	BLACK	20 (JULY)			
64	BLACK	26			

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	3 (OCT)	40	BLACK	26
5	BRIGHT	2	40	BRIGHT	3.5
6	BRIGHT	1.7 (OCT)	41.27	BRIGHT	2.6
6.35	BRIGHT	1.2 (OCT)	42	BLACK	49
7.94	BRIGHT	1.4	44.45	BRIGHT	0.3
8	BRIGHT	3.2	45	BLACK	19
9	COIL	1.5	46	BLACK	5
9	BRIGHT	4.2	48	BLACK	24.6
11.2	COIL	20 (JULY)	48	BRIGHT	0.25
12	COIL	2	50	BLACK	11.5
12	BRIGHT	2.3	52	BLACK	15 (JULY)
13	COIL	19.4	56	BLACK	11
14	COIL	20	60	BLACK	20 (JULY)
14.28	BRIGHT	2.7	64	BLACK	10
14.4	BLACK	10.8	65	BLACK	41
14.96	BRIGHT	0.4	68.5	BLACK	3.5
15	BRIGHT	0.4	70	BLACK	8
16	COIL	20.2	75	BLACK	10
16	BRIGHT	0.5	80	BLACK	20 (JULY)
17	COIL	2.2	82.55	PEELED	0.25
17	BRIGHT	1.6	85	BLACK	9
19	BRIGHT	2	90	BLACK	12 (JULY)
19.7	COIL	12	95	BLACK	20 (JULY)
19.96	BRIGHT	0.5	100	BLACK	35
20	COIL	16.6	105	BLACK	6 (AUG)
21	COIL	40 (JULY)	110	BLACK	9 (SEPT)
22	BRIGHT	0.9	115	BLACK	4 (SEPT)
24	BLACK	4	120	BLACK	13 (DEC)
24	BRIGHT	0.4	125	BLACK	7 (AUG)
25.37	BRIGHT	0.3	130	BLACK	3 (AUG)
25.4	BRIGHT	1.7	140	BLACK	8 (DEC)
26	BLACK	1.5	145	BLACK	8 (JULY)
27	BLACK	11.9	160	BLACK	14 (DEC)
27	BRIGHT	1.4	170	BLACK	7.6
28.57	BRIGHT	3	175	PEELED	1.1
30	BLACK	55	184.15	BLACK	11 (SEPT)
32	BLACK	50	190	BLACK	6 (AUG)
33	BLACK	20 (JULY)	200	BLACK	6 (DEC)
35	BLACK	20	210	BLACK	15 (SEPT)
36	BLACK	20 (JULY)	220	BLACK	9.3
36	BRIGHT	3.5	240	BLACK	8 (AUG)
39	BLACK	27	250	BLACK	9.8

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	33	BLACK	3.4
6.35	BRIGHT	4	33	BRIGHT	0.5
7.94	BRIGHT	1.2	35	BLACK	4.5
8	BRIGHT	2	38	BLACK	0.8
9	COIL	8.9	39	BLACK	0.5
9.52	BRIGHT	1.2	40	BLACK	22
10	BRIGHT	0.3	40	PG	1.1
11.2	COIL	11.9	40	BRIGHT	0.7
12	BLACK	0.5	42	BLACK	14
12	BRIGHT	2.3	46.5	BLACK	0.5
12.5	COIL	1.5	48	BLACK	12 (JULY)
12.7	BRIGHT	0.5	50.8	BRIGHT	1
13	COIL	1.5	52	BLACK	20 (JULY)
14	COIL	8.8	55	BRIGHT	0.25
16	BRIGHT	2.8	56	BLACK	5
16.97	BRIGHT	0.4	56	BRIGHT	0.6
17	COIL	10	60	BLACK	3.7
18	COIL	2.9	63.5	BLACK	3
19.05	BRIGHT	0.8	64	BLACK	1.6
19.7	COIL	4.4	65	BLACK	4.3
20	BLACK	8	68.5	BLACK	21
21.7	BLACK	12.7	75	BLACK	10.6
22	BRIGHT	0.2	80	BLACK	35
24	BLACK	6.7	85	BLACK	9.6
24	BRIGHT	0.8	90	BLACK	3
24.96	BRIGHT	0.3	95	BLACK	15
25	BRIGHT	1	105	BLACK	4 (DEC)
26	BLACK	23	115	BLACK	9
26	BRIGHT	0.3	120	BLACK	0.5
27	BLACK	12.5	120	PEELED	0.5
27	BRIGHT	0.3	125	BLACK	1.7
28.57	BRIGHT	0.3	130	BLACK	6.3
30	BLACK	3.4	135	BLACK	10.8
32	BLACK	11.8	152.4	PEELED	1.6
			160	BLACK	1.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.2	70	BLACK	13.5
21	BLACK	3.6	75	BLACK	3.5
23	BLACK	6.8	80	BLACK	7.6
24	BLACK	0.4	85	BLACK	7.5 (SEPT)
26	BLACK	0.25	90	BLACK	4
27	BLACK	2.5	95	BLACK	8.7
30	BLACK	0.5	105	BLACK	6 (DEC)
33	BLACK	5.7	110	BLACK	4.5
36	BLACK	3.3	120	BLACK	6 (SEPT)
39	BLACK	0.5	140	BLACK	2
40	BLACK	8.8	150	BLACK	1.7
42	BLACK	9.3	160	BLACK	3.9
45	BLACK	6.9	170	BLACK	6.4
46.5	BLACK	1.7	180	BLACK	4.8
47.5	PEELED h10	1	190	BLACK	6.7
50	BLACK	5.3	220	BLACK	2
60	BLACK	9.4	230	BLACK	2.2
65	BLACK	7.6 (SEPT)			

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
18	ANN PLD	1.5 (SEPT)	27	Q&T	2.5
22	ANN PLD	1.5 (OCT)	32	AR	4.4
25	ANN PLD	4 (DEC)	32	Q&T PEELED	0.3
35	ANN PLD	1.8 (AUG)	35	Q&T	7
36	ANN PLD	0.75 (DEC)	38	AR	9 (JULY)
40	ANN PLD	2.5 (DEC)	38	Q&T	1.5
42	ANN PLD	2.8 (DEC)	40	AR	5
45	ANN PLD	3.5 (AUG)	40	Q&T	0.7
51.5	ANN PLD	3 (OCT)	45	AR	7.8
55	ANN PLD	0.5	45	Q&T	2.9
55.5	ANN PLD	0.5 (AUG)	47	Q&T	5.6
60	ANN PLD	1.2 (DEC)	48	AR	2 (SEPT)
65	ANN PLD	3.3 (SEPT)	53	AR	7 (JULY)
66	ANN PLD	4 (DEC)	60	AR	1 (DEC)
70	ANN PLD	4 (SEPT)	60	Q&T	3.6
75	ANN PLD	3.5	65	AR	3.5
80	ANN PLD	1	70	Q&T	3.3
85	ANN PLD	0.5	75	AR	8.4 (JULY)
90	ANN PLD	4 (OCT)	75	Q&T	1.2
97	ANN PLD	4 (OCT)	80	Q&T	11
100	ANN PLD	3.4	85	AR	8 (SEPT)
105	ANN PLD	2 (SEPT)	85	Q&T	0.6
110	ANN PLD	3.5 (DEC)	90	Q&T	3.3
115	ANN PLD	0.4	95	AR	7 (DEC)
116	ANN PLD	0.4	95	Q&T PEELED	0.3
120	ANN PLD	3 (OCT)	100	Q&T	7.6
130	ANN PLD	1	105	AR	16 (DEC)
140	ANN PLD	4 (OCT)	105	Q&T	2
150	ANN PLD	2.8	110	AR	8 (DEC)
163	ANN PLD	1.6	110	Q&T	1
170	ANN PLD	3 (DEC)	115	AR	1.3
175	ANN PLD	0.5	115	Q&	6.2
180	ANN PLD	2.1	120	Q&T	2.5
205	ANN PLD	2.6	125	AR	7.5 (JULY)
220	ANN PLD	1 (DEC)	125	Q&T	0.6
230	ANN PLD	1.3	135	AR	6
272	ANN PLD	2.3	140	Q&T	6.5
			150	AR	3.7
			160	AR	8 (DEC)
			160	Q&T	2.6
			170	AR	7 (DEC)
			180	AR	5 (SEPT)
			190	Q&T	7
			200	Q&T	7.3
			210	Q&T	8
			220	AR	2.4 (JULY)
			230	Q&T	2.2
			260	AF PEELED	7.5 (OCT)
			300	AF PEELED	6 (OCT)

EN39B

30 ANN BLACK 1

EN25

47 ANN 0.6
65 AR 0.5

XK1340

22 BLACK 0.7

XK1320

36 BLACK 0.2
39 BLACK 1.6
42 BLACK 2.6
90 BLACK 3.7

17CrNiMo6

33 ANN PLD k12 2 (OCT)
34.5 ANN PLD k12 2.7 (OCT)
39 ANN PLD k12 2.2 (SEPT)
51.5 ANN PLD k12 2 (SEPT)
55.5 ANN PLD k12 2 (NOV)
58 ANN PLD k12 0.8
65 ANN PLD k12 0.3
70 ANN PLD k12 3.5 (NOV)
82 ANN PLD k12 1.2
87 ANN PLD k12 3.5 (OCT)
102 ANN PLD k12 4 (OCT)
105 ANN PLD k12 1.5 (NOV)
106 ANN PLD k12 2.2 (NOV)
127 ANN PLD k12 1.9 (NOV)
136 ANN PLD k12 0.5
146 ANN PLD k12 0.9 (NOV)
160 ANN PLD k12 1.5 (NOV)
175 ANN PLD k12 1.3
185 ANN PLD k12 4 (SEPT)

GRADE 300 PLUS

22 BLACK 0.7
36 BLACK 0.9
75 BLACK 4.3
90 BLACK 2

1141

20 BLACK 5

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
5	BRIGHT	0.3	35	BLACK	18.6
6	BRIGHT	1	36	BLACK	22
6.35	BRIGHT	0.2	38.1	BRIGHT	1.8
8	BRIGHT	1.8	39	BLACK	6.3
9.52	BRIGHT	1.7	40	BLACK	11
10	BRIGHT	4.5	42	BLACK	20 (JULY)
11.11	BRIGHT	5.4	42	BRIGHT	1.6
11.2	COIL	11.7	44.45	BRIGHT	0.9
12	COIL	10	45	BLACK	9.9
12	BRIGHT	5.8	48	BLACK	16.5
12.2	BRIGHT	4.2	50	BLACK	20 (JULY)
12.7	BRIGHT	5.6	52	BLACK	20 (JULY)
13	COIL	10.2	53.97	BRIGHT	2.2
14	COIL	16	55	BRIGHT	2
14	BRIGHT	0.9	56	BLACK	16.7
14.29	BRIGHT	0.3	56	BRIGHT	0.2
15	BRIGHT	0.4	60	BLACK	11 (JULY)
15.87	BRIGHT	1.6	60.32	BRIGHT	2.2
16	COIL	5.4	64	BLACK	20 (JULY)
16	BRIGHT	3	65	BLACK	20
17	COIL	17	65	BRIGHT	1
17	BRIGHT	0.2	66.67	BRIGHT	0.2
17.46	BRIGHT	1.8	68.5	BLACK	7
18	BRIGHT	1	69.85	BRIGHT	0.5
19.05	BRIGHT	14	70	BLACK	5.6
19.7	COIL	9.5	70	PEELED	0.25
20	COIL	26	75	BLACK	22
20.64	BRIGHT	1.3	75	PEELED	0.7
21.7	COIL	3	80	BLACK	12
22	BRIGHT	0.4	82.55	PEELED	0.8
22.22	BRIGHT	5.8	85	BLACK	17
23.81	BRIGHT	0.6	90	BRIGHT	4.6
24	BLACK	4.5	95	BLACK	23
26	BLACK	2	95	PEELED	2
27	BRIGHT	0.9	105	BLACK	3 (AUG)
28	BRIGHT	1.5	115	BLACK	5 (AUG)
28.58	BRIGHT	2.5	120	BLACK	4.8 (AUG)
30	BLACK	37.7	125	BLACK	9.5 (SEPT)
32	BLACK	23.5	135	BLACK	7 (SEPT)
32	BRIGHT	2.4	145	BLACK	10 (SEPT)
33	BLACK	6	160	BLACK	9 (SEPT)
33	BRIGHT	0.5			

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
7.94	BRIGHT	0.2	25.4	BRIGHT	0.6
8	BRIGHT	5.1	26.99	BRIGHT	1
9	BRIGHT	6	27	COIL	15.8
10	BRIGHT	2	28.5	BLACK	11.9
11.11	BRIGHT	0.9	30	BLACK	22.5
11.2	COIL	10.2	33	BLACK	18.5
12	BRIGHT	1.2	33.34	BRIGHT	0.75
12.7	BRIGHT	3.3	34.92	BRIGHT	2.3
13	COIL	2	36	BLACK	1
14	COIL	2.6	38.1	BRIGHT	0.8
14.29	BRIGHT	0.6	40	BLACK	9 (NOV)
15.87	BRIGHT	1.9	43	BLACK	7.7 (JULY)
16	COIL	2.5	46.5	BLACK	6.8
17	COIL	9.5 (OCT)	52	BLACK	14.4
17.46	BRIGHT	2	60	BLACK	3.5
18	BRIGHT	1.5	60	BRIGHT	0.3
19	COIL	2.6	60.32	BRIGHT	0.6
19.05	BRIGHT	0.5	63.5	BLACK	9
20	COIL	7.6	63.5	BRIGHT	5.8
20	BRIGHT	1.5	65	BLACK	11.7
20.64	BRIGHT	0.5	73	BLACK	11.6
21	COIL	13	80	BLACK	4.8
23	COIL	15.2	85	BLACK	11.3
24	BLACK	2.5	101.6	PEELED	0.2
25	BLACK	20.9			
25	BRIGHT	1.2			

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
19.05	Q&T	0.5	40	IH	0.5
22.22	Q&T	0.5	44.45	IH CR3	0.9
32	A&T	0.9	50	IH	2.5
34.92	Q&T	2.2	50.8	IH	0.4
35	Q&T	0.7	57.15	IH	0.7
36	Q&T	0.5	63.5	IH CR3	0.9
44.45	Q&T	2.5	69.85	IH	1
44.45	Q&T CR3	0.9	70	IH	0.5
50.8	Q&T CR3	3	80	IH	0.4
55	Q&T	0.7	90	IH	0.3
57.15	Q&T CR3	2.1	101.6	IH	0.4
60	Q&T	0.3	114.3	IH	0.5
63	Q&T	2.3			
69.85	Q&T	1.8			
70	Q&T	2			
76.2	Q&T CR3	0.3			
85	Q&T	0.2			
88.9	Q&T CR3	0.3			
95.25	Q&T	1.1			

1045			1045 INDUCTION HARDENED		
19.05	AR	1.5	22	IH	0.8
20	AR	0.7	22.22	IH	0.7
25.4	AR	0.5	34.92	IH	0.2
28.57	AR	0.9	38.1	IH	0.5
31.75	AR	2.2	69.85	IH	0.7
34.92	AR	1.1	76.2	IH	1
35	AR	1.1	95.25	IH	0.3
38	AR	0.8	127	IH	2.5
40	AR	1			
48.7	AR	0.6			
50	AR	0.6			
50.8	AR	0.6			
53.98	AR	0.3			
57.15	AR	0.4			
69.85	AR	1.4			
75	AR	0.8			
80	AR	0.7			
85	AR	0.5			
88.9	AR	1.6			
90	AR	0.5			
105	AR	0.4			
125	AR	1.2			
127	AR	0.4			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
22.22 HEX	Q&T DRAWN	0.7	19.05 HEX	DRAWN	0.5
25 HEX	AR BLACK	0.3	30 HEX	DRAWN	0.6
25 HEX	Q&T BLACK	0.4	31.75HEX	DRAWN	1.3
25.4 HEX	Q&T DRAWN	1.4	34.92 HEX	DRAWN	0.75
27 HEX	Q&T DRAWN	0.4	36 HEX	DRAWN	0.75
28.58 HEX	Q&T DRAWN	2.4	37.5 HEX	BLACK	4.3
30 HEX	Q&T BLACK	0.7	38.1 HEX	DRAWN	0.1
31.75 HEX	Q&T DRAWN	1.6	39.5 HEX	BLACK	10.5 (AUG)
34.92 HEX	Q&T DRAWN	0.7	44.45 HEX	DRAWN	1.1
36 HEX	Q&T DRAWN	0.8	46 HEX	DRAWN	2.1
37.5 HEX	Q&T BLACK	1.4	47.5 HEX	BLACK	0.5
37.5 HEX	AR BLACK	10 (NOV)	50.8 HEX	DRAWN	0.9
38.1 HEX	Q&T DRAWN	1.5	52.5HEX	BLACK	7.2
39.5 HEX	Q&T BLACK	2.8			
44.5 HEX	Q&T BLACK	1.4			
47.5 HEX	Q&T BLACK	2.6			
50.8 HEX	Q&T DRAWN	1			
58.5 HEX	Q&T BLACK	1.3			
63.5 HEX	Q&T DRAWN	1			
65 HEX	Q&T BLACK	0.7			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
9.52 HEX	DRAWN	1	10 HEX	DRAWN	1.4
11.11 HEX	DRAWN	1.6	11.11 HEX	DRAWN	1.6
12.7 HEX	DRAWN	1.7 (OCT)	12.7 HEX	DRAWN	2.9
14.28 HEX	DRAWN	0.5	14 HEX	DRAWN	0.2
15.87 HEX	DRAWN	1.7	15.88 HEX	DRAWN	2.4
16 HEX	DRAWN	0.3	17 HEX	DRAWN	1.8
17.46 HEX	DRAWN	6.9	17.46 HEX	DRAWN	2.9
19.05 HEX	DRAWN	1.7	18.03 HEX	DRAWN	0.5
20.64 HEX	DRAWN	2.6	22 HEX	DRAWN	2.5
22.22 HEX	DRAWN	7	24 HEX	DRAWN	0.2
23.81 HEX	DRAWN	1.4	28.5 HEX	BLACK	15.7 (AUG)
24 HEX	DRAWN	0.4	30 HEX	BLACK	3
25 HEX	DRAWN	1.4	30 HEX	DRAWN	3.7
28.57 HEX	DRAWN	0.9	33 HEX	BLACK	24
30 HEX	BLACK	11.4 (AUG)	36 HEX	DRAWN	3.6
30 HEX	DRAWN	0.3	37.5 HEX	BLACK	31 (AUG)
37.5 HEX	BLACK	7 (AUG)	39.5 HEX	BLACK	5
39.5 HEX	BLACK	2.4 (AUG)	41.27 HEX	DRAWN	0.5
42.42 HEX	DRAWN	1.1	44.5 HEX	BLACK	9 (OCT)
47.24 HEX	DRAWN	2.5	46 HEX	DRAWN	2
47.5 HEX	BLACK	7 (AUG)	47.24 HEX	DRAWN	2.5
50 HEX	DRAWN	0.3	47.5 HEX	BLACK	30 (OCT)
52.07 HEX	DRAWN	0.2	47.62 HEX	DRAWN	1
52.5 HEX	BLACK	3.8	49 HEX	BLACK	1.9
55 HEX	DRAWN	2.3	50 HEX	DRAWN	0.4
61.21 HEX	DRAWN	0.2	50.8 HEX	DRAWN	1.3
63 HEX	BLACK	4	53.5 HEX	BLACK	26
65 HEX	DRAWN	0.2	55 HEX	DRAWN	0.5
70 HEX	DRAWN	1.2 (AUG)	57 HEX	BLACK	4
			58.5 HEX	BLACK	1.8
			60 HEX	DRAWN	0.3
			63 HEX	BLACK	10 (OCT)
			65 HEX	BLACK	9.5 (OCT)
			65 HEX	DRAWN	2.6 (OCT)

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
7.94 SQUARE	DRAWN	0.25 (JULY)	19.05 SQUARE	DRAWN	0.9
16 SQUARE	DRAWN	0.5 (AUG)	20 SQUARE	BLACK	2.4
19.05 SQUARE	DRAWN	1	28.58 SQUARE	DRAWN	3.4
20 SQUARE	DRAWN	0.25 (JULY)	30 SQUARE	BLACK	3.8
20 SQUARE	BLACK	7.4	33 SQUARE	BLACK	7.6 (JULY)
20.64 SQUARE	DRAWN	4	40 SQUARE	BLACK	29
22.22 SQUARE	DRAWN	5	40 SQUARE	DRAWN	0.7
31.75 SQUARE	DRAWN	1	45 SQUARE	BLACK	13.2
38.1 SQUARE	DRAWN	2.6	50 SQUARE	BLACK	6.9
40 SQUARE	DRAWN	0.5	52 SQUARE	BLACK	8
40 SQUARE	BLACK	7.5	63 SQUARE	BLACK	17
44.45 SQUARE	DRAWN	7	75 SQUARE	BLACK	18
50 SQUARE	DRAWN	1.3	80 SQUARE	BLACK	1
52 SQUARE	BLACK	7	90 SQUARE	BLACK	23 (DEC)
63.5 SQUARE	DRAWN	0.2	100 SQUARE	BLACK	11 (DEC)
76.2 SQUARE	DRAWN	1.5 (AUG)	160 SQUARE	BLACK	3.7
88.9 SQUARE	DRAWN	0.2			
90 SQUARE	DRAWN	0.4 (JULY)			
100 SQUARE	DRAWN	1 (OCT)			
101.6 SQUARE	DRAWN	0.4 (OCT)			

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1020			4140		
15.88 SQUARE	DRAWN	0.9	30 SQUARE	Q&T	0.5
19.05 SQUARE	DRAWN	0.25	30 SQUARE	AR	6.4
20 SQUARE	DRAWN	0.25 (JULY)	32 SQUARE	AR	9.9 (AUG)
25 SQUARE	DRAWN	0.75 (AUG)	40 SQUARE	AR	14
28.58 SQUARE	DRAWN	0.5	50 SQUARE	AR	2.5
30 SQUARE	DRAWN	0.75 (JULY)	75 SQUARE	AR	1.5
40 SQUARE	BLACK	6.5	100 SQUARE	Q&T	1.3
44.45 SQUARE	DRAWN	1.1	110 SQUARE	AR	2.8
45 SQUARE	DRAWN	0.7 (JULY)			
52 SQUARE	BLACK	12.8 (NOV)			
65 SQUARE	DRAWN	0.8			
114.3 SQUARE	DRAWN	3 (AUG)			
127 SQUARE	DRAWN	5 (AUG)			
150 SQUARE	DRAWN	6 (AUG)			

SIZE	SURFACE CONDITION	TONNES
12L14		
34.92 SQUARE	AR	1.9
44.45 SQUARE	AR	2

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1020			1020		
20x5	DRAWN	0.5	50x12	DRAWN	0.5 (JULY)
20x7	DRAWN	0.3	50x15	DRAWN	0.5
20x10	DRAWN	0.3 (JULY)	50x16	BLACK	7.2
25x5	DRAWN	0.5	50.8x12.7	DRAWN	0.5
25x6	DRAWN	0.25 (SEPT)	50.8x19.05	DRAWN	0.25
25x12	DRAWN	0.5	50.8x38.1	DRAWN	0.6 (JULY)
25x16	DRAWN	0.25 (AUG)	63.5x31.75	DRAWN	0.5
25x20	DRAWN	0.5	75x12	DRAWN	0.25 (JULY)
25.4x6.35	DRAWN	0.5	75x15	DRAWN	0.25
30x10	DRAWN	1	76.2x12.7	DRAWN	0.5 (AUG)
32x10	DRAWN	1.75 (JULY)	76.2x38.1	DRAWN	0.25 (JULY)
32x15	DRAWN	0.9	76.2x50.8	DRAWN	0.5 (JULY)
32x20	DRAWN	0.4 (JULY)	88.9x50.8	DRAWN	2.5
32x25	DRAWN	0.25 (JULY)	100x10	DRAWN	0.5
38.1x12.7	DRAWN	0.25	100x15	DRAWN	0.75 (SEPT)
40x7	DRAWN	0.7	101.6x38.1	DRAWN	0.6 (JULY)
40x12	DRAWN	0.25	101.6x76.2	DRAWN	1 (SEPT)
40x15	DRAWN	0.5 (AUG)	127x76.2	DRAWN	0.8
44.45x31.75	DRAWN	1.25 (JULY)	150x12	DRAWN	0.25
50x7	DRAWN	0.2	152.4x25.4	DRAWN	0.7
50x10	DRAWN	1 (SEPT)			

1004B		
16x5	DRAWN	2
32x5	DRAWN	3.2
40x5	DRAWN	4.5

U1010		
25x7	DRAWN	2.2

1045		
32x10	BLACK	1.9

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	Q&T	2.5	118x63	AR	9 (NOV)
50x32	AR	7 (NOV)	118x80	AR	4 (SEPT)
56x36	AR	3.5 (NOV)	118x90	AR	5
63x32	AR	15 (DEC)	119.6x56	Q&T	1.8
63x40	AR	2.5 (NOV)	125x71	AR	6 (NOV)
63x45	AR	4.5 (NOV)	125x80	AR	4.3
71x36	AR	5 (NOV)	125x100	Q&T	3.1
71x36	Q&T	0.3	130x75	Q&T	0.9
71x45	Q&T	3	131.7x97.1	AR	0.8
71x50	Q&T	3.5	131.7x97.1	Q&T	0.2
75x40	AR	5 (NOV)	132x71	AR	9.5 (SEPT)
75x45	AR	4	132x80	ANN	1.3
80x40	AR	5 (NOV)	132x80	AR	4 (SEPT)
80x50	AR	1 (SEPT)	132x90	AR	2.5 (SEPT)
85x45	AR	5 (SEPT)	135x85	AR	3.8
85x67	AR	4 (NOV)	140x60	Q&T	1.3
90x40	AR	3 (NOV)	140x80	AR	5.9
90x45	AR	4.5 (SEPT)	140x90	AR	3.2
90x50	Q&T	0.8	140x100	Q&T	0.8
90x50	AR	5 (DEC)	140x100	AR	3.8
90x63	Q&T	1.6	150x80	AR	9 (SEPT)
95x45	AR	2.3	150x106	AR	1 (SEPT)
95x50	Q&T	1.1	150x114	AR	5.1
95x50	AR	5 (NOV)	160x90	AR	8.5 (SEPT)
95x60	Q&T	2	160x112	AR	1.3
95x63	Q&T	1.6	160x116	Q&T	1.9
100x56	AR	4	170x100	AR	5 (SEPT)
100x71	Q&T	0.6	170x100	Q&T	0.6
100x71	AR	5 (NOV)	180x125	AR	5 (NOV)
106x56	AR	1	190x132	Q&T	2
106x63	Q&T	1	200x112	AR	3 (NOV)
106x63	AR	5 (DEC)	200x140	AR	5 (DEC)
106x71	Q&T	0.8	225x140	Q&T	3
106x71	AR	5 (DEC)	225x140	AR	9.3
112x63	AR	2.4			
112x80	Q&T	0.3			

MECAPLUS 470

30x20	AR	1
-------	----	---

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
60.32x50.8	6 (AUG)	127x114.3	79 (DEC)
63.5x50.8	148 (AUG)	139.7x127	37 (DEC)
70x55	6	150x125	6 (AUG)
72x60	5	152.4x127	72 (DEC)
76.2x63.5	100 (SEPT)	168.2x152.4	43
82x70	36 (DEC)	170x140	12 (AUG)
95x80	40 (OCT)	171.45x152.4	20 (DEC)
95.25x82.55	13 (OCT)	180x150	22
101.6x88.9	109 (DEC)	190x160	7 (AUG)
107.95x88.9	12	210x180	20
120x100	14 (DEC)	230x203.2	12 (AUG)
120.65x101.6	115 (DEC)	254x228.6	23