



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST SEPTEMBER 2018

PAGE 2-3	4140				
PAGE 4	4340				
PAGE	1045				
PAGE 6	M1020				
PAGE 7	1030				
PAGE 8	8620				
PAGE 9-10	VARIOUS	EN36A XK1340 1141	EN26 XK1320	EN39B 300 PLUS	EN25 17CrNiMo6
PAGE 11	1214				
PAGE 12	12L14				
PAGE 13	CHROME	4140	1045		
PAGE 14-15	HEXAGONS	4140 12L14	1045	1214	
PAGE 16	SQUARE	1214 4140	1045 1020	12L14	
PAGE 17	FLAT	M1020 U1010	1004B	1016	
PAGE 18	HOLLOW	4140	CARBON		
PAGE 19	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
11	5 - COIL	9.5 - COIL		
12.7			0.3 h10	
13	4.7 - COIL (DEC)			
14			0.5 h10	
15.87			1.3 h10	
16	7 - COIL (DEC)			
17.5	15 - COIL (JAN)			
20	12 (JAN)			
21	24 (DEC)			
22	4 (JAN)	4	0.5 h10	
25		3.8		
26	23	1.2	0.5 k12	
27	31	11.7		
28	12 (DEC)			
30	20 (SEPT)	3.4		
32	20 (SEPT)			0.25 h8
33	5			
34.92			0.2 h10	
35	12 (SEPT)	9.5		
36	24 (SEPT)	6.9		
38	5			
38.1			0.2 h10	
39	17 (SEPT)	33		
40	3	20		
42	27	4	0.8 k12	
45	30	0.5		
46		30	0.9 k12	
48	23.9			
49.21				0.2 h8
50	0.8	6.7		
52	20	32	1 h10	
54	2.6	30		
55.5			1 k12	
56	14	1.7	0.3 h10	
58	15.7 (SEPT)			
60	26 (SEPT)	38		
63		0.8		
64	5.7	24		
65	20 (SEPT)			
68.5	80 (SEPT)	45		
69.85			1 h11	
70	4	7		
73	6	8.5		
75	18 (SEPT)			
80	20 (SEPT)	5.3		
82.55			0.25 k12	
85	2.4	24.5		
87			3.1 h10	

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
87.3125				0.8 h8
88.9			1.3 h10	
90	30 (SEPT)			
95	30 (SEPT)	27		
100	24 (JAN)	7 (OCT)		
105	76 (JAN)			
110	45 (DEC)	8 (NOV)		
114.3			1.5 h10	
115	24 (JAN)	25		
120	56 (DEC)			
125	51 (DEC)			
130	81 (DEC)			
132			20 AR k12 (DEC)	
135	14 (DEC)			
136			5 AR k12 (DEC)	
140	39 (SEPT)			
145	2.5			
150	15 (SEPT)			
160	49 (SEPT)			
170	14 (SEPT)			
180	15 (SEPT)			
185	31 (DEC)			
190	13 (OCT)			
200	44 (DEC)			
210	20 (SEPT)			
220	6.5			
230	18 (SEPT)	4		
240	5 (SEPT)			
250	4 (SEPT)			
260	2 (SEPT)			
270	5.6	8.2		
280	12.7	9.1		
290		9.1		
300	6.8	3.5		
310		9	9.9 MACHINED	
320		6.8		
350	4.7			
360			8.2 MACHINED	
380			11.5 MACHINED	
400			4.5 - AF MACHINED	
410	20 (OCT)			
520			10 - AF MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
20		6.6	0.15 k12	
22		4.2		
25		4.8		
28	8 (DEC)	1.5		
30		6.7		
35		4.6	1.1 AR k12; 0.6 h10	
38		1.9		
40		4.4		
42		8.8		
45		2		0.3 h8
48	8 (DEC)			
50	10 (SEPT)		1.1 h10	
53	6 (DEC)			
55	8 (JAN)	0.25		
60	6 (DEC)			
68	8 (DEC)	6		
70	6.3			
75	3 (SEPT)			
76.2			0.2 h10	
80	0.4	6.6		
85	8 (DEC)			
90		18.3		0.8 h8
95	8 (JAN)	4.6		
100	8 (DEC)	5.2		1.1 h8
105	16 (JAN)	1.9		
110	15 (DEC)			
112			13 k12	
115	8 (JAN)	0.5		
120	8 (JAN)	4.5	2 k12	
125	15 (SEPT)	1		
130	8 (JAN)	1.6		
140	15.5 (JAN)		1.4 k12	
142			4.3 k12	
150	24 (SEPT)			
160	1.8	6.7		
170		6.5	0.6 k12	
180	8 (OCT)			
190	8 (SEPT)	8 (JAN)		
200	13 (DEC)			
210	14 (JAN)			
220	8 (OCT)			
230		7.5		
240	8.8	3.8		
250		3 (OCT)		
260	11 (DEC)			
310			7.4 MACHINED	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
9.52	BRIGHT	0.3	68.5	BLACK	10
10	BRIGHT	1.9	69.85	BRIGHT	2
11.2	COIL	7.5	70	BLACK	11 (SEPT)
12	BRIGHT	2.1	75	BLACK	12 (SEPT)
12.5	COIL	7.5	76.2	PG	0.8
12.7	BRIGHT	8.1 (3.9M)	80	BLACK	20 (SEPT)
14	COIL	20 (SEPT)	80	PLD k12	0.2
14.28	BRIGHT	1	85	BLACK	10.6
15.87	BRIGHT	1.5 (3.7M)	90	BLACK	14 (SEPT)
16	BLACK	12	95	BLACK	20 (SEPT)
17	COIL	6.8	100	BLACK	15.7
18	COIL	5.3	100	IH PP h10	1.4
19	BRIGHT	0.2	105	BLACK	44 (DEC)
19	BLACK	10 (SEPT)	110	BLACK	1.5
19.05	BRIGHT	4	115	BLACK	4 (OCT)
19.7	COIL	7.3	120	BLACK	23
20	BLACK	21.9	125	BLACK	6 (DEC)
22	BRIGHT	0.25	130	BLACK	12 (DEC)
24	BLACK	8	135	BLACK	7 (JAN)
26	BLACK	17	140	BLACK	13 (DEC)
27	BLACK	16	145	BLACK	7 (DEC)
30	BLACK	27	150	BLACK	6 (OCT)
31.75	BRIGHT	1.6	160	BLACK	14
32	BLACK	15	170	BLACK	2.5
33	BLACK	20 (SEPT)	184.15	BLACK	8 (OCT)
34	BRIGHT	0.3	190	BLACK	8 (DEC)
34.92	BRIGHT	0.7	200	BLACK	8 (OCT)
35	BLACK	19	210	BLACK	3.4
36	BLACK	17	220	BLACK	21 (DEC)
38.1	BRIGHT	1	230	BLACK	22 (DEC)
39	BLACK	17	240	BLACK	23 (DEC)
40	BLACK	14	250	BLACK	10
42	BLACK	37	260	BLACK	2.5
45	BLACK	15 (SEPT)	270	BLACK	6
46.5	BLACK	20 (SEPT)	280	BLACK	25.4
48	BLACK	40	290	BLACK	5 (OCT)
50	PG	15 (SEPT)	300	BLACK	3.5
52	BLACK	25	300	MACHINED	2 (DEC)
53.97	BRIGHT	0.1	310	MACHINED	9.8
54	BLACK	10	320	MACHINED	3.5
55.56	PG	0.5	330	MACHINED	10 (OCT)
56	BLACK	38	340	MACHINED	4
60	BLACK	4.6	350	MACHINED	10 (OCT)
64	BLACK	29	380	MACHINED	9.7
65	BLACK	2 (SEPT)	410	BLACK	5.4
			420	MACHINED	10 (OCT)

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	6.6 (SEPT)	48	BLACK	46
5	BRIGHT	1	48	BRIGHT	0.25
6.35	BRIGHT	1 (SEPT)	50	BLACK	10.5
7.94	BRIGHT	1.9 (SEPT)	52	BLACK	20 (SEPT)
8	BRIGHT	1.2	56	BLACK	33
9	COIL	1.5	56	BRIGHT	1.7
9	BRIGHT	4.2	60	BLACK	22
9.52	BRIGHT	0.2	64	BLACK	17
10	BRIGHT	0.9	65	BLACK	24
11.2	COIL	11.8	68.5	BLACK	42
12	COIL	19.5	70	BLACK	7.5
13	COIL	19.7	75	BLACK	4.5
14	BRIGHT	2.4	80	BLACK	7
14	COIL	15	82.55	PEELED	0.25
14.4	BLACK	10.8	85	BLACK	22
14.96	BRIGHT	0.4	90	BLACK	3
16	COIL	12.5	95	BLACK	26
17	COIL	13.8	100	BLACK	29
17	BRIGHT	1.6	105	BLACK	14 (DEC)
19.7	COIL	10	115	BLACK	36 (DEC)
19.96	BRIGHT	0.5	120	BLACK	8 (DEC)
20	COIL	8.4	125	BLACK	11 (DEC)
21	COIL	40 (SEPT)	130	BLACK	22 (DEC)
22.22	BRIGHT	0.7	135	BLACK	10 (DEC)
24	BLACK	7.7	140	BLACK	5 (DEC)
26	BLACK	20 (SEPT)	145	BLACK	7.5
27	BLACK	20 (SEPT)	150	BLACK	14 (DEC)
28.57	BRIGHT	1.6	160	BLACK	13 (DEC)
29	BRIGHT	1	170	BLACK	3.5
30	BLACK	53	175	PEELED	1.1
32	BLACK	29	180	BLACK	7 (DEC)
33	BLACK	20 (SEPT)	184.15	BLACK	8 (DEC)
35	BLACK	20 (SEPT)	190	BLACK	6 (SEPT)
36	BLACK	20 (SEPT)	210	BLACK	12 (SEPT)
36	BRIGHT	1.6	220	BLACK	3.7 (SEPT)
39	BLACK	32	230	BLACK	2.3
40	BLACK	20 (SEPT)	240	BLACK	2 (SEPT)
41.27	BRIGHT	1.7	250	BLACK	9.8
42	BLACK	31	260	BLACK	14 (DEC)
45	BLACK	15	400	BLACK	5.5
46	BLACK	10 (SEPT)			
47.62	BRIGHT	0.5			

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	32	BLACK	6.3
6.35	BRIGHT	4	33	BLACK	14 (SEPT)
7.94	BRIGHT	1.2	33	BRIGHT	0.5
8	BRIGHT	1.7	35	BLACK	17 (SEPT)
9	COIL	8.9	36	BRIGHT	0.4
9.52	BRIGHT	1.2	39	BLACK	0.2
11.2	COIL	11.7	40	BLACK	13.5
12	BLACK	0.5	40	PG	1.1
12	BRIGHT	1.7	40	BRIGHT	1
12.5	COIL	2.9	42	BLACK	3.5
13	COIL	1.5	48	BLACK	10.6
14	COIL	8.6	52	BLACK	3
15.87	BRIGHT	2.4	56	BLACK	2.2
16	BRIGHT	1	56	BRIGHT	0.3
16.97	BRIGHT	0.4	60	BLACK	3.2
17	COIL	7.3	64	BLACK	20 (SEPT)
18	COIL	2.9	65	BLACK	1
19.05	BRIGHT	2	68.5	BLACK	18
19.7	COIL	24 (OCT)	75	BLACK	5.3
20	BLACK	8	80	BLACK	29
20	BRIGHT	0.8	85	BLACK	5.8
21.7	BLACK	8	90	BLACK	3
22	BRIGHT	0.2	95	BLACK	11.4
24	BLACK	5.2	105	BLACK	25 (DEC)
24	BRIGHT	0.8	115	BLACK	7
24.96	BRIGHT	3.5	120	BLACK	7 (DEC)
25	PG h8	0.5	120	PEELED	0.5
25	BRIGHT	0.3	125	BLACK	1.7
26	BLACK	14	130	BLACK	4.3
26	BRIGHT	0.3	135	BLACK	8.8
27	BLACK	6.3	152.4	PEELED	1.6
27	BRIGHT	0.3	160	BLACK	1.7
30	BLACK	2.4			

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.2	65	BLACK	4.5 (SEPT)
20	BLACK	0.3	70	BLACK	13.1
21	BLACK	3.4	75	BLACK	2.3
23	BLACK	6.8	80	BLACK	6.6
24	BLACK	0.4	85	BLACK	7.5 (SEPT)
26	BLACK	0.25	90	BLACK	3.6
27	BLACK	1.5	95	BLACK	8.7
30	PEELED k12	0.25	100	BLACK	7 (JAN)
30	BLACK	0.5	105	BLACK	5.6 (DEC)
33	BLACK	5.3	110	BLACK	2.8
36	BLACK	0.8	120	BLACK	2 (OCT)
39	BLACK	0.5	130	BLACK	8 (JAN)
40	BLACK	8.7	140	BLACK	1.4
42	BLACK	8.8	150	BLACK	1.7
45	BLACK	6.9	160	BLACK	3.9
46.5	BLACK	1.7	170	BLACK	6.4
47.5	PEELED h10	1	180	BLACK	3.6
50	BLACK	8 (JAN)	190	BLACK	6.7
60	BLACK	9.4	230	BLACK	2.2

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
14	ANN PLD	2.2 (FEB)	27	Q&T	2.5
18	ANN PLD	1.5 (OCT)	32	AR	8 (JAN)
22	ANN PLD	1.5 (OCT)	32	Q&T	2.3
25	ANN PLD	4 (DEC)	32	Q&T PEELED	0.3
32	ANN PLD	1 (FEB)	35	Q&T	7
35	ANN PLD	0.7 (OCT)	38	AR	9.1
36	ANN PLD	0.75 (DEC)	38	Q&T	0.3
40	ANN PLD	2.2 (DEC)	40	AR	4
42	ANN PLD	2.8 (DEC)	40	Q&T	4.8
45	ANN PLD	4 (DEC)	45	Q&T	10.5
51.5	ANN PLD	4 (DEC)	47	Q&T	3.6
55.5	ANN PLD	3 (FEB)	48	AR	2 (OCT)
60	ANN PLD	3 (FEB)	53	Q&T	5.5
65	ANN PLD	3 (OCT)	60	AR	1 (DEC)
66	ANN PLD	4 (DEC)	60	Q&T	2.7
70	ANN PLD	2 (OCT)	65	AR	0.3
75	ANN PLD	4 (FEB)	60	Q&T	2.9
80	ANN PLD	3.5 (DEC)	70	AR	11 (JAN)
85	ANN PLD	2.5 (FEB)	75	AR	4.5 (JAN)
90	ANN PLD	4.7 (FEB)	80	Q&T	10.2
92	ANN PLD	0.3	85	AR	6.5 (OCT)
97	ANN PLD	1.7 (OCT)	88.9	Q&T PEELED	0.5
100	ANN PLD	1.5	90	AR	8 (JAN)
102	ANN PLD	2 (FEB)	90	Q&T	1.6
105	ANN PLD	2 (OCT)	95	AR	5 (DEC)
110	ANN PLD	3 (DEC)	100	Q&T	6.6
115	ANN PLD	0.4	105	AR	15.5 (DEC)
116	ANN PLD	0.4	110	AR	7.5 (DEC)
120	ANN PLD	2 (OCT)	115	AR	1.3
130	ANN PLD	2.5 (FEB)	115	Q&T	5.6
140	ANN PLD	2 (OCT)	120	Q&T	2.5
150	ANN PLD	2.8	125	Q&T	7.5
152	ANN PLD	2 (FEB)	130	AR	3 (JAN)
163	ANN PLD	1.6	135	Q&T	4.7
170	ANN PLD	3 (DEC)	140	Q&T	6.5
175	ANN PLD	0.5	150	AR	7.5 (SEPT)
180	ANN PLD	2.1	150	Q&T	1
205	ANN PLD	1.2	160	AR	7.5 (DEC)
220	ANN PLD	3.5 (FEB)	170	AR	8 (JAN)
272	ANN PLD	2.3	170	Q&T	1.5
			180	AR	2 (SEPT)
			190	Q&T	5.2
			200	Q&T	5.8
			210	Q&T	8
			220	AR	8 (DEC)
			260	AF PEELED	6 (OCT)

EN39B

30	ANN BLACK	1
----	-----------	---

EN25

47	ANN	0.6
65	AR	0.5

GRADE 300 PLUS

22	BLACK	0.7
65	BLACK	2
75	BLACK	4.3
90	BLACK	2

XK1320

39	BLACK	1.6
42	BLACK	2.6
90	BLACK	3.7

17CrNiMo6

33	ANN PLD k12	2 (OCT)
34.5	ANN PLD k12	2.7 (OCT)
39	ANN PLD k12	2 (OCT)
51.5	ANN PLD k12	2 (OCT)
55.5	ANN PLD k12	2 (NOV)
58	ANN PLD k12	0.8
65	ANN PLD k12	0.3
70	ANN PLD k12	3.5 (NOV)
82	ANN PLD k12	0.3
87	ANN PLD k12	3.5 (OCT)
102	ANN PLD k12	4 (OCT)
105	ANN PLD k12	1.5 (NOV)
106	ANN PLD k12	2 (NOV)
127	ANN PLD k12	1.9 (NOV)
136	ANN PLD k12	1
146	ANN PLD k12	0.9 (NOV)
160	ANN PLD k12	1.5 (NOV)
175	ANN PLD k12	1.3
185	ANN PLD k12	4 (OCT)

1141

20	BLACK	5
----	-------	---

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
5	BRIGHT	0.3	36	BLACK	13.8
6	BRIGHT	0.7	36	BRIGHT	0.5
6.35	BRIGHT	2 (OCT)	38.1	BRIGHT	0.4
7	BRIGHT	1	39	BLACK	3
9	COIL	8 (SEPT)	40	BLACK	1
9.52	BRIGHT	0.6	40	BRIGHT	1.8
10	COIL	10 (SEPT)	42	BLACK	18
10	BRIGHT	1	42	BRIGHT	0.3
11.2	COIL	2.9	45	BLACK	8.8
12	COIL	10	46	BLACK	20 (SEPT)
12	BRIGHT	3	48	BLACK	7.8
12.2	BRIGHT	4.2	50	BLACK	1
12.7	BRIGHT	4.3	52	BLACK	23
13	COIL	9	55	BRIGHT	1.4
14	COIL	16	56	BLACK	10
14	BRIGHT	0.4	56	BRIGHT	0.2
15	BRIGHT	0.4	60	BLACK	9.2
15.87	BRIGHT	1.7	60.32	BRIGHT	1.6
16	COIL	4.5	64	BLACK	7.3
17	COIL	14.5	65	BLACK	11.5
17	BRIGHT	0.2	65	BRIGHT	4
17.46	BRIGHT	1.6	68.5	BLACK	22
19.05	BRIGHT	12.2	70	BLACK	4.9
19.7	COIL	0.8	75	BLACK	24.5
20	COIL	26	80	BLACK	26.5
20	BRIGHT	1.6	80	PEELED	4.1
20.64	BRIGHT	1.3	82.55	PEELED	0.4
21.7	COIL	18.3	85	BLACK	9.6
22.22	BRIGHT	1.3	90	BRIGHT	1
24	BLACK	26	95	BLACK	18.9
25	BRIGHT	1.3	95	PEELED	2
26	BLACK	21	100	BLACK	11 (SEPT)
27	BLACK	20 (SEPT)	101.6	BRIGHT	0.9
28	BRIGHT	1.5	105	BLACK	12 (OCT)
32	BLACK	12.6	115	BLACK	2.5
32	BRIGHT	1.4	120	BLACK	3.3
33	BLACK	15	125	BLACK	2.8
33	BRIGHT	1.2	135	BLACK	1.2
34.92	BRIGHT	2.3	145	BLACK	4
35	BLACK	15.6	160	BLACK	3

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
8	BRIGHT	4.3	26.99	BRIGHT	1
9	BRIGHT	6	27	COIL	5
9.52	BRIGHT	1.5	28.5	BLACK	10.1
10	BRIGHT	0.2	29	COIL	15
11.11	BRIGHT	0.9	30	BLACK	15.3
11.2	COIL	7.6	33	BLACK	39 (SEPT)
12	BRIGHT	2.2	33.34	BRIGHT	0.75
12.7	BRIGHT	1.1	34.92	BRIGHT	2.3
13	COIL	2	36	BLACK	10 (JAN)
14	COIL	2.6	40	BLACK	1.3 (SEPT)
15.87	BRIGHT	1.5	43	BLACK	9.5
16	COIL	2.5	44.45	BRIGHT	0.5
17	COIL	2.7 (OCT)	46.5	BLACK	10 (DEC)
17.46	BRIGHT	1.5	50.8	BRIGHT	1.8
18	BRIGHT	1.5	52	BLACK	30 (DEC)
19	COIL	10 (JAN)	57.15	BRIGHT	0.6
20	COIL	7.6	60	BLACK	10 (JAN)
20	BRIGHT	1.2	60	BRIGHT	0.3
20.64	BRIGHT	0.5	63.5	BLACK	9
21	COIL	5.9	63.5	BRIGHT	1.7
22.22	BRIGHT	2	65	BLACK	11.7
23	COIL	8	73	BLACK	10.4
23.81	BRIGHT	5	80	BLACK	2.5
24	BLACK	22 (SEPT)	85	BLACK	5.4
25	BLACK	22 (SEPT)	101.6	PEELED	0.2
25	BRIGHT	1.2			

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
19.05	Q&T	0.5	25	IH	0.1
22.22	Q&T	0.25	40	IH	0.5
25	Q&T	0.25	50	IH	2.2
25.4	Q&T	1	60	IH	0.9
30	Q&T	0.9	69.85	IH	0.3
32	A&T	0.3	70	IH	0.5
34.92	Q&T	1.5	90	IH	0.3
35	Q&T	0.25	101.6	IH	0.4
36	Q&T	1.7			
44.45	Q&T CR3	0.9			
55	Q&T	0.25			
57.15	Q&T	1.1			
57.15	Q&T CR3	2.1			
63	Q&T	2.8			
69.85	Q&T	1.3			
75	Q&T	0.5			
85	Q&T	0.2			
95	Q&T	0.6			
95.25	Q&T	3.1			
110	Q&T	0.3			

1045			1045 INDUCTION HARDENED		
15.87	AR	0.3	22	IH	0.8
19.05	AR	0.9	22.22	IH	0.4
22	AR	0.3	31.75	IH	0.9
22.22	AR	0.9	34.92	IH	0.2
28.57	AR	0.7	38.1	IH	0.2
30	AR	3.2	40	IH	0.7
35	AR	0.8	44.45	IH	1.4
40	AR	2.1	50	IH	0.6
44.45	AR	2.7	50.8	IH	2.3
48.7	AR	0.6	63.5	IH	0.5
50	AR	1.7	69.85	IH	0.7
50.8	AR	1.1	70	IH	0.9
53.98	AR	0.3	80	IH	2.1
65	AR	0.7	88.9	IH	0.7
69.85	AR	2.8			
70	AR	1.7			
80	AR	3.2			
85	AR	0.5			
95.25	AR	1.2			
105	AR	0.4			
125	AR	0.5			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
19.05 HEX	Q&T DRAWN	0.2	19.05 HEX	DRAWN	0.5
20 HEX	Q&T DRAWN	0.2	25.4 HEX	DRAWN	0.75
22.22 HEX	Q&T DRAWN	0.2	28.57 HEX	DRAWN	1.6
25 HEX	AR BLACK	0.3	31.75HEX	DRAWN	1.3
25 HEX	Q&T BLACK	0.4	34.92 HEX	DRAWN	0.75
25.4 HEX	Q&T DRAWN	0.9	36 HEX	DRAWN	0.75
27 HEX	Q&T DRAWN	0.4	37.5 HEX	BLACK	3.8
28.58 HEX	Q&T DRAWN	2.4	38.1 HEX	DRAWN	0.1
30 HEX	Q&T BLACK	0.7	39.5 HEX	BLACK	10.5
31.75 HEX	Q&T DRAWN	0.8	44.45 HEX	DRAWN	1.1
34.92 HEX	Q&T DRAWN	0.7	47.5 HEX	BLACK	0.5
36 HEX	Q&T DRAWN	2.9	50.8 HEX	DRAWN	0.9
37.5 HEX	Q&T BLACK	0.5	52.5HEX	BLACK	7.2
37.5 HEX	AR BLACK	10 (NOV)			
44.5 HEX	Q&T BLACK	0.8			
46 HEX	Q&T DRAWN	0.5			
47.5 HEX	Q&T BLACK	1.6			
50.8 HEX	Q&T DRAWN	0.5			
58.5 HEX	Q&T BLACK	1.3			
63.5 HEX	Q&T DRAWN	1			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
9.52 HEX	DRAWN	1	10 HEX	DRAWN	1.4
11.11 HEX	DRAWN	1.1	11.11 HEX	DRAWN	1.7
12.7 HEX	DRAWN	1.1	12.7 HEX	DRAWN	1.4
14.28 HEX	DRAWN	0.5	17 HEX	DRAWN	1.8
15.87 HEX	DRAWN	4.1	18.03 HEX	DRAWN	0.5
16 HEX	DRAWN	0.3	19 HEX	DRAWN	0.3
17.46 HEX	DRAWN	5.9	22 HEX	DRAWN	2.5
19.05 HEX	DRAWN	1.2	24 HEX	DRAWN	0.2
20.64 HEX	DRAWN	2.6	28.5 HEX	BLACK	15.7
22.22 HEX	DRAWN	4.7	28.57 HEX	DRAWN	0.5
23.81 HEX	DRAWN	1.4	30 HEX	BLACK	3.4
24 HEX	DRAWN	0.4	30 HEX	DRAWN	3.7
25 HEX	DRAWN	1.4	33 HEX	BLACK	30.3
25.4 HEX	DRAWN	1	36 HEX	DRAWN	2.1
26.99 HEX	DRAWN	1.7	37.5 HEX	BLACK	18
30 HEX	BLACK	7.9	39.5 HEX	BLACK	19.5
34.92 HEX	DRAWN	1.5	41.27 HEX	DRAWN	0.5
37.5 HEX	BLACK	5.3	44.5 HEX	BLACK	19 (OCT)
38.1 HEX	DRAWN	0.9	46 HEX	DRAWN	1.5
39.5 HEX	BLACK	10 (JAN)	47.24 HEX	DRAWN	1.5
44.45 HEX	DRAWN	2.1	47.5 HEX	BLACK	37 (OCT)
46 HEX	DRAWN	2.3	47.62 HEX	DRAWN	1
47.24 HEX	DRAWN	1.5	49 HEX	BLACK	1.9
47.5 HEX	BLACK	2	50 HEX	DRAWN	1.2
50 HEX	DRAWN	0.3	50.8 HEX	DRAWN	0.5
50.8 HEX	DRAWN	2.9	53.5 HEX	BLACK	8.8
52.07 HEX	DRAWN	0.2	55 HEX	DRAWN	0.5
55 HEX	DRAWN	2	57 HEX	BLACK	3.9
63 HEX	BLACK	4	58.5 HEX	BLACK	1.8
65 HEX	DRAWN	0.2	63 HEX	BLACK	7 (OCT)
70 HEX	DRAWN	1.5 (OCT)	65 HEX	BLACK	6 (OCT)
75 HEX	DRAWN	9.5 (JAN)	65 HEX	DRAWN	1 (OCT)
76.2 HEX	DRAWN	7.9 (JAN)	75 HEX	DRAWN	4 (OCT)

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
9.52 SQUARE	DRAWN	0.25 (JAN)	19.05 SQUARE	DRAWN	0.9
12.7 SQUARE	DRAWN	0.2 (JAN)	20 SQUARE	BLACK	2.4
15.88 SQUARE	DRAWN	0.6 (DEC)	28.58 SQUARE	DRAWN	1.3
16 SQUARE	DRAWN	0.5	30 SQUARE	BLACK	3.8
20 SQUARE	BLACK	7.4	31.75 SQUARE	DRAWN	3.2
22.22 SQUARE	DRAWN	4.8	33 SQUARE	BLACK	3.7
25 SQUARE	DRAWN	0.25 (FEB)	38.1 SQUARE	DRAWN	2
25.4 SQUARE	DRAWN	1.2 (DEC)	40 SQUARE	BLACK	17.8
28.57 SQUARE	DRAWN	0.8 (DEC)	40 SQUARE	DRAWN	0.7
31.75 SQUARE	DRAWN	1 (JAN)	45 SQUARE	BLACK	18
38.1 SQUARE	DRAWN	5.6	50 SQUARE	BLACK	6.5
40 SQUARE	DRAWN	0.5 (JAN)	52 SQUARE	BLACK	11
40 SQUARE	BLACK	3.5	63 SQUARE	BLACK	8
44.45 SQUARE	DRAWN	5	80 SQUARE	BLACK	1
50 SQUARE	DRAWN	1	90 SQUARE	BLACK	18 (DEC)
52 SQUARE	BLACK	7	100 SQUARE	BLACK	23 (DEC)
57.15 SQUARE	DRAWN	1 (OCT)	130 SQUARE	BLACK	1.8 (DEC)
63.5 SQUARE	DRAWN	0.2	160 SQUARE	BLACK	1.3
76.2 SQUARE	DRAWN	0.6			
88.9 SQUARE	DRAWN	0.2			
90 SQUARE	DRAWN	0.2			
100 SQUARE	DRAWN	0.2			
101.6 SQUARE	DRAWN	0.6 (JAN)			
1020			4140		
12 SQUARE	DRAWN	0.25 (SEPT)	30 SQUARE	Q&T	5.2
15.88 SQUARE	DRAWN	0.9	32 SQUARE	AR	9.4
19.05 SQUARE	DRAWN	0.5	40 SQUARE	AR	6.5
20 SQUARE	DRAWN	1 (JAN)	40 SQUARE	Q&T	3.3
25 SQUARE	DRAWN	0.75 (JAN)	110 SQUARE	AR	2.8
25.4 SQUARE	DRAWN	0.7 (OCT)			
28.58 SQUARE	DRAWN	0.25			
30 SQUARE	DRAWN	0.5 (JAN)			
31.75 SQUARE	DRAWN	1.5 (JAN)			
38.1 SQUARE	DRAWN	1.9			
40 SQUARE	BLACK	12.7			
40 SQUARE	DRAWN	1 (JAN)			
44.45 SQUARE	DRAWN	1			
45 SQUARE	DRAWN	0.4			
52 SQUARE	BLACK	14.5 (SEPT)			
63.5 SQUARE	DRAWN	2 (JAN)			
65 SQUARE	DRAWN	1 (JAN)			
75 SQUARE	DRAWN	1.5 (JAN)			
76.2 SQUARE	DRAWN	0.9 (JAN)			
88.9 SQUARE	DRAWN	1 (JAN)			
90 SQUARE	DRAWN	0.5 (OCT)			
100 SQUARE	DRAWN	1.5 (OCT)			
101.6 SQUARE	DRAWN	1 (SEPT)			
114.3 SQUARE	DRAWN	2.5 (NOV)			
127 SQUARE	DRAWN	4.5 (NOV)			
150 SQUARE	DRAWN	6 (NOV)			
			12L14		
			44.45 SQUARE	AR	2

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1020			1020		
20x5	DRAWN	0.5	50.8x12.7	DRAWN	0.5
20x7	DRAWN	0.3	50.8x19.05	DRAWN	0.25
20x10	DRAWN	0.3	50.8x38.1	DRAWN	0.6
25x5	DRAWN	0.2	75x10	DRAWN	0.5 (DEC)
25x6	DRAWN	0.25	75x12	DRAWN	0.5 (DEC)
25x10	DRAWN	1 (DEC)	75x15	DRAWN	0.25
25x12	DRAWN	0.5	75x20	DRAWN	1 (DEC)
25x15	DRAWN	1.25 (DEC)	75x25	DRAWN	0.8 (SEPT)
25x16	DRAWN	0.26	75x40	DRAWN	0.4 (SEPT)
25x20	DRAWN	0.5	75x50	DRAWN	1.5 (DEC)
25.4x6.35	DRAWN	0.5	76.2x12.7	DRAWN	0.5
30x10	DRAWN	1	76.2x31.75	DRAWN	0.5 (DEC)
32x10	DRAWN	0.2	76.2x50.8	DRAWN	0.5 (DEC)
32x15	DRAWN	0.9	88.9x50.8	DRAWN	2.5
32x20	DRAWN	0.7 (DEC)	100x10	DRAWN	0.5 (DEC)
32x25	DRAWN	0.5 (OCT)	100x12	DRAWN	0.7 (SEPT)
38.1x12.7	DRAWN	0.25	100x15	DRAWN	0.5 (OCT)
40x7	DRAWN	0.7	100x20	DRAWN	0.5 (SEPT)
40x15	DRAWN	0.7 (DEC)	100x25	DRAWN	1 (DEC)
40x20	DRAWN	0.5 (DEC)	100x40	DRAWN	0.4 (SEPT)
40x25	DRAWN	1.25 (DEC)	100x50	DRAWN	0.8 (DEC)
44.45x31.75	DRAWN	1.1	101.6x38.1	DRAWN	0.5
50x7	DRAWN	0.2	101.6x50.8	DRAWN	1 (DEC)
50x10	DRAWN	0.3 (DEC)	101.6x76.2	DRAWN	1.5 (DEC)
50x12	DRAWN	0.25	127x76.2	DRAWN	0.8
50x15	DRAWN	7	150x12	DRAWN	0.25
50x20	DRAWN	2.5 (DEC)	150x25	DRAWN	0.8 (DEC)
50x25	DRAWN	1 (DEC)	150x50	DRAWN	1.1 (DEC)
			152.4x25.4	DRAWN	0.5
1004B			U1010		
16x5	DRAWN	2	25x7	DRAWN	2.2
32x5	DRAWN	3.2			
40x5	DRAWN	4.5			
1214 (230M07)			1045		
50.8x38.1	DRAWN	0.25	32x10	BLACK	1.3

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	Q&T	2.5	119.6x56	Q&T	1.2
50x32	AR	2 (NOV)	125x71	AR	3 (NOV)
56x36	AR	1.7 (NOV)	125x80	Q&T	2.7
63x32	AR	10 (DEC)	125x100	Q&T	2.9
63x40	AR	1.7 (NOV)	130x75	Q&T	0.9
63x45	AR	4 (NOV)	131.7x97.1	AR	0.8
71x36	AR	2.5 (NOV)	132x71	AR	8
71x45	Q&T	2.5	132x80	ANN	1.3
71x50	Q&T	3.5	132x80	AR	4.6
75x40	AR	5 (NOV)	132x90	AR	4.5 (JAN)
75x45	Q&T	4	135x85	Q&T	3.7
80x40	AR	4 (NOV)	140x60	Q&T	1.3
80x50	AR	2 (NOV)	140x80	AR	4.1
85x45	AR	0.8 (NOV)	140x90	AR	2.2
90x40	AR	3 (NOV)	140x90	Q&T	0.8
90x45	AR	5.2 (SEPT)	140x100	Q&T	2.4
90x50	Q&T	0.8	150x80	AR	4
90x50	AR	5 (DEC)	150x106	AR	7 (JAN)
90x63	Q&T	1	150x114	Q&T	3.8
95x45	Q&T	2.2	160x90	AR	7
95x50	AR	4.5 (NOV)	160x112	AR	5 (NOV)
95x60	Q&T	2	160x112	Q&T	0.8
95x63	AR	5 (JAN)	160x116	Q&T	1.4
100x56	Q&T	4	170x100	AR	1.3
100x71	AR	4 (NOV)	180x125	AR	2.5 (NOV)
106x56	AR	5 (DEC)	190x132	Q&T	2
106x63	AR	4 (JAN)	200x140	AR	3.5 (DEC)
106x71	AR	3 (DEC)	225x140	AR	9.3
112x63	AR	3 (JAN)	225x140	Q&T	3
112x80	AR	2.5 (JAN)			
118x63	AR	7.5 (JAN)			
118x80	AR	3.5			
118x90	Q&T	3.6			

MECAPLUS 470

30x20	AR	1
-------	----	---

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
47.62x38.1	18 (FEB)	120.65x101.6	66 (DEC)
57.15x44.45	47 (DEC)	139.7x127	34 (DEC)
63.5x50.8	77 (DEC)	146.05x127	46 (FEB)
69.85x57.15	19 (DEC)	152.4x127	95 (DEC)
76.2x63.5	113 (DEC)	152.4x139.7	30 (DEC)
82.55x63.5	42 (FEB)	168.2x152.4	43
82x70	36 (DEC)	170x140	11 (DEC)
88.9x76.2	90 (FEB)	171.45x152.4	14 (DEC)
95.2x76.2	10 (FEB)	180x150	22
95x80	92 (DEC)	190x160	8 (DEC)
95.25x82.55	13 (DEC)	203.2x177.8	22 (FEB)
100x80	8 (NOV)	210x180	20
101.6x88.9	97 (DEC)	228x203.2	18 (DEC)
107.95x88.9	6 (FEB)	230x203.2	19 (OCT)
		254x228.6	15