



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST DECEMBER 2018

PAGE 2-3	4140				
PAGE 4-5	4340				
PAGE 6	1045				
PAGE 7	M1020				
PAGE 8	1030				
PAGE 9	8620				
PAGE 10-11	VARIOUS	EN36A XK1340 1141	EN26 XK1320	EN39B 300 PLUS	EN25 17CrNiMo6
PAGE 12	1214				
PAGE 13	12L14				
PAGE 14	CHROME	4140	1045		
PAGE 15-16	HEXAGONS	4140 12L14	1045	1214	
PAGE 17	SQUARE	1214 4140	1045 1020	12L14	
PAGE 18	FLAT	M1020 U1010	1004B	1016	
PAGE 19	HOLLOW	4140	CARBON		
PAGE 20	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
11		13 - COIL		
13	3 - COIL			
14	4 - COIL (FEB)			
16	3 - COIL			
17.5	4 - COIL	2.5 - COIL		
19.05			0.4 h10	
20	6 (MARCH)			
21	23.5 (MARCH)			
22	3.7	1.6	0.5 h10	
25		6.5		
26	13.5		0.3 k12	
27	25.3			
28	8.7			
30	15 (DEC)			
32	20			
33	13 (DEC)			
34.92			0.2 h10	
35	50 (DEC)			
36	10 (DEC)			
38	3			
38.1			0.2 AR PP h10	
39	11.8	64		
40	50 (DEC)	15.8		
42	23			
45	4.7	12.5		
46		25.3	0.9 k12	
48	12 (DEC)			
50	9.7			
52	50 (DEC)		1 h10	
53		0.5		
54	2.6	19		
55.5			1 k12	
56		7.5	0.3 h10	
58		3.5		
60	9.8	22		
61.91				0.5 h8
63		0.8		
64	32.5			
65	11.2	17.4		
67.75			0.3	
68.5	8.7	43		
69.85			1 h10	
70	1.8	21		
73	6	8.5		
75		38		
80	28	15.6		
82.55			0.25 k12	
85	2.4	7		

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
87			3.1 h10	
87.32				0.8 h8
88.9			0.3 h10	
90		12		
95	19			
100	9 (FEB)			
105	75 (MARCH)			
110	17 (DEC)			
114.3			1.5 h10	
115	9 (DEC)			
120	27 (DEC)			
125	16 (MARCH)			
130	30 (DEC)			
132			4 AR k12 (MAY)	
135	27 (APRIL)			
140	5.5			
145	30 (MARCH)	6.5		
150	34 (FEB)			
160	22 (FEB)			
170	20 (FEB)		3 k12 (APRIL)	
180	15.5			
185	16 (MARCH)			
190	10 (FEB)			
200	14 (FEB)			
210	4 (MARCH)			
220	8 (MAY)			
230	12			
240	16 (MARCH)	2.8		
250	5 (DEC)			
260	18			
270	5.6	2.7		
280	12.7	9.1		
290		9.1		
300		6.8		
310			9.9 MACHINED	
320		3.4		
33			10 - AF MACHINED (APRIL)	
350		4.7		
380			11.5 MACHINED	
400			4.5 - AF MACHINED	
410	20 (FEB)			
420			4 - AF MACHINED (FEB)	
460			10 - AF MACHINED (APRIL)	
520			10 - AF MACHINED (APRIL)	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
19.05			0.1 h10	
20		4.9		
25		3.4		
28	6.7			
30	8 (APRIL)			
35		2.5	1.1 AR k12; 0.6 h10	0.2 h8
38	8 (APRIL)	0.9		
40	8 (MARCH)	0.6		
42		4		
45		0.7		
48		3.4		
50	3 (FEB)	5	1.1 h10; 0.1 k12	
53	5 (FEB)			
55	6.5 (FEB)			
60	11 (MARCH)			
65	5.5 (MARCH)			0.5 h8
68	16 (FEB)	0.8		
70	4 (FEB)			
75	7 (MARCH)			
76.2			0.2 h10	
80	6 (FEB)			
85	8 (FEB)			
90		10		0.6 h8
95	8 (FEB)	2.4		
100		9.5		
105	3 (FEB)			
110	11			
112			12.2 k12	
115	4 (FEB)			
120	8 (APRIL)		1.6 k12	
125		13.8		
130	2 (FEB)			
140	12 (MARCH)			
150	16 (MARCH)	3 (MAY)		
160	6 (MARCH)			
170	16 (APRIL)			
180	8 (MARCH)	1.5 (MAY)		
190	4 (MARCH)			
200	8 (MARCH)			
210	14 (FEB)			
220	3 (APRIL)			
230	8 (APRIL)			
240	8.8	2		
250	2 (APRIL)			
260	8.7			
280			10 MACHINED (APRIL)	
300			10 MACHINED (APRIL)	
310			7.4 MACHINED	
320			3 MACHINED (APRIL)	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
330			7 AF MACHINED	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
10	BRIGHT	0.5	69.85	BRIGHT	0.9
11.2	COIL	7.5	70	BLACK	3 (DEC)
12	BRIGHT	0.3	75	BLACK	13 (DEC)
12.5	COIL	7.5	80	BLACK	90 (DEC)
12.7	BRIGHT	16 (3.9M)	80	PEELED	0.2
14	COIL	8.6	85	BLACK	3
15.87	BRIGHT	2 (3.7M)	88.9	PEELED	3
15.87	BRIGHT	4.3 (6M)	90	BLACK	8
16	BLACK	12	90	IH PP h10	1.5
17	COIL	22.7	100	BLACK	21
18	COIL	10.4	100	IH PP h10	0.4
19.7	COIL	22.9	105	BLACK	19 (FEB)
20	BLACK	2.5	110	BLACK	1 (FEB)
22	BRIGHT	0.25	115	BLACK	12 (MARCH)
24	BRIGHT	1.5	120	BLACK	15 (MARCH)
25.8	BRIGHT	1	125	BLACK	16 (MARCH)
26	BLACK	9.3	127	PEELED	1.2
27	BRIGHT	1	130	BLACK	12 (FEB)
27	BLACK	20 (DEC)	135	BLACK	2 (FEB)
30	BLACK	20.9	140	BLACK	14 (APRIL)
32	BLACK	17.8	145	BLACK	15.5
33	BLACK	20	150	BLACK	15 (APRIL)
34	BRIGHT	0.3	160	BLACK	11
35	BLACK	18.9	170	BLACK	9 (FEB)
36	BLACK	36	180	BLACK	9 (FEB)
39	BLACK	19.5	184.15	BLACK	10 (DEC)
40	BLACK	16	190	BLACK	2.5 (DEC)
41.27	BRIGHT	0.9	200	BLACK	11 (FEB)
42	BLACK	18	210	BLACK	2 (FEB)
45	BLACK	20 (DEC)	220	BLACK	9 (FEB)
46.5	BLACK	5.8	230	BLACK	13 (FEB)
47.6	BRIGHT	0.25	240	BLACK	7 (FEB)
48	BLACK	20 (DEC)	250	BLACK	4.8
50	BLACK	20 (DEC)	260	BLACK	3 (MARCH)
50	PG	0.1	270	BLACK	8 (APRIL)
50.75	BRIGHT	0.3	280	BLACK	16.5
52	BLACK	11	290	BLACK	15 (APRIL)
53.97	BRIGHT	0.1	300	BLACK	3.5 (JAN)
54	BLACK	25	300	MACHINED	2 (FEB)
55	BRIGHT	2.2	310	MACHINED	10 (APRIL)
55.56	BRIGHT	0.7	320	MACHINED	6.5 (APRIL)
56	BLACK	21	330	MACHINED	10 (FEB)
60	BRIGHT	3.7	340	MACHINED	4
60	BLACK	30 (DEC)	350	MACHINED	10 (FEB)
64	BLACK	16	380	MACHINED	9.7
65	BLACK	18 (DEC)	420	MACHINED	10 (JAN)
68.5	BLACK	2.5 (DEC)			

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	0.7	56	BRIGHT	1.1
6	BRIGHT	0.5 (JAN)	56	BLACK	26
7.94	BRIGHT	1	60	BLACK	20 (DEC)
9	BRIGHT	4.2	64	BLACK	8.3
10	BRIGHT	1.3	65	BLACK	9.7
11.2	COIL	25	68.5	BLACK	19.3
12	COIL	12	70	PEELED	3.5
13	COIL	16.5	70	BLACK	7.2
13.6	BRIGHT	0.8	75	BLACK	21.4
14	BRIGHT	2.4	80	BLACK	40 (DEC)
14	COIL	25	85	PEELED	1.2
14.4	BLACK	10.8	85	BLACK	13.6
14.96	BRIGHT	0.4	88.9	PEELED	0.5
16	COIL	6	90	BLACK	18
17	BRIGHT	1	95	BLACK	13
17	COIL	7.6	100	BLACK	24
18	BRIGHT	2.1	105	BLACK	10 (FEB)
19	BRIGHT	1.3	110	BLACK	22 (FEB)
19.96	BRIGHT	0.5	115	BLACK	23.5
20	BRIGHT	1.6	120	BLACK	9 (FEB)
21	COIL	39.8	125	BLACK	13.5 (APRIL)
22.22	BRIGHT	2.2	130	BLACK	6 (DEC)
24	BLACK	18	135	BLACK	4 (FEB)
26	BLACK	40 (DEC)	140	BLACK	8 (FEB)
27	BRIGHT	0.5	145	BLACK	4.3
27	BLACK	17 (DEC)	150	BLACK	5.4 (DEC)
30	BLACK	8.7	160	BLACK	2.5 (DEC)
32	BLACK	17.6	170	PEELED	2.8
33	BRIGHT	10.8	170	BLACK	3
35	BLACK	3.7	175	PEELED	1.1
36	BLACK	50 (DEC)	180	BLACK	10 (FEB)
39	BLACK	24.5	184.15	BLACK	3.9
40	BLACK	39 (DEC)	190	BLACK	4
42	BRIGHT	0.5	200	BLACK	7 (FEB)
42	BLACK	25.5	210	BLACK	5.3
45	BLACK	5.8	230	BLACK	8 (APRIL)
46	BLACK	6.7	240	BLACK	4.4
47.62	BRIGHT	0.5	250	BLACK	7.3
48	BLACK	20 (NOV)	260	BLACK	12 (FEB)
50	BLACK	8.6	300	BLACK	4 (MARCH)
52	BLACK	70 (NOV)	400	BLACK	5.5

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	35	BRIGHT	0.2
6.35	BRIGHT	4	35	BLACK	4.5
7.94	BRIGHT	1.2	36	BRIGHT	0.35
8	BRIGHT	1.7	36	BLACK	16
9	COIL	8.9	38.1	BRIGHT	0.5
9.52	BRIGHT	1.2	39	BRIGHT	2
10	BRIGHT	2.7	39	BLACK	0.2
11.2	COIL	8.9	40	BLACK	8
12	BLACK	0.5	40	PG	1.1
12	BRIGHT	1.5	42	BLACK	8.7
12.5	COIL	2.9	44.45	BRIGHT	1.2
12.7	BRIGHT	2.2	45	BRIGHT	1.6
13	COIL	1.5	48	BLACK	7.3
14	COIL	4.4	52	BLACK	14.5
15.87	BRIGHT	0.9	55	BRIGHT	3.7
16	BRIGHT	1.5	56	BRIGHT	0.3
16.97	BRIGHT	0.4	57.15	BRIGHT	1.7
18	COIL	2.9	60	BLACK	1.6
19.7	COIL	16.6	63.5	BRIGHT	2.5
20	BRIGHT	1.5	64	BLACK	8
20	BLACK	8	65	BLACK	11
21.7	BLACK	4.2	68.5	BLACK	15.5
22	BRIGHT	0.2	75	BLACK	1.7
24	BLACK	4.3	80	PEELED	1.7
24	BRIGHT	0.8	80	BLACK	25.4
24.96	BRIGHT	0.3	85	BLACK	3
25	PG h8	0.5	90	BLACK	3
26	BLACK	5.5	95	BLACK	8.7
27	BLACK	4	105	BLACK	10.5
27	BRIGHT	0.25	115	BLACK	6.7
28.57	BRIGHT	0.6	120	BLACK	8 (FEB)
30	BRIGHT	5.8	120	PEELED	0.5
30	BLACK	1.3	125	BLACK	1.7
32	BLACK	25 (DEC)	127	PEELED	0.5
33	BLACK	12.8	135	BLACK	6.7
33	BRIGHT	0.5	152.4	PEELED	1.6
34.92	BRIGHT	2	160	BLACK	1.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.2	65	BLACK	4
20	BLACK	0.3	70	BLACK	13.1
21	BLACK	3.4	75	BLACK	5.3
23	BLACK	6.8	80	BLACK	4.3
24	BLACK	0.4	85	BLACK	5.8
26	BLACK	0.25	90	BLACK	1.3
27	BLACK	1.5	95	BLACK	8.7
30	PEELED k12	0.25	100	BLACK	2.5 (DEC)
30	BLACK	0.5	105	BLACK	5 (APRIL)
33	BLACK	5.3	110	BLACK	1.3
36	BLACK	9.9	120	BLACK	0.5
39	BLACK	7.3	130	BLACK	7.5 (FEB)
40	BLACK	8.7	140	BLACK	0.7
42	BLACK	8.5	150	BLACK	1.7
45	BLACK	5.5	160	BLACK	6 (MARCH)
47.5	PEELED h10	1	170	BLACK	6.4
50	BLACK	11.6 (APRIL)	180	BLACK	8 (APRIL)
60	BLACK	6.4	190	BLACK	5.4
			230	BLACK	6 (APRIL)

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION		TONNES
EN36A			EN26			
14	ANN PLD	1.7 (FEB)	27	Q&T		2
18	ANN PLD	2.3 (FEB)	32	AR		8 (FEB)
40	ANN PLD	1.2 (FEB)	32	Q&T		1.2
42	ANN PLD	3.8 (FEB)	32	Q&T PEELED		0.3
45	ANN PLD	1.2 (FEB)	35	Q&T		7
51.5	ANN PLD	7 (FEB)	38	Q&T		2.8
65	ANN PLD	3 (FEB)	40	AR		4
66	ANN PLD	5 (FEB)	40	Q&T		3
70	ANN PLD	4 (FEB)	45	Q&T		8.3
75	ANN PLD	1.3 (FEB)	47	AR		8 (APRIL)
80	ANN PLD	4 (JUNE)	47	Q&T		0.6
85	ANN PLD	2 (FEB)	48	AR		0.8
90	ANN PLD	4.7 (FEB)	53	AR		10 (APRIL)
92	ANN PLD	0.3	60	AR		7 (FEB)
97	ANN PLD	1.7 (FEB)	65	AR		7.7 (FEB)
100	ANN PLD	1.8 (DEC)	70	AR		7.5 (FEB)
102	ANN PLD	2 (FEB)	75	AR		4.5 (FEB)
105	ANN PLD	2 (DEC)	75	Q&T		5
110	ANN PLD	3.5 (JAN)	80	AR		8 (APRIL)
120	ANN PLD	1 (DEC)	80	Q&T		2.6
130	ANN PLD	2.5 (FEB)	85	Q&T		3
140	ANN PLD	2 (JAN)	88.9	Q&T PEELED		0.5
150	ANN PLD	2.8	90	AR		8 (FEB)
152	ANN PLD	2 (FEB)	90	Q&T		1.5
163	ANN PLD	1.6	95	AR		4 (DEC)
170	ANN PLD	3.3 (JAN)	100	AR		5.2 (DEC)
175	ANN PLD	0.5	105	AR		2 (FEB)
180	ANN PLD	2.1	105	Q&T		8.9
210	ANN PLD	1.7 (JUNE)	110	AR		4.2
220	ANN PLD	2.3 (FEB)	115	AR		1.3
			115	Q&T		2.3
			120	Q&T		2.5
			125	Q&T		5.3
			130	AR		3 (FEB)
			135	Q&T		1.5
			140	Q&T		6.5
			150	Q&T		1.5
			160	AR		8 (APRIL)
			170	AR		10 (APRIL)
			180	AR		6 (JAN)
			190	Q&T		5.3
			200	Q&T		4.3
			210	Q&T		6.8
			220	AR		2.3 (DEC)
			230	AF MACHINED		6.5 (APRIL)
			260	AF MACHINED		10 (APRIL)
			310	AF MACHINED		5 (APRIL)

EN39B

30 ANN BLACK 0.7

EN25

47 ANN 0.6
65 AR 0.5

GRADE 300 PLUS

22 BLACK 0.7
75 BLACK 4.3
90 BLACK 2

XK1320

20 BLACK 2 (APRIL)
22 BLACK 2 (APRIL)
24 BLACK 5.8 (APRIL)
42 BLACK 8 (APRIL)
90 BLACK 3

17CrNiMo6

33 ANN PLD k12 2 (FEB)
34.5 ANN PLD k12 2.7 (FEB)
39 ANN PLD k12 2 (FEB)
51.5 ANN PLD k12 2 (FEB)
55.5 ANN PLD k12 0.3
65 ANN PLD k12 0.3
70 ANN PLD k12 3.5 (FEB)
82 ANN PLD k12 0.3
87 ANN PLD k12 6
102 ANN PLD k12 6.4
105 ANN BLK 2.8 (JAN)
106 ANN PLD k12 6 (JAN)
127 ANN PLD k12 3.5 (JAN)
146 ANN PLD k12 0.9 (JAN)
160 ANN BLK 3 (JAN)
175 ANN PLD k12 1.3
185 ANN PLD k12 6.9

1141

20 BLACK 5

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	2.5	45	BLACK	24 (DEC)
6.35	BRIGHT	2	45	BRIGHT	7.5
7.14	BRIGHT	0.7	46	BLACK	3.5
7.94	BRIGHT	0.5	48	BLACK	33
9	BRIGHT	4	50	BLACK	8.5
10	COIL	1.5	50.8	BRIGHT	3
11.2	COIL	7.7	52	BLACK	22 (DEC)
12	BRIGHT	2	55	BRIGHT	1.2
12	COIL	5 (DEC)	56	BLACK	10
12.2	BRIGHT	4.2	56	BRIGHT	0.2
12.7	BRIGHT	7.3	57.15	BRIGHT	3.3
14	COIL	4.4	60.32	BRIGHT	1.6
14	BRIGHT	0.7	64	BLACK	9.8
14.29	BRIGHT	1.4	65	BRIGHT	0.6
15.87	BRIGHT	3.4	65	BLACK	1.6
16	COIL	13	66.67	BRIGHT	1
17	BRIGHT	0.5	68.5	BLACK	18
17	COIL	24	69.85	PEELED	1.4
17.46	BRIGHT	1.6	70	PEELED	2
18	BRIGHT	0.8	70	BLACK	2
19.05	BRIGHT	4.7	75	PEELED	1
19.7	COIL	4.5	75	BLACK	16
20	COIL	26	76.2	PEELED	3.1
20	BRIGHT	3.3	80	BLACK	17
20.64	BRIGHT	0.3	82.55	PEELED	0.4
21.7	COIL	24.4	85	BLACK	4
24	BRIGHT	2	88.9	PEELED	2.6
24	BLACK	34.6	90	PEELED	8
26	BLACK	6.8	95	BLACK	2
27	BLACK	20 (DEC)	95	PEELED	2
28	BRIGHT	0.5	95.25	PEELED	2.3
30	BLACK	30 (DEC)	100	BLACK	9.3
32	BLACK	10	101.6	BRIGHT	0.5
32	BRIGHT	0.4	105	BLACK	11 (FEB)
33	BLACK	4.3	110	PEELED	1.6
35	BLACK	10.5	114.3	PEELED	1.2
36	BLACK	5.6	115	BLACK	0.9
38.1	BRIGHT	3.8	120	PEELED	1.6
39	BLACK	6.5	120	BLACK	1
40	BLACK	14	125	BLACK	0.7
41.27	BRIGHT	1.2	135	BLACK	8 (APRIL)
42	BRIGHT	0.3	139.7	PEELED	0.9
42	BLACK	1.8	145	BLACK	2.5

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
8	BRIGHT	4.4	27	COIL	8.5 (FEB)
9	BRIGHT	6	28.5	BLACK	10
9.52	BRIGHT	1.5	29	COIL	15
10	BRIGHT	0.2	30	BLACK	1.5
11.11	BRIGHT	0.9	33	BLACK	9.6
11.2	COIL	7.6	33.34	BRIGHT	0.75
12	BRIGHT	2.2	34.92	BRIGHT	1.3
12.7	BRIGHT	0.5	35	BRIGHT	1.7
13	COIL	2	36	BLACK	6.3 (DEC)
14	COIL	2.6	40	BLACK	8.5 (APRIL)
16	BRIGHT	2	43	BLACK	16.3
16	COIL	7.7	44.45	BRIGHT	1.5
17	COIL	13 (FEB)	46.5	BLACK	10 (DEC)
17.46	BRIGHT	1	52	BLACK	14 (JAN)
18	BRIGHT	1.5	57.15	BRIGHT	0.6
19	COIL	8	60	BLACK	9.7 (JAN)
20	COIL	6	60	BRIGHT	0.3
20	BRIGHT	0.2	63.5	BRIGHT	1.7
21	COIL	15 (FEB)	63.5	BLACK	2.75
23	COIL	9	65	BLACK	11.7
24	BLACK	17.7	73	BLACK	7 (MARCH)
25	BLACK	20	80	BLACK	10 (JAN)
25	BRIGHT	0.7	85	BLACK	12.9
			101.6	PEELED	0.2

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
19.05	Q&T	0.5	25	IH	0.1
28.58	Q&T	0.25	50	IH	2
36	Q&T	1.7	56	IH	1.1
40	Q&T	0.5	69.85	IH	0.1
44.45	Q&T CR3	0.9	70	IH	1.4
50.8	Q&T	0.3	75	IH	1
63	Q&T	2.2	76.2	IH	0.2
88.9	Q&T	4.4	90	IH	0.3
95.25	Q&T	2.1	101.6	IH	0.4
100	Q&T	0.3			

1045			1045 INDUCTION HARDENED		
15.87	AR	2.2	22	IH	0.8
20	AR	0.4	22.22	IH	0.3
22	AR	0.3	31.75	IH	0.6
22.22	AR	0.5	40	IH	0.2
28.57	AR	0.4	45	IH	1
30	AR	3	57.15	IH	0.5
31.75	AR	4.3	60	IH	0.3
32	AR	1	69.85	IH	0.5
36	AR	1.1	70	IH	0.9
40	AR	0.7	80	IH	0.6
48.7	AR	0.6	82.55	IH	0.4
50	AR	1.7	85	IH	0.25
53.98	AR	0.3	90	IH	1
55	AR	0.3	95.25	IH	1
56	AR	1.2	100	IH	0.3
60	AR	1.4			
65	AR	0.6			
69.85	AR	0.7			
70	AR	2			
80	AR	2.7			
85	AR	0.5			
95.25	AR	1.2			
100	AR	0.3			
105	AR	0.4			
125	AR	0.5			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
20 HEX	Q&T DRAWN	0.2	19.05 HEX	DRAWN	0.5
22.22 HEX	Q&T DRAWN	0.2	25.4 HEX	DRAWN	0.75
25 HEX	AR BLACK	0.3	28.57 HEX	DRAWN	1.6
25 HEX	Q&T BLACK	0.4	31.75HEX	DRAWN	1.3
27 HEX	Q&T DRAWN	0.4	36 HEX	DRAWN	0.75
28.58 HEX	Q&T DRAWN	2.4	37.5 HEX	BLACK	3.8
30 HEX	Q&T BLACK	0.6	38.1 HEX	DRAWN	1.6
34.92 HEX	Q&T DRAWN	0.7	39.5 HEX	BLACK	8.6
36 HEX	Q&T DRAWN	2.9	44.45 HEX	DRAWN	1.1
37.5 HEX	Q&T BLACK	0.5	47.5 HEX	BLACK	0.5
37.5 HEX	AR BLACK	10 (FEB)	50.8 HEX	DRAWN	0.9
39.5 HEX	AR BLACK	7 (MARCH)	52.5HEX	BLACK	7.2
44.5 HEX	Q&T BLACK	0.8			
47.5 HEX	Q&T BLACK	1.1			
50.8 HEX	Q&T DRAWN	0.25			
57.15 HEX	Q&T DRAWN	0.6			
58.5 HEX	Q&T BLACK	0.3			
63.5 HEX	Q&T DRAWN	1			
65 HEX	AR BLACK	9 (MARCH)			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
11.11 HEX	DRAWN	2.8	10 HEX	DRAWN	0.4
12.7 HEX	DRAWN	3	11.11 HEX	DRAWN	1.4
14.28 HEX	DRAWN	0.5	17 HEX	DRAWN	1.8
15.87 HEX	DRAWN	2.9	18.03 HEX	DRAWN	0.2
16 HEX	DRAWN	0.3	19 HEX	DRAWN	0.3
17.46 HEX	DRAWN	4.3	22 HEX	DRAWN	0.5
20.64 HEX	DRAWN	2.3	23.81 HEX	DRAWN	0.3
22.22 HEX	DRAWN	2	28.5 HEX	BLACK	8.5 (MARCH)
23.81 HEX	DRAWN	0.4	30 HEX	BLACK	12.4 (DEC)
24 HEX	DRAWN	0.4	30 HEX	DRAWN	1.7
25 HEX	DRAWN	0.4	33 HEX	BLACK	1.2
26.99 HEX	DRAWN	1.4	37.5 HEX	BLACK	22 (MARCH)
28.57 HEX	DRAWN	0.9	39.5 HEX	BLACK	4.8
30 HEX	BLACK	5.5	44.5 HEX	BLACK	8.4
34.92 HEX	DRAWN	1.5	47.5 HEX	BLACK	10.8
37.5 HEX	BLACK	3.8	47.62 HEX	DRAWN	0.2
39.5 HEX	BLACK	2 (JAN)	49 HEX	BLACK	1.5
47.24 HEX	DRAWN	0.5	50 HEX	DRAWN	1.2
47.5 HEX	BLACK	8 (MARCH)	53.5 HEX	BLACK	16 (APRIL)
50 HEX	DRAWN	0.3	55 HEX	DRAWN	0.5
52.07 HEX	DRAWN	0.2	57 HEX	BLACK	1.9
57 HEX	BLACK	8 (MARCH)	57.15 HEX	DRAWN	0.4
61.21 HEX	DRAWN	1.7	58.5 HEX	BLACK	5
63 HEX	BLACK	1.8	63.5 HEX	DRAWN	0.8
70 HEX	DRAWN	1.8	65 HEX	BLACK	5.4
75 HEX	DRAWN	4.2 (FEB)	65 HEX	DRAWN	1
76.2 HEX	DRAWN	7.9 (FEB)	70 HEX	DRAWN	7.3 (FEB)

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
9.52 SQUARE	DRAWN	0.25 (JAN)	20 SQUARE	BLACK	2.4
12.7 SQUARE	DRAWN	0.25	28.58 SQUARE	DRAWN	0.2
15.88 SQUARE	DRAWN	0.4	30 SQUARE	BLACK	3.8
16 SQUARE	DRAWN	0.5	31.75 SQUARE	DRAWN	3.1
20 SQUARE	BLACK	7.4	32 SQUARE	DRAWN	0.5
22.22 SQUARE	DRAWN	4	33 SQUARE	BLACK	2.7
25 SQUARE	DRAWN	0.25	38.1 SQUARE	DRAWN	0.8
25.4 SQUARE	DRAWN	0.7 (DEC)	40 SQUARE	BLACK	6.8
28.57 SQUARE	DRAWN	2 (DEC)	45 SQUARE	BLACK	37.7
31.75 SQUARE	DRAWN	0.2	50 SQUARE	BLACK	5
38.1 SQUARE	DRAWN	5.5	52 SQUARE	BLACK	11
40 SQUARE	DRAWN	0.5 (DEC)	63 SQUARE	BLACK	13.3
40 SQUARE	BLACK	3.5	75 SQUARE	BLACK	8.2
44.45 SQUARE	DRAWN	5	100 SQUARE	BLACK	14.2
50 SQUARE	DRAWN	1	130 SQUARE	BLACK	1.5 (DEC)
52 SQUARE	BLACK	6.7	160 SQUARE	BLACK	1.2
57.15 SQUARE	DRAWN	1			
63.5 SQUARE	DRAWN	0.2			
88.9 SQUARE	DRAWN	0.2			
90 SQUARE	DRAWN	0.2			
100 SQUARE	DRAWN	1.2			
101.6 SQUARE	DRAWN	0.8 (DEC)			
1020			4140		
15.88 SQUARE	DRAWN	0.9	28.58 SQUARE	Q&T DRAWN	0.6
19.05 SQUARE	DRAWN	0.5	30 SQUARE	Q&T	4
20 SQUARE	DRAWN	1 (MARCH)	32 SQUARE	AR	4
25 SQUARE	DRAWN	1 (MARCH)	32 SQUARE	Q&T	5
25.4 SQUARE	DRAWN	0.5	38.1 SQUARE	Q&T DRAWN	0.9
30 SQUARE	DRAWN	0.5 (DEC)	40 SQUARE	AR	6.5
31.75 SQUARE	DRAWN	1 (JAN)	40 SQUARE	Q&T	1.3
38.1 SQUARE	DRAWN	0.6	50 SQUARE	AR	7.4
40 SQUARE	BLACK	12.7	50 SQUARE	Q&T	2.7
40 SQUARE	DRAWN	0.7 (JAN)	75 SQUARE	AR	12.2
44.45 SQUARE	DRAWN	1	100 SQUARE	AR	4.5 (MARCH)
45 SQUARE	DRAWN	0.2	110 SQUARE	AR	2.8
50 SQUARE	DRAWN	2.7			
50.8 SQUARE	DRAWN	1.4			
52 SQUARE	BLACK	7.5			
63.5 SQUARE	DRAWN	2			
65 SQUARE	DRAWN	1			
75 SQUARE	DRAWN	0.6 (JAN)			
76.2 SQUARE	DRAWN	1.2 (MARCH)			
88.9 SQUARE	DRAWN	0.3			
90 SQUARE	DRAWN	0.6 (MARCH)			
100 SQUARE	DRAWN	1 (MARCH)			
101.6 SQUARE	DRAWN	0.7 (MARCH)			
114.3 SQUARE	DRAWN	1.4			
127 SQUARE	DRAWN	1			
150 SQUARE	DRAWN	3.9			
			12L14		
			44.45 SQUARE	AR	2

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
M1020			M1020		
20x5	DRAWN	0.5 (JAN)	50.8x38.1	DRAWN	0.5
20x7	DRAWN	0.3	75x10	DRAWN	0.5 (JAN)
20x10	DRAWN	0.25	75x15	DRAWN	0.7 (FEB)
25x5	DRAWN	0.2	75x20	DRAWN	0.5 (JAN)
25x10	DRAWN	1 (JAN)	75x25	DRAWN	1.5 (MARCH)
25x15	DRAWN	0.25 (JAN)	75x50	DRAWN	1.2 (JAN)
25x16	DRAWN	0.25	76.2x12.7	DRAWN	0.5
25x20	DRAWN	0.5	76.2x31.75	DRAWN	0.3
25.4x6.35	DRAWN	0.2	76.2x50.8	DRAWN	0.5
30x10	DRAWN	1	88.9x50.8	DRAWN	2.5
32x10	DRAWN	0.7 (JAN)	100x10	DRAWN	0.5 (MARCH)
32x15	DRAWN	0.9	100x12	DRAWN	0.5
32x20	DRAWN	0.25	100x15	DRAWN	0.2
32x25	DRAWN	0.5	100x20	DRAWN	0.2
38.1x12.7	DRAWN	0.25	100x25	DRAWN	1.1 (MARCH)
40x7	DRAWN	0.7	100x40	DRAWN	0.5 (MARCH)
40x15	DRAWN	0.7 (FEB)	100x50	DRAWN	1 (MARCH)
40x20	DRAWN	1.2 (MARCH)	101.6x38.1	DRAWN	0.4
40x25	DRAWN	0.7 (FEB)	101.6x50.8	DRAWN	1 (DEC)
44.45x31.75	DRAWN	0.2	101.6x76.2	DRAWN	0.5 (FEB)
50x7	DRAWN	0.2	150x12	DRAWN	0.3
50x10	DRAWN	0.7 (JAN)	150x20	DRAWN	0.7 (MARCH)
50x12	DRAWN	0.25	150x25	DRAWN	0.7 (MARCH)
50x15	DRAWN	6.7	150x50	DRAWN	1.1 (MARCH)
50x20	DRAWN	1.5 (JAN)	152.4x25.4	DRAWN	0.4
50x40	DRAWN	1.3 (MARCH)			

1004B		
16x5	DRAWN	2
32x5	DRAWN	3.2
40x5	DRAWN	4.5

U1010		
25x7	DRAWN	2.2

1214 (230M07)		
50.8x38.1	DRAWN	0.25

1045		
32x10	BLACK	3.6

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x32	AR	1.8 (FEB)	118x80	AR	3.9
56x36	AR	1 (JAN)	118x90	Q&T	2.9
63x32	AR	8.3 (FEB)	119.6x56	Q&T	0.8
63x40	AR	1 (FEB)	125x71	AR	5 (APRIL)
63x45	AR	3.5 (JAN)	125x80	Q&T	2.2
71x36	AR	2 (FEB)	125x100	Q&T	2.8
71x45	Q&T	1.3	130x75	Q&T	0.9
71x50	Q&T	3.5	131.7x97.1	AR	0.8
75x40	AR	4.5 (FEB)	132x71	Q&T	0.8
75x45	Q&T	4	132x80	ANN	1.3
80x40	AR	3.3	132x80	AR	2
80x50	AR	0.5 (FEB)	132x80	Q&T	0.5
85x45	AR	4.5 (APRIL)	132x90	AR	3 (FEB)
90x40	AR	1	135x85	Q&T	3.7
90x45	AR	4.5	140x60	Q&T	1.3
90x50	AR	1.8	140x100	AR	3.5 (APRIL)
90x63	AR	2 (APRIL)	150x114	Q&T	2.8
95x45	Q&T	2.2	160x90	AR	1.5
95x50	AR	3.7 (FEB)	160x90	Q&T	4.3
95x63	AR	4 (FEB)	160x112	AR	4.4
100x56	Q&T	4	160x116	Q&T	1.4
100x71	Q&T	3.3	170x100	AR	3.5 (APRIL)
106x56	AR	1.3	180x125	Q&T	0.5
106x63	AR	5 (APRIL)	190x132	Q&T	0.6
106x71	Q&T	1.6	200x112	AR	4 (APRIL)
112x63	AR	2.5 (FEB)	200x140	Q&T	3.9
112x80	AR	2 (FEB)	225x140	AR	9.3
118x63	AR	6 (FEB)	225x140	Q&T	3

MECAPLUS 470

30x20	AR	1
-------	----	---

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
47.62x38.1	18 (FEB)	114.3x101.6	136 (FEB)
50.8x38.1	78 (MARCH)	120x100	29 (FEB)
57.15x44.45	36 (FEB)	120.65x101.6	28 (FEB)
60x50	36 (FEB)	127x101.6	18 (FEB)
60.32x50.8	22 (FEB)	127x114.3	44 (FEB)
63.5x50.8	19 (FEB)	139.7x127	30 (FEB)
69.85x57.15	8	146.05x127	47 (FEB)
70x55	18 (FEB)	150x125	15 (FEB)
72x60	23 (FEB)	152.4x127	32
76.2x63.5	80 (FEB)	152.4x139.7	14 (FEB)
82x70	30 (FEB)	165.1x152.4	7 (FEB)
82.55x63.5	42 (FEB)	168.2x152.4	43
82.55x69.85	51 (FEB)	170x140	12 (FEB)
88.9x76.2	65 (FEB)	171.45x152.4	14 (FEB)
95x80	93	180x150	22
95.2x76.2	6 (FEB)	190x160	27 (FEB)
95.25x82.55	8	203.2x177.8	6 (FEB)
100x80	6	210x180	20
101.6x88.9	74 (FEB)	228.6x203.2	12 (FEB)
107.95x88.9	30 (FEB)	230x203.2	19
		254x228.6	9