



P.O. Box 552
Warners Bay NSW 2282

5 Laverick Avenue
Tomago NSW 2322

STOCKLIST MARCH 2019

PAGE 2-3	4140				
PAGE 4-5	4340				
PAGE 6	1045				
PAGE 7	M1020				
PAGE 8	1030				
PAGE 9	8620				
PAGE 10-11	VARIOUS	EN36A 300 PLUS 17CrNiMo6	EN26 XK1320	EN39B 1141	EN25 XK9261S
PAGE 12	1214				
PAGE 13	12L14				
PAGE 14	CHROME	4140	1045		
PAGE 15-16	HEXAGONS	4140 12L14	1045	1214	
PAGE 17	SQUARE	1214 4140	1045 1020	12L14	
PAGE 18	FLAT	M1020 U1010	1004B	1016	
PAGE 19	HOLLOW	4140	CARBON		
PAGE 20	ST52 HYDRAULIC TUBE				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: sales@milltechmartinbright.com

www.milltechmartinbright.com

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
10			0.2 h10	
11		9.5 - COIL		
13	6.8 - COIL (JULY)			
14	8 - COIL (JUNE)	4.4 - COIL		
14.55			1 h10	
16	7.7 - COIL (MARCH)			
17.5	22 - COIL (JUNE)			
19			0.3 h10	
20	6.5 (APRIL)			
21	11.2 (MARCH)			
22	1.2	1.6	0.5 h10	
24	3.3			
25	4.5 (MAY)			
26	6			
27	32	3.8		
28	15.8 (MARCH)	7.2		
30	19	12.6		
33		8.9		
35	33	6		
36	6.8	8		
38	8 (MAY)		1.5 h10	
38.1			0.2 AR PP h10	
39	22	14.8		
40	30 (MARCH)			
42	4.4	7		
45	0.8	3.2		
46	20 (MARCH)	9.3	0.9 k12	
48	9.2			
50	0.5	18		
52	44		1 h10	
53		0.5		
54	30 (MARCH)			
55.5			1 k12	
56		2.8		
58		6		
60	25	30		
63		0.8		
64	10			
65	18 (MARCH)	11.4		
67.75			0.3	
68.5	30 (MARCH)			
69.85			1 h10	
70	20 (MARCH)	11		
73	6			
75	40 (MARCH)			
80	22.7	26		
82.55			0.25 k12	
85	3	32		

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
87			3.1 h10	
87.32				0.8 h8
90	20 (MARCH)	9.8		
95	30 (MARCH)	26		
100	14 (APRIL)			
105	70 (APRIL)			
110	18 (APRIL)			
114.3			0.5 h10	
115	15 (APRIL)			
120	36 (APRIL)			
125	6.8 (APRIL)			
130	27 (APRIL)			
132			23 AR k12 (MAY)	
135	40 (MAY)			
140	24 (MAY)			
145	14 (APRIL)			
150	18 (APRIL)			
155	18 (MAY)			
160	20 (MARCH)			
165	19 (MAY)			
170	24 (MARCH)			
180	5 (APRIL)			
185	32 (APRIL)			
190	23 (APRIL)			
200	7 (MAY)			
210	5 (MAY)			
220	16 (MAY)			
230	16 (JULY)			
240	7.6 (MARCH)			
250	14.2 (MARCH)	4.8		
260		13		
270	2.7 (MARCH)	5.4		
280	3.5	15		
290		3		
300		6.8		
310			9.9 MACHINED	
330	7		7 - AF MACHINED (JULY)	
350		4.7		
380			11.5 MACHINED	
400			5 - AF MACHINED (JULY)	
410	11.6 (MARCH)			
420			6.3 - AF MACHINED (MARCH)	
460			10 - AF MACHINED (MAY)	
520			10 - AF MACHINED (MAY)	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
19.05			0.1 h10	
20		2.9		
22		2.6		
25		2.8		
25.4				0.5 h8
28		2.1		
30	6.5 (MAY)			
35		1.7	1.1 AR k12; 0.6 h10	0.2 h8
38	6.5 (APRIL)			
40	7 (APRIL)			
42	12.5 (JULY)			
45	8 (JULY)			0.3 h8
48	7.5 (MAY)			
50	8 (MAY)	1.1		
53	12 (APRIL)			
55		4.9		
60	7 (MAY)			
65	4 (APRIL)			0.5 h8
68	8			
70	7.5 (APRIL)			
75	4.4 (APRIL)			
76.2			0.2 h10	
80	5 (MAY)			
85	8 (MAY)	0.7	0.5 k12	
90	8 (JULY)			
95	8 (MAY)	5.2		
100		3.3		
105	12 (MAY)			
112			12.7 k12	
115		0.7		
120	8 (MAY)		1.6 k12	
125		13.6		
130	7.7 (APRIL)			
140	12.7 (APRIL)			
142			1.4 k12	
150	24.2 (APRIL)			
160	12 (APRIL)			
170	12 (MAY)			
180	2.4 (APRIL)			
190	4.7 (APRIL)			
200	7.4 (APRIL)			
210	3.3	9		
220	5.6 (APRIL)			
230	5.8 (MAY)			
240		10.7		
250	2.5 (APRIL)			
260	4	8.8		
280			10 MACHINED (MAY)	
300			10 MACHINED (MAY)	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
310			7.4 MACHINED	
320			3 MACHINED (MAY)	
330			6 MACHINED (MAY)	

1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
10	BRIGHT	3.5	80	BLACK	15 (MARCH)
11.2	COIL	0.5	80	PG	0.9
12	BRIGHT	0.3	80	PEELED k12	0.2
12.5	COIL	6.5	85	BLACK	5 (MARCH)
12.7	BRIGHT	4.3 (3.9M)	85	PP h10	0.7
14	COIL	4	90	BLACK	20 (MARCH)
14	BRIGHT	0.8	90	IH PP h10	1.5
15.87	BRIGHT	2 (3.7M)	95	BLACK	1.2
15.87	BRIGHT	3 (6M)	100	IH PP h10	0.4
16	BLACK	11	105	BLACK	5 (APRIL)
17	COIL	15.8	110	BLACK	4 (MAY)
18	COIL	10	115	BLACK	10 (JUNE)
18	BLACK	10	120	BLACK	9 (JUNE)
19.05	BRIGHT	3	125	BLACK	30 (JUNE)
19.7	COIL	16	130	BLACK	16 (JUNE)
20	BLACK	1	135	BLACK	10 (JUNE)
22	BRIGHT	0.25	140	BLACK	5 (MARCH)
24	BRIGHT	1.5	145	BLACK	13.5
24	BLACK	4	150	BLACK	4 (MAY)
25.8	BRIGHT	1	160	BLACK	3.3
26	BLACK	25	170	BLACK	8 (MAY)
27	BRIGHT	1	180	BLACK	16 (JUNE)
27	BLACK	35	184.15	BLACK	10.3
30	BLACK	24 (MARCH)	190	BLACK	1.1
32	BLACK	8.8	200	BLACK	6 (MAY)
33	BLACK	6	210	BLACK	10 (MAY)
34	BRIGHT	0.3	220	BLACK	11 (MARCH)
35	BLACK	13.5	230	BLACK	10 (JULY)
36	BLACK	14.6	240	BLACK	10 (MARCH)
38	BRIGHT	0.5	250	BLACK	7 (MAY)
39	BLACK	23 (MARCH)	260	BLACK	10.6 (MARCH)
40	BLACK	30 (MARCH)	270	BLACK	7 (MAY)
42	BLACK	30 (MARCH)	280	BLACK	15.9
45	BLACK	7 (MARCH)	290	BLACK	12 (MAY)
46.5	BLACK	30 (MARCH)	300	MACHINED	4.5
47.6	BRIGHT	0.25	300	BLACK	8 (JUNE)
49.21	PG	0.2	310	MACHINED	3 (MAY)
50	BLACK	3	320	MACHINED	6 (MAY)
50	PG	0.1	330	MACHINED	12.7
50.75	BRIGHT	0.3	340	MACHINED	4
55.56	PG	0.5	350	MACHINED	10 (AUG)
55.56	BRIGHT	0.7	370	MACHINED	5 (AUG)
56	BLACK	16 (MARCH)	380	MACHINED	5
60	BLACK	16 (MARCH)	420	MACHINED	11.7
65	BLACK	15 (MARCH)	460	MACHINED	3 (AUG)
68.5	BLACK	20 (MARCH)			

M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	0.5	56	BLACK	11.8
5	BRIGHT	0.7	60	BLACK	20
9	COIL	1.7 (MARCH)	64	BLACK	12
9	BRIGHT	4.2	65	PEELED	2.6
9.52	BRIGHT	1.8	65	BLACK	17
10	BRIGHT	1.2	68.5	BLACK	19
11.11	BRIGHT	0.3	69.85	PEELED	1.4
11.2	COIL	11.9	70	BLACK	7.1
12	COIL	13.3	75	BLACK	30 (MARCH)
13	COIL	8.7	80	BLACK	2
14	BRIGHT	1.6	85	BLACK	10
14	COIL	14.8	90	BLACK	13
14.4	BLACK	7.6	95	BLACK	30 (MARCH)
14.96	BRIGHT	0.4	95.25	PEELED	0.3
15	COIL	8 (MARCH)	100	BLACK	5.8
16	COIL	12	105	BLACK	3 (APRIL)
17	BRIGHT	1	110	BLACK	7 (MARCH)
17	COIL	10	115	BLACK	2.4
19.96	BRIGHT	0.5	120	BLACK	10 (APRIL)
21	COIL	1.5	125	BLACK	12 (MAY)
24	BLACK	18	130	PEELED	1.3
25.37	BRIGHT	0.3	130	BLACK	8.9 (APRIL)
26	BLACK	11	135	BLACK	6 (MARCH)
27	BLACK	10	140	BLACK	4 (MAY)
29.97	BRIGHT	0.3	145	BLACK	2 (MAY)
30	BLACK	19.8	150	BLACK	8.7
32	BLACK	32.6	160	BLACK	7 (APRIL)
33	BRIGHT	7.2	170	PEELED	2.8
33	BLACK	25	170	BLACK	4 (MAY)
35	BLACK	4.7	175	PEELED	1.1
36	BLACK	30 (MARCH)	180	BLACK	5 (MARCH)
39	BLACK	20	184.15	BLACK	4 (MAY)
40	BLACK	30 (MARCH)	190	BLACK	2.8
41.27	BRIGHT	0.3	200	BLACK	6 (MARCH)
42	BLACK	3	210	BLACK	4.2
45	BLACK	2	220	BLACK	10 (MAY)
46	BLACK	18 (MARCH)	230	BLACK	6 (MAY)
47.62	BRIGHT	0.5	240	BLACK	2.2
48	BLACK	20 (MARCH)	250	BLACK	7.3
49.97	BRIGHT	0.7	260	BLACK	7
50	BLACK	7.6	300	BLACK	3.3 (MARCH)
52	BLACK	30 (MARCH)	400	BLACK	5.5

1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	36	BLACK	11.9
6.35	BRIGHT	4	39	BRIGHT	1
7.94	BRIGHT	1.2	39	BLACK	7.6
8	BRIGHT	1.5	40	BLACK	2
9	COIL	8.9	40	PG	1.1
9.52	BRIGHT	0.7	42	BLACK	21.8
10	BRIGHT	2.4	48	BLACK	4.6
11.2	COIL	8.9	52	BLACK	5 (MARCH)
12	BLACK	0.5	55	BRIGHT	2
12.5	COIL	1.9	57.15	BRIGHT	1
12.7	BRIGHT	1.4	60	BLACK	1.3
13	COIL	1.5	60	BRIGHT	0.6
14	COIL	4.4	64	BLACK	3.3
16.97	BRIGHT	0.4	65	BLACK	11
17	COIL	9.7	68.5	BLACK	12.4
18	COIL	2.9	75	BLACK	24
19.7	COIL	11.6	80	BLACK	16
20	BLACK	8	85	BLACK	9.4 (MARCH)
22	BRIGHT	0.2	90	BLACK	3
24	BLACK	2.6	95	BLACK	24 (MARCH)
25	PG h8	0.5	105	BLACK	9 (MARCH)
26	BLACK	22	115	BLACK	3.2
26	BRIGHT	0.3	120	BLACK	6 (MARCH)
29.97	BRIGHT	0.5	120	PEELED	0.5
31.75	BRIGHT	0.5	125	BLACK	1.7
32	BLACK	24	130	BLACK	6.8 (MAY)
33	BLACK	5.8	135	BLACK	4
34.92	BRIGHT	1.2	152.4	PEELED	1.6
35	BLACK	4.5	160	BLACK	1.7

8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2.2	60	BLACK	6
20	BLACK	0.3	65	BLACK	2
21	BLACK	1.3	70	BLACK	13.1
23	BLACK	6.7	75	BLACK	3.7
24	BLACK	0.4	76.2	PEELED	0.2
26	BLACK	0.25	80	BLACK	4.3
27	BLACK	1.4	90	BLACK	4 (MAY)
30	PEELED k12	0.25	95	BLACK	6.4
30	BLACK	0.5	100	BLACK	0.7
33	BLACK	5.3	105	BLACK	4.5 (MAY)
36	BLACK	9.4	120	BLACK	4.5
39	BLACK	7.2	130	BLACK	7 (JULY)
40	BLACK	8.4	150	BLACK	6.5
42	BLACK	7.4	160	BLACK	6.5 (APRIL)
45	BLACK	2.5	170	BLACK	6.4
46.5	BLACK	7.5 (MAY)	180	BLACK	4.5 (APRIL)
47.5	PEELED h10	1	190	BLACK	5.4
50	BLACK	4 (APRIL)	230	BLACK	5 (MAY)
56	BLACK	4.4 (APRIL)			

EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
EN36A			EN26		
20	ANN PLD	1.3 (MAY)	27	Q&T	1.1
22	ANN PLD	3 (MAY)	32	AR	6 (APRIL)
32	ANN PLD	0.5	32	Q&T PEELED	0.3
42	ANN PLD	1.8 (MAY)	35	Q&T	6.5
45	ANN PLD	0.5 (MAY)	38	Q&T	2
51.5	ANN PLD	3.7 (MAY)	40	AR	3
65	ANN PLD	3 (MAY)	45	Q&T	3.4
66	ANN PLD	4 (MAY)	47	AR	7.4 (APRIL)
70	ANN PLD	4 (MAY)	53	AR	3 (APRIL)
80	ANN PLD	4 (JUNE)	60	AR	3.6
85	ANN PLD	2 (MAY)	65	AR	0.8
90	ANN PLD	0.25	70	AR	3.8
92	ANN PLD	0.3	75	AR	3.5 (APRIL)
100	ANN PLD	1.6	75	Q&T	4.2
102	ANN PLD	3 (JUNE)	80	AR	11 (JULY)
105	ANN PLD	1	85	AR	6.3 (MAY)
110	ANN PLD	3.5	88.9	Q&T PEELED	0.5
116	ANN PLD	0.3	90	AR	7.3 (APRIL)
120	ANN PLD	1.3	90	Q&T	0.5
130	ANN PLD	3 (JUNE)	95	Q&T	15.4
140	ANN PLD	0.3	100	AR	5
152	ANN PLD	2 (JUNE)	105	AR	2 (MAY)
170	ANN PLD	3.4	105	Q&T	6.5
175	ANN PLD	0.5	110	AR	7 (JULY)
180	ANN PLD	2.1	115	AR	1.3
210	ANN PLD	1.7 (JUNE)	120	Q&T	1
220	ANN PLD	2.3 (MAY)	125	AR	7.5 (JULY)
			130	Q&T	3
			135	AR	8 (JULY)
			140	Q&T	6.5
			150	AR	6 (MAY)
			160	AR	4.3 (APRIL)
			170	AR	3.4 (APRIL)
			180	AR	8 (JULY)
			190	Q&T	4
			200	AR	8 (JULY)
			200	Q&T	1.5
			210	Q&T	4
			220	AR	5 (MAY)
			230	AF MACHINED	5 (MAY)
			260	Q&T	9.2
			300	AF MACHINED	8 (MAY)
			310	AF MACHINED	5 (MAY)

EN39B

28	ANN PLD	0.3
30	ANN BLACK	0.7

EN25

47	ANN	0.6
65	AR	0.5

GRADE 300 PLUS

22	BLACK	0.7
65	BLACK	0.8
75	BLACK	2.3
90	BLACK	2

XK1320

24	BLACK	5.5 (MAY)
42	BLACK	8 (MAY)
90	BLACK	3

17CrNiMo6

33	ANN PLD k12	5.1
34.5	ANN PLD k12	1.2
39	ANN PLD k12	5.5
51.5	ANN PLD k12	2 (MAY)
55.5	ANN PLD k12	5.8
65	ANN PLD k12	0.3
70	ANN PLD k12	1.1
82	ANN PLD k12	0.2
87	ANN PLD k12	5.9
102	ANN PLD k12	6.4
105	ANN BLK	2.6
106	ANN PLD k12	6.1
127	ANN PLD k12	0.8
160	ANN BLK	3.2
175	ANN PLD k12	1.3
185	ANN PLD k12	6.9

1141

20	BLACK	5
----	-------	---

XK9261S

22	BLACK	4.2
----	-------	-----

1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	2.3	39	BLACK	4
6.35	BRIGHT	1.7	40	BRIGHT	1
7.14	BRIGHT	0.7	40	BLACK	16
7.94	BRIGHT	0.2	42	BLACK	16.8
9	COIL	8 (MARCH)	44.45	BRIGHT	0.3
9	BRIGHT	4	45	BLACK	15.7
9.52	BRIGHT	5.3	46	BLACK	20 (MARCH)
10	COIL	4.3	48	BLACK	34.7
10	BRIGHT	10.2	52	BLACK	3
11.2	COIL	8.8	53.97	BRIGHT	2.3
12	COIL	1.5	55	BRIGHT	1.7
12.2	BRIGHT	3.2	56	BLACK	12 (MARCH)
12.5	COIL	25	56	BRIGHT	0.2
12.7	BRIGHT	6.3	60	BLACK	20 (MARCH)
14	COIL	4.4	60	BRIGHT	0.3
14.29	BRIGHT	0.2	635	BRIGHT	5
15.87	BRIGHT	0.5	64	BLACK	26.8
16	COIL	12.3	65	BLACK	16
16.2	BRIGHT	0.7	66.67	BRIGHT	1
17	BRIGHT	0.7	68.5	BLACK	3
17	COIL	23	69.85	PEELED	1.4
17.46	BRIGHT	1	70	BLACK	2
18	BRIGHT	1.9	75	BLACK	12.5
19	BRIGHT	1.1	80	BLACK	16
19.7	COIL	2.2	82.55	PEELED	0.4
20	COIL	26	85	BLACK	24
20.64	BRIGHT	0.3	90	PEELED	3
21.7	COIL	15.5	95	BLACK	2
22.22	BRIGHT	1.3	95	PEELED	24 (APRIL)
24	BRIGHT	2	95.25	PEELED	2.3
24	BLACK	14	100	BLACK	9.3
26	BLACK	12	105	BLACK	7 (MAY)
27	BLACK	10	110	PEELED	1.3
28	BRIGHT	0.5	115	BLACK	0.9
30	BLACK	12	120	PEELED	1.3
32	BLACK	22	120	BLACK	0.7
33	BLACK	17 (MARCH)	125	BLACK	0.7
35	BRIGHT	1.7	135	BLACK	6 (MAY)
35	BLACK	9.5	139.7	PEELED	0.9
36	BLACK	6	145	BLACK	2.5

12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
8	BRIGHT	4	25.4	BRIGHT	1
9	BRIGHT	6	26.99	BRIGHT	1.5
9.52	BRIGHT	1	27	COIL	22 (JULY)
11.11	BRIGHT	0.9	28.5	BLACK	10
11.2	COIL	7.3	29	COIL	6
12	BRIGHT	0.9	30	BLACK	5.8
12.7	BRIGHT	0.5	33	BLACK	17 (APRIL)
13	COIL	2	33.34	BRIGHT	0.75
14	COIL	2.6	35	BRIGHT	1.7
16	BRIGHT	1	36	BLACK	5.8
16	COIL	2.6	40	BLACK	3.7 (APRIL)
17	COIL	11.2	43	BLACK	14
17.46	BRIGHT	0.5	46.5	BLACK	7
18	BRIGHT	1.5	52	BLACK	11.6
19	COIL	5	57.15	BRIGHT	1
20	COIL	4	60	BLACK	4
20	BRIGHT	0.2	63.5	BLACK	1.7
20.64	BRIGHT	1.5	65	BLACK	9.2
21	COIL	11	73	BLACK	7 (APRIL)
23	COIL	2.7	80	BLACK	9
24	BLACK	12.6	82.55	PEELED	3
25	BLACK	17	85	BLACK	7.3
25	BRIGHT	0.4	101.6	PEELED	0.2

4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140 H&T			4140 INDUCTION HARDENED		
19.05	Q&T	0.25	25	IH	0.1
28.58	Q&T	0.25	56	IH	1.1
35	Q&T	0.5	57.15	IH	0.2
36	Q&T	1.4	65	IH	0.3
44.45	Q&T CR3	0.9	70	IH	1.4
56	Q&T	0.6	75	IH	1
57.15	Q&T	1.2	101.6	IH	0.4
57.15	Q&T CR3	2.1			
63	Q&T	0.7			
65	Q&T	1			
75	Q&T	0.7			
76.2	Q&T	1.1			
76.2	Q&T CR3	1			
82.55	Q&T	0.5			
95.25	Q&T	1.6			
114.3	Q&T	0.7			

1045			1045 INDUCTION HARDENED		
15.87	AR	2.2	22	IH	0.8
16	AR	0.5	22.22	IH	0.3
19.05	AR	1.6	25.4	IH	0.5
20	AR	3.5	31.75	IH	0.6
22	AR	0.3	40	IH	0.2
25.4	AR	0.9	44.45	IH	3.1
28	AR	0.5	45	IH	0.8
28.57	AR	0.8	50	IH	0.2
30	AR	2	57.15	IH	0.5
31.75	AR	1.4	69.85	IH	0.5
32	AR	1	70	IH	0.9
35	AR	1.4	75	IH	0.6
36	AR	1.1	80	IH	0.4
40	AR	1.8	85	IH	0.25
47.62	AR	1	88.9	IH	0.4
48.7	AR	0.6	95.25	IH	0.6
50.8	AR	4.4	100	IH	0.3
53.98	AR	0.3			
56	AR	1.1			
65	AR	0.6			
75	AR	0.2			
80	AR	1			
85	AR	0.5			
88.9	AR	2			
95.25	AR	1.2			
105	AR	0.4			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
4140			1045		
22.22 HEX	Q&T DRAWN	0.2	19.05 HEX	DRAWN	0.5
25 HEX	AR BLACK	0.3	25.4 HEX	DRAWN	0.75
25 HEX	Q&T BLACK	0.4	28.57 HEX	DRAWN	1.3
27 HEX	Q&T DRAWN	0.4	30 HEX	DRAWN	1.2
28.58 HEX	Q&T DRAWN	1.5	31.75HEX	DRAWN	1.3
30 HEX	Q&T BLACK	0.6	36 HEX	DRAWN	0.75
31.75 HEX	Q&T DRAWN	1.9	37.5 HEX	BLACK	3.8
34.92 HEX	Q&T DRAWN	0.7	38.1 HEX	DRAWN	1.6
36 HEX	Q&T DRAWN	2.9	39.5 HEX	BLACK	8.6
37.5 HEX	AR BLACK	12 (MARCH)	44.45 HEX	DRAWN	1.1
37.5 HEX	Q&T BLACK	0.5	47.5 HEX	BLACK	7.5 (SEPT)
39.5 HEX	AR BLACK	5 (MARCH)	50.8 HEX	DRAWN	0.9
44.5 HEX	Q&T BLACK	0.8	52.5HEX	BLACK	7.2
47.5 HEX	AR BLACK	9 (AUG)			
52.5 HEX	AR BLACK	9.4 (AUG)			
57.15 HEX	Q&T DRAWN	0.3			
57.5 HEX	AR BLACK	9.7 (JULY)			
58.5 HEX	Q&T BLACK	0.6			
63.5 HEX	Q&T DRAWN	1			
65 HEX	AR BLACK	8.8 (MARCH)			

4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
1214			12L14		
11.11 HEX	DRAWN	0.5	11.11 HEX	DRAWN	1.4
12.7 HEX	DRAWN	2.5	12 HEX	DRAWN	0.5
14.28 HEX	DRAWN	0.5	12.7 HEX	DRAWN	1.1
15.87 HEX	DRAWN	2.2	14 HEX	DRAWN	0.6
16 HEX	DRAWN	0.3	15.88 HEX	DRAWN	2.2
17.46 HEX	DRAWN	6.6	17 HEX	DRAWN	1.8
19.05 HEX	DRAWN	2.3	19 HEX	DRAWN	0.3
22.22 HEX	DRAWN	3.1	24 HEX	DRAWN	0.2
25 HEX	DRAWN	0.4	28.5 HEX	BLACK	9 (MARCH)
25.4 HEX	DRAWN	3.1	30 HEX	BLACK	5.3
28.57 HEX	DRAWN	1.2	30 HEX	DRAWN	0.3
30 HEX	BLACK	2	33 HEX	BLACK	10 (MARCH)
30 HEX	DRAWN	3.3	36 HEX	DRAWN	0.5
39.5 HEX	BLACK	9.5 (APRIL)	37.5 HEX	BLACK	3 (MARCH)
44.5 HEX	BLACK	7.7 (AUG)	39.5 HEX	BLACK	14 (MARCH)
47.5 HEX	BLACK	4 (MARCH)	41.27 HEX	DRAWN	0.5
50 HEX	DRAWN	0.3	44.5 HEX	BLACK	5.2
52.07 HEX	DRAWN	0.2	47.5 HEX	BLACK	3.5
52.5 HEX	BLACK	7.5 (AUG)	47.62 HEX	DRAWN	0.2
57 HEX	BLACK	4 (MARCH)	49 HEX	BLACK	0.5
61.21 HEX	DRAWN	1.2	50 HEX	DRAWN	1.2
63 HEX	BLACK	1.8	53.5 HEX	BLACK	10 (APRIL)
75 HEX	DRAWN	2.6	55 HEX	DRAWN	0.5
76.2 HEX	DRAWN	7.5	57 HEX	BLACK	1.9
			58.5 HEX	BLACK	1.4
			63.5 HEX	DRAWN	1.7
			65 HEX	BLACK	4.2
			65 HEX	DRAWN	9.9
			70 HEX	DRAWN	3

1214, 1045, 12L14, 4140, 1020 SQUARE BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
1214			1045		
9.52 SQUARE	DRAWN	0.25	19.05 SQUARE	DRAWN	1.8
12.7 SQUARE	DRAWN	0.5 (MAY)	31.75 SQUARE	DRAWN	1.3
16 SQUARE	DRAWN	0.5	32 SQUARE	DRAWN	0.4
20 SQUARE	BLACK	7.4	33 SQUARE	BLACK	2.7
20 SQUARE	DRAWN	0.5 (MAY)	38.1 SQUARE	DRAWN	0.3
22.22 SQUARE	DRAWN	3.8	38.1 RC SQUARE	DRAWN	1.6
25 SQUARE	DRAWN	0.25	40 SQUARE	BLACK	8
28.57 SQUARE	DRAWN	1.6	45 SQUARE	BLACK	26.5
38.1 SQUARE	DRAWN	5.1	50 SQUARE	BLACK	9.5
40 SQUARE	DRAWN	0.5	52 SQUARE	BLACK	11
40 SQUARE	BLACK	3.5	63 SQUARE	BLACK	10 (MARCH)
44.45 SQUARE	DRAWN	2.8	75 SQUARE	BLACK	1.8 (MARCH)
50 SQUARE	DRAWN	1	80 SQUARE	BLACK	6 (MAY)
50.8 SQUARE	DRAWN	1.1	90 SQUARE	BLACK	19 (MAY)
52 SQUARE	BLACK	5	100 SQUARE	BLACK	7 (MAY)
57.15 SQUARE	DRAWN	1	130 SQUARE	BLACK	5.5 (MARCH)
88.9 SQUARE	DRAWN	0.2	160 SQUARE	BLACK	7 (MARCH)
90 SQUARE	DRAWN	0.2			
100 SQUARE	DRAWN	1.2			
101.6 SQUARE	DRAWN	0.25			

1020			4140		
19.05 SQUARE	DRAWN	0.5	28.58 SQUARE	Q&T DRAWN	0.6
28.58 SQUARE	DRAWN	0.25 (APRIL)	30 SQUARE	Q&T	4
30 SQUARE	DRAWN	0.5 (APRIL)	32 SQUARE	AR	4
38.1 SQUARE	DRAWN	1.3	32 SQUARE	Q&T	3.7
40 SQUARE	BLACK	8.5	38.1 SQUARE	Q&T DRAWN	0.9
44.45 SQUARE	DRAWN	1	40 SQUARE	AR	5.6
45 SQUARE	DRAWN	0.25 (APRIL)	40 SQUARE	Q&T	1.3
52 SQUARE	BLACK	6.2	50 SQUARE	AR	7.4
65 SQUARE	DRAWN	0.25	50 SQUARE	Q&T	1.4
90 SQUARE	DRAWN	0.4 (MAY)	75 SQUARE	AR	5.5
100 SQUARE	DRAWN	1 (APRIL)	75 SQUARE	Q&T	6.3
114.3 SQUARE	DRAWN	1	100 SQUARE	AR	2.7 (MARCH)
150 SQUARE	DRAWN	3.3	110 SQUARE	AR	2.8

12L14		
44.45 SQUARE	AR	2

1020, 1004B, 1016, U1010 FLAT BAR

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
M1020			M1020		
20x5	DRAWN	0.5	50x7	DRAWN	0.2
20x7	DRAWN	0.3	50x10	DRAWN	0.75
25x5	DRAWN	0.2	50x15	DRAWN	6
25x10	DRAWN	0.5	50x20	DRAWN	1.3 (MARCH)
25x16	DRAWN	0.25	75x10	DRAWN	0.5
25x20	DRAWN	0.5	75x15	DRAWN	0.5 (APRIL)
25.4x6.35	DRAWN	0.2	76.2x12.7	DRAWN	0.5
30x10	DRAWN	1	76.2x31.75	DRAWN	0.3
32x10	DRAWN	0.25	76.2x38.1	DRAWN	0.2 (MARCH)
32x15	DRAWN	0.8	88.9x50.8	DRAWN	2.5
32x25	DRAWN	0.5	100x12	DRAWN	0.25
38.1x12.7	DRAWN	0.25	101.6x38.1	DRAWN	0.4
40x7	DRAWN	0.7	101.6x50.8	DRAWN	1
40x15	DRAWN	0.5 (APRIL)	150x20	DRAWN	0.5 (MAY)
40x16	DRAWN	0.2 (APRIL)	150x25	DRAWN	1.2 (MARCH)
40x20	DRAWN	0.75 (APRIL)	150x50	DRAWN	0.3 (APRIL)
44.45x31.75	DRAWN	0.2	152.4x25.4	DRAWN	0.4

1004B		
16x5	DRAWN	2
32x5	DRAWN	3.2
40x5	DRAWN	4.5

U1010		
25x7	DRAWN	2.2

1214 (230M07)		
50.8x38.1	DRAWN	0.25

1045		
32x10	BLACK	3.6

4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4140			4140		
50x25	Q&T	2.5	118x63	AR	7.6
50x32	Q&T	3.1	118x80	Q&T	3.8
56x36	AR	6.7 (APRIL)	118x90	Q&T	2.9
56x36	Q&T	0.8	119.6x56	Q&T	0.8
63x32	Q&T	9.2	125x71	AR	5.3 (APRIL)
63x40	Q&T	1.2	125x80	Q&T	1.2
63x45	Q&T	3.7	125x100	Q&T	2
71x36	Q&T	1.5	130x75	Q&T	0.9
71x45	Q&T	0.7	131.7x97.1	AR	0.8
71x50	Q&T	3.5	132x80	ANN	1.3
75x40	Q&T	3	132x90	AR	2
75x45	Q&T	4	135x85	Q&T	3.7
80x40	Q&T	0.3	140x60	Q&T	1.3
80x50	Q&T	0.7	140x100	AR	3.8 (APRIL)
85x45	AR	3.3 (APRIL)	150x80	AR	4 (MAY)
85x67	AR	5 (MAY)	150x106	AR	4.6 (MAY)
90x40	Q&T	1	150x114	Q&T	2.3
90x45	Q&T	4.6	160x90	AR	1.5
90x63	AR	1 (APRIL)	160x90	Q&T	3.6
95x45	Q&T	2.2	160x112	Q&T	4.2
95x50	Q&T	0.7	160x116	Q&T	1.4
95x60	AR	1 (JULY)	170x100	AR	2.5 (APRIL)
95x63	AR	4	200x112	AR	4.6 (APRIL)
100x56	Q&T	4	200x140	Q&T	0.8
106x63	AR	5.3 (APRIL)	225x140	AR	9.3
112x63	AR	2.8	225x140	Q&T	3
112x80	AR	1.6			

MECAPLUS 470

30x20	AR	1
-------	----	---

ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE

DIA	METERS	DIA	METERS
50.8x38.1	33 (APRIL)	120x100	12 (APRIL)
57.15x44.45	8 (APRIL)	120.65x101.6	56 (MAY)
60.32x50.8	22 (APRIL)	127x101.6	6 (APRIL)
63.5x50.8	75 (MAY)	139.7x127	28 (MAY)
69.85x57.15	20 (JULY)	146.05x127	30 (APRIL)
70x55	13	150x125	25 (MAY)
72x60	29	152.4x127	20
82.55x63.5	36	168.2x152.4	37
82.55x69.85	47 (MAY)	180x150	22
95x80	87	203x177.8	14 (MAY)
95.2x76.2	11 (MAY)	210x180	20
100x80	6	228.6x203.2	21 (MAY)
101.6x88.9	65 (MAY)	254x228.6	9
107.95x88.9	19 (MAY)		