



P.O. Box 552  
Warners Bay NSW 2282

5 Laverick Avenue  
Tomago NSW 2322

## STOCKLIST JUNE 2019

PAGE 2-3	<a href="#">4140</a>				
PAGE 4	<a href="#">4340</a>				
PAGE 5	<a href="#">1045</a>				
PAGE 6	<a href="#">M1020</a>				
PAGE 7	<a href="#">1030</a>				
PAGE 8	<a href="#">8620</a>				
PAGE 9-10	<a href="#">VARIOUS</a>	EN36A 300 PLUS 17CrNiMo6	EN26 XK1320	EN39B 1141	EN25 XK9261S
PAGE 11	<a href="#">1214</a>				
PAGE 12	<a href="#">12L14</a>				
PAGE 13	<a href="#">CHROME</a>	4140	1045		
PAGE 14-15	<a href="#">HEXAGONS</a>	4140 12L14	1045	1214	
PAGE 16	<a href="#">SQUARE</a>	1214 4140	1045 1020	12L14	
PAGE 17	<a href="#">FLAT</a>	M1020 U1010	1004B	1016	
PAGE 18	<a href="#">HOLLOW</a>	4140	CARBON		
PAGE 19	<a href="#">ST52 HYDRAULIC TUBE</a>				

ALL STOCK SUBJECT TO PRIOR SALE

PHONE: 02 4964 0100

FAX: 02 4964 9944

mobile: 0412 609 970

Email: [sales@milltechmartinbright.com](mailto:sales@milltechmartinbright.com)

[www.milltechmartinbright.com](http://www.milltechmartinbright.com)

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
8			1.1 h10	
11		6 - COIL		
13	12.8 - COIL (JULY)			
14	7 - COIL		0.5 h10	
14.28			0.5 h10	
14.55			1	
16	10 - COIL (AUG)	5 - COIL		
17.5	10 - COIL (AUG)			
20	12 (AUG)			
21	11 (JULY)			
22	6	1	0.5 h10	
24	13 (OCT)			
25	5.8	1		
26	4.5			
27	9.7	11		
28		15		
30	2	16		
32	20 (JUNE)			
33	9 (JUNE)			
35		24		
36		7		
38		9	1.5 h10	
38.1			0.2 AR PP h10	
39		20		
40	20 (JUNE)	36		
42	20 (JUNE)	3.8		
45	9	7.3		
46			0.9 k12	
48	20 (JUNE)			
50	25	5		
52	40 (JUNE)	11	1 h10	
53		0.5		
54	24			
55.5			1 k12	
56		2		
60	38	6		
63		0.8		
64	18			
65		21		
67.75			0.3	
68.5	18			
69.85			1 h10	
70		20		
75	20 (JUNE)			
80	40 (JUNE)			
82.55			0.25 k12	
85	16			
87			3.1 h10	
87.31				0.8 h8

4140				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION GROUND
90	4			
95	40 (JUNE)			
100	11 (AUG)			
105	45 (JUNE)			
110	15 (AUG)			
115	14 (AUG)			
120	24 (JULY)			
125	0.7	9.3		
130	8.5 (JULY)			
135	18	7.5		
140	21 (JUNE)			
145	13 (JUNE)			
150	27 (JUNE)			
160	57 (SEPT)			
165		19		
170		12.6		
180	31 (JUNE)			
185	3			
190		23.6		
200	14 (JUNE)			
210	5			
220	9			
230	14 (JULY)			
240	8 (OCT)	2.3		
250	2.3	5		
260		7.8		
270	2.7	2.7		
280	3.5	15		
300		6.8		
310			7.3 MACHINED	
330			11 - AF MACHINED	
350		4.7	10 - AF MACHINED (SEPT)	
400			5 - MACHINED	
410	10 (SEPT)	8.5	10 - AF MACHINED (SEPT)	
460			6.9 - AF MACHINED	
520			9.7 - AF MACHINED	

4340				
DIA	AS ROLLED	QUENCH & TEMPERED	QUENCH & TEMPERED BRIGHT	QUENCH & TEMPERED PRECISION
19.05			0.1 h10	
20		1		0.5 h8
22		1		
25		1.3		
25.4				0.5 h8
30		1		
35	5 (AUG)		0.6 h10	0.2 h8
38	6.8 (OCT)			
40	6.5 (OCT)			
42	10 (JUNE)			
45	6.7 (JUNE)			0.3 h8
48	6.3			
50	5.3 (MAY)			
50.8			0.5 h10	
53	14.5 (AUG)	1.5		
55		3.2		
60	8 (JUNE)			
65	12.5 (AUG)			
68	7.5 (AUG)			
70		3.5		
75	8 (AUG)			
80	5 (AUG)			
85	3.2		0.5 k12	
90	1 (JUNE)			
95	3 (JUNE)			
100	8 (AUG)	2		
105	4.4			
112			9.5 k12	
115	4 (AUG)			
120		3.7	0.5 k12	
125		12		
130		1.8		
140	2.9			
142			1.4 k12	
150		14.6		
160	6			
180	9.5 (AUG)			
184.15	3 (SEPT)			
190	1.6 (JUNE)			
200	6.5 (SEPT)			
210		10		
220		3.9		
230		3.9		
240		8.6		
250	8 (OCT)			
260		13		
280			8 MACHINED	
300			12.9 MACHINED	
310			7.4 MACHINED	

## 1045 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
10	BRIGHT	2.5	65	BLACK	22.5
12	BRIGHT	3.7	68.5	BLACK	23
12.5	COIL	3	70	PP h10	1.5
12.7	BRIGHT	0.6	70	IH PP h10	1
12.76	BRIGHT	2	70	BLACK	23
14	COIL	20	75	BLACK	20 (JUNE)
14.29	BRIGHT	1.6	76.2	PP h10	1
15.87	BRIGHT	2 (3.7M)	80	PG	0.9
16	COIL	1.5	80	PEELED k12	0.2
16.26	BRIGHT	0.5	80	PP h10	2.1
17	COIL	7.7	80	BLACK	10
18	COIL	11	80.96	PG	0.2
18	BLACK	10	85	BLACK	13
19.05	BRIGHT	1.6	85	PP h10	1
19.7	COIL	8.7	90	IH PP h10	1.5
20	BRIGHT	4.6	90	BLACK	14 (JUNE)
20	BLACK	11 (JUNE)	95	PP h10	1.6
21.7	BRIGHT	12 (JUNE)	95	BLACK	4.6
24	BRIGHT	1	105	BLACK	34 (SEPT)
24	BLACK	34	110	BLACK	7 (JUNE)
25.8	BRIGHT	1	115	BLACK	7 (JUNE)
26	BLACK	15	120	BLACK	12 (JUNE)
27	BLACK	6	125	BLACK	12 (JUNE)
28.57	BRIGHT	4	130	BLACK	3.5
30	BLACK	27	135	BLACK	16 (OCT)
32	BLACK	24.5	140	BLACK	8 (OCT)
33	BRIGHT	1.6	145	BLACK	10.6
33	BLACK	30 (JUNE)	150	BLACK	4.2
34	BRIGHT	0.3	160	BLACK	6 (AUG)
35	BLACK	11.2	170	BLACK	7 (OCT)
36	BLACK	14.5	180	BLACK	7.2
38	BRIGHT	0.5	184.15	BLACK	10.3
39	BLACK	20.8	190	BLACK	5.2
40	BLACK	36.5	200	BLACK	2.8
41.27	BRIGHT	0.7	210	BLACK	8 (OCT)
42	BRIGHT	3.2	220	BLACK	14.8
42	BLACK	32	230	BLACK	2 (OCT)
44.45	BRIGHT	2.2	250	BLACK	7.3
45	BLACK	19.6	260	BLACK	3
48	BLACK	6.9	270	BLACK	2 (OCT)
49.21	PG	0.2	280	BLACK	8 (OCT)
50	BLACK	6	290	BLACK	10 (JUNE)
50	PG	0.1	300	MACHINED	6
52	BLACK	30 (JUNE)	300	BLACK	3.4
53.97	BRIGHT	0.1	310	MACHINED	3.5
54	BLACK	4	320	MACHINED	3.2
55.56	BRIGHT	0.7	330	MACHINED	12.7
56	BLACK	2.7	350	MACHINED	10 (AUG)
57.15	BRIGHT	0.8	370	MACHINED	5 (AUG)
60	BLACK	5.5	380	MACHINED	4.8
64	BLACK	30 (JUNE)	420	MACHINED	11.7

## M1020 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
4.76	BRIGHT	1 (SEPT)	52	BLACK	30 (JUNE)
5	BRIGHT	0.7	56	BLACK	13
6	BRIGHT	5 (SEPT)	60	BLACK	10
6.35	BRIGHT	2.8 (SEPT)	63.5	PEELED	1
7.94	BRIGHT	1.2	64	BLACK	15
8	BRIGHT	2.3	65	BLACK	3.3
9	COIL	3 (JUNE)	68.5	BLACK	29
9	BRIGHT	4.2	69.85	PEELED	1.3
11.11	BRIGHT	1.3	70	BLACK	7.1
11.2	COIL	2.4	75	BLACK	27.8
12	COIL	8.9	80	BLACK	9
13	COIL	28 (JUNE)	82.55	PEELED	1.2
14	BRIGHT	1.3	85	BLACK	5.8
14	COIL	6.5	88.9	PEELED	0.6
14.96	BRIGHT	0.4	90	BLACK	4.5
15	COIL	10	95	BLACK	34
15	BRIGHT	1	100	PEELED	5.6
16	BRIGHT	0.3	100	BLACK	12
16	COIL	5.9	105	BLACK	30
17	BRIGHT	1	110	BLACK	23
17	COIL	13	115	BLACK	10 (SEPT)
19.7	COIL	20 (JUNE)	120	BLACK	2 (AUG)
19.96	BRIGHT	0.5	125	BLACK	14
22	BRIGHT	1	130	BLACK	2 (AUG)
24	BLACK	8.6	135	BLACK	9 (JUNE)
25.37	BRIGHT	0.3	140	BLACK	15.3
26	BLACK	20 (JUNE)	145	BLACK	5 (JULY)
27	BLACK	15	150	BLACK	11.5
28.57	BRIGHT	1	160	BLACK	4
29.97	BRIGHT	0.3	170	PEELED	2.8
30	BLACK	9 (JUNE)	170	BLACK	12 (JUNE)
32	BLACK	17	175	PEELED	1.1
33	BLACK	20 (JUNE)	180	BLACK	3.5
35	BLACK	2.7	184.15	BLACK	1.2
36	BLACK	20 (JUNE)	190	BLACK	1.3
39	BRIGHT	0.9	200	BLACK	89
39	BLACK	8.6	210	BLACK	7
40	BLACK	17	220	BLACK	11
42	BRIGHT	2.2	230	BLACK	4
42	BLACK	25	240	BLACK	13.3
45	BLACK	20	250	BLACK	7.3
46	BLACK	5	260	BLACK	8 (OCT)
48	BLACK	2.6	300	BLACK	3.4
50	BLACK	5.7	400	BLACK	5.5

## 1030 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	3.2	35	BRIGHT	1.1
6.35	BRIGHT	4	35	BLACK	4.5
7.94	BRIGHT	1.2	36	BLACK	7.9
8	BRIGHT	1.2	39	BRIGHT	1
9	COIL	8.9	39	BLACK	11.6
9.52	BRIGHT	0.7	40	BRIGHT	1.4
10	BRIGHT	2.4	40	PG	1.1
11.2	COIL	8.9	40	BLACK	17
12	BRIGHT	1.7	42	BLACK	14.7
12	BLACK	0.5	45	BRIGHT	2.4
12.7	BRIGHT	2.3	52	BLACK	18
14	COIL	1.5	55	BRIGHT	0.5
15.87	BRIGHT	0.8	56	BRIGHT	1
16.97	BRIGHT	0.4	57.15	BRIGHT	0.7
17	COIL	4.4	64	BLACK	20 (JUNE)
18	COIL	2.9	65	BLACK	11
19.05	BRIGHT	2.4	68.5	BLACK	9
19.7	COIL	2.8	75	BLACK	15.8
20	BLACK	8	80	BLACK	6.8
21.7	BLACK	3	82.55	PEELED	0.5
22	BRIGHT	0.2	85	BLACK	5.2
24	BRIGHT	1.1	90	BLACK	3
24	BLACK	13.6	95	BLACK	17.6
26	BRIGHT	0.3	105	BLACK	9 (AUG)
26	BLACK	16	114.3	PEELED	0.4
27	BRIGHT	1.1	115	BLACK	1.5
27	BLACK	20 (JUNE)	120	PEELED	0.5
28.57	BRIGHT	0.7	120	BLACK	5.3
29.97	BRIGHT	0.5	125	BLACK	1.7
30	BLACK	2.6	127	PEELED	0.7
32	BLACK	18.7	130	BLACK	4.4
32	BRIGHT	0.3	135	BLACK	3.3
33	BRIGHT	0.5	152.4	PEELED	1.6
33	BLACK	20 (JUNE)	160	BLACK	1.7
34.92	BRIGHT	0.7			

### 8620 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
17	BLACK	2	75	BLACK	7.5 (OCT)
23	BLACK	4	76.2	PEELED	0.2
24	BLACK	0.4	80	BLACK	4.3
26	BLACK	0.25	85	BLACK	11.5 (OCT)
27	BLACK	9.3	90	BLACK	7.3
30	PEELED k12	0.25	95	BLACK	6.4
30	BLACK	0.5	100	BLACK	3.2
33	BLACK	5.3	105	BLACK	4 (OCT)
36	BLACK	9.4	110	BLACK	7 (OCT)
39	BLACK	7.2	120	BLACK	4.7
40	BLACK	8.4	130	BLACK	7 (OCT)
42	BLACK	6.3	140	BLACK	4 (AUG)
45	BLACK	1.3	150	BLACK	8.5
46.5	BLACK	7.3	160	BLACK	5.4
47.5	PEELED h10	1	170	BLACK	6.4
50	BLACK	8.8	180	BLACK	3.6
56	BLACK	4.3	190	BLACK	5.4
60	BLACK	4.6	220	BLACK	6 (AUG)
65	BLACK	5 (AUG)	230	BLACK	4 (JULY)
70	BLACK	13.1			



## EN36A, EN26, EN39B, EN25, 1340, 1320, 17CrNiMo6, 300PLUS ROUND BAR

DIA	SURFACE CONDITION		DIA	SURFACE CONDITION	TONNES
<b>EN36A</b>			<b>EN26</b>		
20	ANN PLD	1.8 (JUNE)	27	AR	8 (AUG)
22	ANN PLD	2.7 (JUNE)	27	Q&T	0.8
25	ANN PLD	2.7 (OCT)	32	Q&T	4.2
26	ANN PLD	1 (OCT)	32	Q&T PEELED	0.3
33	ANN PLD	1 (OCT)	35	Q&T	6.5
35	ANN PLD	1 (OCT)	38	AR	6.5 (AUG)
36	ANN PLD	2 (OCT)	40	AR	6 (AUG)
40	ANN PLD	1.7 (OCT)	45	Q&T	2
45	ANN PLD	1.3 (OCT)	47	Q&T	6.6
51.5	ANN PLD	5 (JUNE)	53	AR	14.8 (AUG)
55	ANN PLD	1 (OCT)	58	Q&T	0.3
55.5	ANN PLD	2 (OCT)	60	AR	8 (AUG)
60	ANN PLD	1.7 (OCT)	65	AR	2 (JULY)
65	ANN PLD	3.3 (JUNE)	70	AR	7.6 (JULY)
66	ANN PLD	3.8 (JUNE)	70	Q&T	2.5
70	ANN PLD	3.8 (JUNE)	75	AR	2
75	ANN PLD	1.2 (OCT)	80	AR	4 (JULY)
80	ANN PLD	2 (OCT)	85	AR	6.5 (AUG)
85	ANN PLD	2 (OCT)	88.9	Q&T PEELED	0.5
90	ANN PLD	4 (OCT)	90	Q&T	6.5
92	ANN PLD	0.3	95	Q&T	12.3
100	ANN PLD	1.6	105	AR	5 (OCT)
105	ANN PLD	1	105	Q&T	5.5
106	ANN PLD	1 (OCT)	110	AR	2 (JULY)
110	ANN PLD	2.4	115	AR	5.1
116	ANN PLD	0.4	120	AR	5 (AUG)
120	ANN PLD	4 (OCT)	125	AR	4 (JULY)
140	ANN PLD	0.5	130	Q&T	3
152	ANN PLD	2 (OCT)	135	AR	5 (JULY)
170	ANN PLD	3.4	140	Q&T	5.5
175	ANN PLD	0.5	150	AR	7.5 (JULY)
180	ANN PLD	2.1	150	Q&T	1
210	ANN PLD	2.7 (OCT)	160	AR	5.3 (AUG)
220	ANN PLD	2.3 (OCT)	160	Q&T PEELED	0.5
272	ANN PLD	2 (OCT)	170	AR	16 (OCT)
			190	AR	5.5 (OCT)
			190	Q&T	1.3
			200	AR	6.5 (AUG)
			210	AR	8 (AUG)
			220	AR	3.5 (AUG)
			230	Q&T	2.7
			260	AF MACHINED	3 (JULY)
			300	AF MACHINED	3
			310	AF MACHINED	3

**EN39B**

28	ANN PLD	0.3
30	ANN BLACK	6

**EN25**

47	ANN	0.6
65	AR	0.5

**GRADE 300 PLUS**

75	BLACK	0.7
90	BLACK	2

**XK1320**

18	BLACK	0.4
20	BLACK	2 (JULY)
22	BLACK	2 (JULY)
24	BLACK	5 (JULY)
42	BLACK	8 (JULY)
90	BLACK	2.8

**17CrNiMo6**

34.5	ANN PLD k12	1.1
39	ANN PLD k12	5.5
51.5	ANN PLD k12	4.1 (JUNE)
55.5	ANN PLD k12	5
65	ANN PLD k12	0.3
70	ANN PLD k12	1.1
82	ANN PLD k12	0.2
87	ANN PLD k12	5.9
102	ANN PLD k12	6.4
105	ANN BLK	2.6
106	ANN PLD k12	5.1
127	ANN PLD k12	0.8
160	ANN BLK	3.2
175	ANN PLD k12	1.3
185	ANN PLD k12	6.9

**1141**

20	BLACK	5
----	-------	---

**XK9261S**

22	BLACK	4.2
----	-------	-----

## 1214 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
6	BRIGHT	1.3	36	BLACK	3
6.35	BRIGHT	0.6	39	BLACK	13
7	BRIGHT	2 (SEPT)	40	BLACK	10
7.14	BRIGHT	0.7	41.27	BRIGHT	2
8	BRIGHT	2.1	42	BLACK	19 (JUNE)
9	BRIGHT	4	45	BLACK	13.5
9.52	BRIGHT	1.8	46	BLACK	8.6
10	COIL	4	48	BLACK	31
10	BRIGHT	0.5	50	BLACK	2.6
11.2	COIL	6	52	BLACK	8
12	BRIGHT	20	56	BRIGHT	0.2
12.2	BRIGHT	2.2	56	BLACK	21
12.7	BRIGHT	2	60	BLACK	15
14	BRIGHT	2.7	64	BLACK	8
14.29	BRIGHT	1.5	65	BLACK	15
15.87	BRIGHT	0.2	65	BRIGHT	5.1
16	COIL	2.8	66.67	BRIGHT	1
16.2	BRIGHT	0.3	68.5	BLACK	16
17	BRIGHT	0.7	69.85	PEELED	1
17.46	BRIGHT	1	70	BLACK	2
18	BRIGHT	0.2	70	PEELED	1.2
19	BRIGHT	0.6	75	BLACK	6.8
19.05	BRIGHT	3	80	PEELED	1.2
19.7	COIL	1.3	82.55	PEELED	0.4
20	COIL	14	85	BLACK	22.5
20.64	BRIGHT	0.8	88.9	PEELED	3.8
21.7	COIL	33	90	PEELED	2.2
24	BLACK	29	95	PEELED	2
25	BRIGHT	0.6	95	BLACK	13
26	BLACK	2	95.25	PEELED	2.3
27	BLACK	29	100	BLACK	5.3
28	BRIGHT	0.5	101.6	PEELED	0.5
30	BRIGHT	1.3	105	BLACK	1.1
30	BLACK	20 (JUNE)	110	PEELED	1.3
31.75	BRIGHT	3.3	115	BLACK	0.9
32	BLACK	15	120	PEELED	1.3
33	BRIGHT	1	135	BLACK	4.7
33	BLACK	20 (JUNE)	139.7	PEELED	0.9
35	BRIGHT	0.7	145	BLACK	2.5
35	BLACK	7.3	160	BLACK	7.5 (OCT)

## 12L14 ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
8	BRIGHT	4	26.99	BRIGHT	1.5
9	BRIGHT	6	27	COIL	4.5 (JULY)
9.52	BRIGHT	1	29	COIL	8.7
10	BRIGHT	2.2	30	BLACK	12 (JULY)
11.11	BRIGHT	0.9	32	BLACK	10 (AUG)
11.2	COIL	5.1	33	BLACK	20 (JULY)
12	BRIGHT	1	33.34	BRIGHT	0.75
13	COIL	2	34.92	BRIGHT	1.8
14	COIL	2	35	BRIGHT	1.1
15.87	BRIGHT	0.5	36	BLACK	6
16	BRIGHT	1	40	BLACK	9.8 (AUG)
16	COIL	17 (JUNE)	43	BLACK	3.5
17	COIL	2.8	46.5	BLACK	5
17.46	BRIGHT	0.5	52	BLACK	4.6
18	BRIGHT	1.5	57.15	BRIGHT	1
19	COIL	5	60	BLACK	4
19.05	BRIGHT	2	60	BRIGHT	4
20	COIL	10 (OCT)	63.5	BLACK	5
20	BRIGHT	0.2	65	BLACK	11.2
20.64	BRIGHT	1	69.85	PEELED	0.5
21	COIL	19.5	73	BLACK	1.1
22.22	BRIGHT	1.6	73.02	PEELED	0.3
23	COIL	1.4	80	BLACK	3
24	BLACK	7.6	85	BLACK	5.3
25	BLACK	3	101.6	PEELED	0.2

## 4140, 1045 CHROME ROUND BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
<b>4140 H&amp;T</b>			<b>4140 INDUCTION HARDENED</b>		
22.22	Q&T	0.5	34.92	IH	0.3
25.4	Q&T	1.5	38.1	IH	0.8
31.75	Q&T	4.8	44.45	I	3.5
32	Q&T	0.8	50	IH	0.2
34.92	Q&T	0.5	56	IH	1.1
36	Q&T	1.4	65	IH	0.3
44.45	Q&T CR3	1.9	70	IH	0.3
50	Q&T	0.5	75	IH	1
57.15	Q&T	2	76.2	IH CB3	1.2
57.15	Q&T CR3	2.1	80	IH	0.7
63	Q&T	1	100	IH	0.35
65	Q&T	1			
69.85	Q&T	0.2			
75	Q&T	1.1			
90	Q&T	0.6			
<b>1045</b>			<b>1045 INDUCTION HARDENED</b>		
15.87	AR	3.3	22	IH	0.8
16	AR	2	22.22	IH	0.3
19.05	AR	0.2	40	IH	0.2
20	AR	2.5	44.45	IH	1.7
22.22	AR	0.2	45	IH	0.7
25.4	AR	3	50	IH	1.4
28	AR	0.5	50.8	IH	0.3
28.57	AR	0.9	53.98	IH	1.6
30	AR	2.2	60	IH	0.7
31.75	AR	0.8	63.5	IH	1.5
32	AR	1	70	IH	0.4
34.92	AR	0.8	75	IH	0.6
35	AR	3.1	76.2	IH	1.4
36	AR	0.3	80	IH	1.3
44.45	AR	1.6	82.55	IH	0.7
48.7	AR	0.6	85	IH	0.25
50	AR	2.4	88.9	IH	0.3
50.8	AR	6.1	95.25	IH	0.6
53.98	AR	0.3	100	IH	0.3
56	AR	1.1	101.6	IH	1.3
57.15	AR	2.2	110	IH	0.4
60	AR	4.2			
65	AR	0.6			
70	AR	0.7			
85	AR	0.5			
88.9	AR	2.5			
90	AR	0.6			
95.25	AR	1.2			
105	AR	0.4			
152.4	AR	0.6			

**4140, 1045, 1214, 12L14 HEXAGON BAR**

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
<b>4140</b>			<b>1045</b>		
19.05 HEX	Q&T DRAWN	2.9	19.05 HEX	DRAWN	0.5
22.22 HEX	Q&T DRAWN	0.2	28.57 HEX	DRAWN	0.3
25 HEX	AR BLACK	0.3	30 HEX	DRAWN	0.2
25 HEX	Q&T BLACK	0.4	31.75HEX	DRAWN	0.8
27 HEX	Q&T DRAWN	0.4	37.5 HEX	BLACK	3.5
28.58 HEX	Q&T DRAWN	0.7	38.1 HEX	DRAWN	0.6
30 HEX	Q&T BLACK	0.6	39.5 HEX	BLACK	8.6
31.75 HEX	Q&T DRAWN	0.8	44.45 HEX	DRAWN	0.6
34.92 HEX	Q&T DRAWN	0.7	47.5 HEX	BLACK	7.5 (SEPT)
36 HEX	Q&T DRAWN	1.7	50.8 HEX	DRAWN	0.5
37.5 HEX	AR BLACK	8.7	52.5HEX	BLACK	7.2
37.5 HEX	Q&T BLACK	3.8			
38.1 HEX	Q&T DRAWN	1			
39.5 HEX	Q&T BLACK	3.2			
44.5 HEX	Q&T BLACK	0.8			
47.5 HEX	AR BLACK	8 (AUG)			
52.5 HEX	AR BLACK	9.4 (AUG)			
57.5 HEX	AR BLACK	9.7 (AUG)			
58.5 HEX	Q&T BLACK	0.2			
63.5 HEX	Q&T DRAWN	1			
65 HEX	AR BLACK	4.8			
			<b>M1020</b>		
			31.75HEX	DRAWN	0.5

## 4140, 1045, 1214, 12L14 HEXAGON BAR

SIZE AF	SURFACE CONDITION	TONNES	SIZE AF	SURFACE CONDITION	TONNES
<b>1214</b>			<b>12L14</b>		
11.11 HEX	DRAWN	1.2	7.94 HEX	DRAWN	1.8 (SEPT)
12.7 HEX	DRAWN	2.4	11.11 HEX	DRAWN	0.9
14.28 HEX	DRAWN	0.5	14 HEX	DRAWN	1
15.87 HEX	DRAWN	4.2	15.88 HEX	DRAWN	1.2
16 HEX	DRAWN	0.3	17.46 HEX	DRAWN	1
17.46 HEX	DRAWN	1.7	24 HEX	DRAWN	0.3
19.05 HEX	DRAWN	1.3	28.5 HEX	BLACK	6 (SEPT)
22.22 HEX	DRAWN	9.8	30 HEX	BLACK	4 (AUG)
24 HEX	DRAWN	1.8	33 HEX	BLACK	16 (AUG)
28.57 HEX	DRAWN	0.5	37.5 HEX	BLACK	18 (SEPT)
30 HEX	DRAWN	1.8	39.5 HEX	BLACK	7.7
37.5 HEX	BLACK	6 (SEPT)	44.5 HEX	BLACK	9.5 (SEPT)
39.5 HEX	BLACK	2.3	47.5 HEX	BLACK	11 (AUG)
44.45 HEX	DRAWN	0.3	47.62 HEX	DRAWN	1.6
44.5 HEX	BLACK	9.7 (AUG)	49 HEX	BLACK	7.5 (AUG)
50 HEX	DRAWN	0.3	50 HEX	DRAWN	1.2
52.07 HEX	DRAWN	0.2	50.8 HEX	DRAWN	1
52.5 HEX	BLACK	7 (AUG)	53.5 HEX	BLACK	18.5 (OCT)
57 HEX	BLACK	1.8	57 HEX	BLACK	1.5
61.21 HEX	DRAWN	0.5	58.5 HEX	BLACK	5.8 (OCT)
70 HEX	DRAWN	8 (SEPT)	63 HEX	BLACK	2.5 (OCT)
75 HEX	DRAWN	1.2	63.5 HEX	DRAWN	3.6
76.2 HEX	DRAWN	5	65 HEX	DRAWN	9.4

**1214, 1045, 12L14, 4140, 1020 SQUARE BAR**

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
<b>1214</b>			<b>1045</b>		
9.52 SQUARE	DRAWN	0.25	19.05 SQUARE	DRAWN	1.2
12.7 SQUARE	DRAWN	0.2 (JUNE)	25 SQUARE	DRAWN	0.5 (AUG)
16 SQUARE	DRAWN	0.5	31.75 SQUARE	DRAWN	0.3
19.05 SQUARE	DRAWN	1.1	32 SQUARE	DRAWN	0.4
20 SQUARE	BLACK	5.2	33 SQUARE	BLACK	2.7
20 SQUARE	DRAWN	0.5	38.1 SQUARE	DRAWN	2
22.22 SQUARE	DRAWN	2.9	40 SQUARE	BLACK	13
25 SQUARE	DRAWN	0.25	45 SQUARE	BLACK	24
25.4 SQUARE	DRAWN	1 (JULY)	52 SQUARE	BLACK	11
28.57 SQUARE	DRAWN	1.3	63 SQUARE	BLACK	3
38.1 SQUARE	DRAWN	4.2	75 SQUARE	BLACK	4.9
40 SQUARE	BLACK	3.5	80 SQUARE	BLACK	9 (NOV)
44.45 SQUARE	DRAWN	1.8	90 SQUARE	BLACK	8 (JUNE)
50 SQUARE	DRAWN	1	100 SQUARE	BLACK	6 (AUG)
50.8 SQUARE	DRAWN	0.5	130 SQUARE	BLACK	4.4
52 SQUARE	BLACK	5	160 SQUARE	BLACK	7
57.15 SQUARE	DRAWN	1			
88.9 SQUARE	DRAWN	0.2			
90 SQUARE	DRAWN	0.7 (JUNE)			
100 SQUARE	DRAWN	1.2			
101.6 SQUARE	DRAWN	0.8			
<b>1020</b>			<b>4140</b>		
12 SQUARE	DRAWN	0.25 (JULY)	30 SQUARE	Q&T	3
20 SQUARE	DRAWN	1.2 (SEPT)	32 SQUARE	AR	4
25 SQUARE	DRAWN	1 (JULY)	32 SQUARE	Q&T	3.4
25.4 SQUARE	DRAWN	0.25 (JUNE)	38.1 SQUARE	Q&T DRAWN	0.7
28.58 SQUARE	DRAWN	0.25	40 SQUARE	AR	5.6
30 SQUARE	DRAWN	0.5	40 SQUARE	Q&T	1.3
31.75 SQUARE	DRAWN	1.2 (OCT)	50 SQUARE	AR	7.4
40 SQUARE	BLACK	2.5	50 SQUARE	Q&T	0.5
40 SQUARE	DRAWN	0.6 (AUG)	75 SQUARE	AR	5.5
44.45 SQUARE	DRAWN	1	75 SQUARE	Q&T	5.8
45 SQUARE	DRAWN	0.25	100 SQUARE	Q&T	1.1
50 SQUARE	DRAWN	2 (JULY)	110 SQUARE	AR	2.8
50.8 SQUARE	DRAWN	0.75 (JULY)			
63.5 SQUARE	DRAWN	2 (OCT)			
65 SQUARE	DRAWN	0.7 (JULY)			
75 SQUARE	DRAWN	1.4 (OCT)			
76.2 SQUARE	DRAWN	2 (OCT)			
88.9 SQUARE	DRAWN	0.4 (JULY)			
90 SQUARE	DRAWN	0.75 (OCT)			
100 SQUARE	DRAWN	2 (OCT)			
101.6 SQUARE	DRAWN	1.3 (JULY)			
114.3 SQUARE	DRAWN	1			
127 SQUARE	DRAWN	1.8			
150 SQUARE	DRAWN	3.3			
			<b>12L14</b>		
			44.45 SQUARE	AR	2



**1020, 1004B, 1016, U1010 FLAT BAR**

SIZE	SURFACE CONDITION	TONNES	SIZE	SURFACE CONDITION	TONNES
<b>M1020</b>			<b>M1020</b>		
20x5	DRAWN	0.5	50x15	DRAWN	6
20x7	DRAWN	0.3	50x20	DRAWN	3 (SEPT)
20x10	DRAWN	0.5 (JULY)	50x25	DRAWN	1.5 (AUG)
25x5	DRAWN	0.2	50x40	DRAWN	1 (JUNE)
25x10	DRAWN	0.5	50.8x38.1	DRAWN	0.25 (SEPT)
25x12	DRAWN	1 (JULY)	75x10	DRAWN	0.2
25x15	DRAWN	0.7 (JULY)	75x12	DRAWN	0.8 (JULY)
25x16	DRAWN	0.25	75x15	DRAWN	0.6 (JULY)
25x20	DRAWN	0.5	75x20	DRAWN	0.2 (JULY)
25.4x6.35	DRAWN	0.2	75x25	DRAWN	0.2 (AUG)
30x10	DRAWN	1	75x50	DRAWN	0.5 (JUNE)
32x10	DRAWN	1 (JULY)	76.2x12.7	DRAWN	0.5
32x15	DRAWN	0.6	76.2x31.75	DRAWN	0.3
32x20	DRAWN	0.7 (JUNE)	76.2x38.1	DRAWN	0.2
32x25	DRAWN	0.1	76.2x50.8	DRAWN	0.25 (AUG)
38.1x12.7	DRAWN	0.25	88.9x50.8	DRAWN	2.5
40x7	DRAWN	0.7	100x10	DRAWN	0.7 (JUNE)
40x10	DRAWN	0.2	100x20	DRAWN	0.5 (AUG)
40x12	DRAWN	0.2 (JULY)	100x25	DRAWN	1.8 (JULY)
40x15	DRAWN	0.5	100x50	DRAWN	2 (SEPT)
40x16	DRAWN	0.2	101.6x38.1	DRAWN	0.4
40x20	DRAWN	1.2 (SEPT)	101.6x50.8	DRAWN	1
40x25	DRAWN	0.3 (JUNE)	101.6x76.2	DRAWN	3 (AUG)
44.45x31.75	DRAWN	0.2	150x12	DRAWN	0.7 (JULY)
50x6	DRAWN	0.5 (JULY)	150x20	DRAWN	0.3 (JUNE)
50x7	DRAWN	0.2	150x25	DRAWN	1.3 (JULY)
50x10	DRAWN	1 (JULY)	150x50	DRAWN	0.5 (SEPT)
50x12	DRAWN	0.5 (JUNE)	152.4x25.4	DRAWN	0.4
<b>1004B</b>			<b>U1010</b>		
16x5	DRAWN	2	25x7	DRAWN	2.2
32x5	DRAWN	3.2			
40x5	DRAWN	4.5			
<b>1214 (230M07)</b>			<b>1045</b>		
50.8x38.1	DRAWN	0.25	32x10	BLACK	3.6

## 4140, MECAPLUS HOLLOW BAR

DIA	SURFACE CONDITION	TONNES	DIA	SURFACE CONDITION	TONNES
<b>4140</b>			<b>4140</b>		
50x25	AR	2.5 (OCT)	119.6x56	Q&T	0.8
50x32	Q&T	0.6	125x71	Q&T	1.8
56x36	Q&T	6	125x80	AR	0.5 (AUG)
63x32	Q&T	5.7	125x100	Q&T	2
63x45	Q&T	3.1	130x75	Q&T	0.9
71x36	AR	3.5 (OCT)	131.7x97.1	AR	0.8
71x50	Q&T	3.5	132x71	AR	3.5 (AUG)
75x40	Q&T	0.6	132x80	AR	0.8 (AUG)
75x45	Q&T	4	132x80	ANN	1.3
80x40	AR	3 (AUG)	132x90	Q&T	1
85x45	Q&T	2.5	135x85	Q&T	3.7
85x67	AR	3.5 (OCT)	140x60	Q&T	1.3
90x40	Q&T	0.2	140x80	AR	1.5 (AUG)
90x45	Q&T	3	140x90	AR	0.5 (AUG)
90x50	AR	3.2 (AUG)	140x100	Q&T	2.5
95x45	Q&T	2.2	150x80	AR	3.3
95x50	AR	1.7 (AUG)	150x106	AR	0.4
95x60	AR	5 (AUG)	150x114	Q&T	1.7
95x63	Q&T	2.3	160x90	AR	1
100x56	Q&T	3.4	160x112	Q&T	2
100x71	AR	3 (AUG)	160x116	Q&T	1.4
106x56	AR	4 (AUG)	170x100	AR	1
106x63	Q&T	5	180x125	AR	1 (AUG)
106x71	AR	2.8 (AUG)	190x132	AR	3 (AUG)
112x80	Q&T	1.6	200x112	AR	4.6
118x63	Q&T	7	200x140	Q&T	0.4
118x80	Q&T	3.3	225x140	AR	4.2
118x90	Q&T	2.2	225x140	Q&T	8

## MECAPLUS 470

30x20	AR	1
-------	----	---

**ST52 SKIVED BURNISHED HYDRAULIC CYLINDER TUBE**

<b>DIA</b>	<b>METERS</b>	<b>DIA</b>	<b>METERS</b>
50.8x38.1	31	120x100	14
60x50	42 (AUG)	120.65x101.6	108 (AUG)
60.32x50.8	23	127x114.3	64 (AUG)
69.85x57.15	35 (AUG)	139.7x127	31 (AUG)
70x55	28 (AUG)	1146.05x127	24 (AUG)
72x60	24	150x125	20 (AUG)
76.2x63.5	103 (AUG)	152.4x127	37
82x70	67 (AUG)	152.4x139.7	36 (AUG)
82.55x63.5	6	165.1x152.4	20 (AUG)
82.55x69.85	12 (AUG)	168.2x152.4	37
88.9x76.2	84 (AUG)	170x140	30 (AUG)
95x80	81	171.45x152.4	12 (JULY)
95.2x76.2	6 (AUG)	180x150	22
95.25x82.55	20 (AUG)	190x160	9
100x80	6	210x180	20
101.6x88.9	72 (AUG)	228.6x203.2	8 (AUG)
107.95x88.9	21 (AUG)	254x228.6	9
114.3x101.6	82 (AUG)		